

2014



Product Catalogue

www.camelionbattery.com


Camelion®
More Energy Solutions



CAMELION Battery Co. Ltd. manufactures a wide range of
high quality products to give the consumer

More Energy Solutions

for their Electronic Equipments at a Reasonable Cost



**Try us out
today!**

- **Primary Batteries**
- **Rechargeable Batteries and Chargers**
- **Flashlights and Lanterns**
- **Power Supplies**

When you need more energy solutions, try Camelion

CONTENT

Primary Batteries

Lithium P7	6
Digi Alkaline	6
Plus Alkaline	7
Super Heavy Duty (Blue)	13
Super Heavy Duty (Green)	17
Photo Lithium	20
9V Lithium	20

Micro Batteries

Lithium	21
Alkaline	21
Hearing Aid Zinc Air	22
Oxide	23
Batteries Tester BT-0503 BT-0506	23
Battery Selection Chart	24

Rechargeable Batteries

AlwaysReady	26
Ni-MH	28
Ni-Cd	32

Battery Chargers

Ultra Fast Chargers

BC-0907	33
---------	----

Super Fast Chargers

BC-1007	33
BC-0905A	34

Fast Chargers

BC-1002A/BC-1002B/BC-1002C	34
BC-1012	35
BC-1014	35

Regular Chargers

BC-1001A/BC-1001B	36
BC-1009/BC-1009A	36
BC-1010B	37
BC-1021C	37
BC-0901	38
BC-0902	38
BC-0904S/BC-0904T/BC-0904SM	39
BC-0903B	39
BC-0805A/BC-0805B	40

Universal Chargers

BC-0906S	40
LBC-312	41

Battery Charging Table	42
-------------------------------	----

Power Supplies

USB Car Chargers

DD801	45
DD802	45

Pocket PowerBod

PS625F	46
PS625FH	46

Pocket PowerBoX

PS626	47
PS627	47
PS632	48

USB Wall Charger

AD518	48
AD5028	49
AD3127	49
AD318	50
AD618	50
AD718A	51
AD918	51

Hand Warmer

PS609	52
-------	----

Device Chart	52
--------------	----

Battery Powered Flashlights

TUFFeLite™ Flashlights

T536, T556	54
------------	----

TRAVLite™ Flashlights

LED Pocket Flashlight HP7011	56
--	----

LED Rubber Flashlight PT6L2D, PT3L2AA	56
---	----

LED Lantern SL7051, SL1011	58
--------------------------------------	----

Key-Chain Flashlight SL3013	58
---------------------------------------	----

Work Lamp SL5240, SL7280	60
------------------------------------	----

Bicycle Safety Light S760, S761, T556S	62
--	----

HomeBright™ Flashlights

Pocket LED Aluminum T5012, T5013, T530, T540, T550	64
--	----

LED Flashlights FL6L2D, FL3L2AA, S772	66
---	----

2 in 1 Flashlight & Glowstick S773	66
--	----

LED Search Lamps

HP5091, FL-16LED, FL-9LED	68
---------------------------	----

Classic Flashlight FL2D, FL2C, FL2AA	70
--	----

Classic Search Lamps CM25B1, CM4AA01	72
--	----

Professional Products

DoctorLite™ DL2AAAS	73
-------------------------------	----

Rechargeable Flashlights

HyberBrite™ Flashlights

RT3071, RT3011, RT397, RT398	74
------------------------------	----

CooLED™ Flashlights

Rechargeable LED Flashlight RHP6041, RHP6062, RHP6051, RHP6042, RHP6012, RHP6013	76
---	----

Rechargeable Work light RS660	78
---	----

Rechargeable LED Lantern RS650	78
--	----

Flashlight Replacement Bulbs

LED Bulb, Vacuum and Krypton	79
------------------------------	----

Promotional Accessories 81



Primary Batteries



Lithium P⁷ Batteries

Camelion Lithium P7™ batteries offer a unique combination of lightness and high energy density. As Camelion's most powerful primary battery, the P7 batteries, offer unbeatable performance for your high drain devices such as digital cameras, music players and games. It can be stored up to 10 years.



FR6-BP4

1.5V AA

Packaging

Blister	4 pcs/pack	Gross Weight:	11.0 kg
Inner Box	12 packs/box	Volume:	0.0166 cbm
Outer Carton	144 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	27.5(L) x 28.0(W) x 21.5(H)



FR6-BP2

1.5V AA

Packaging

Blister	2 pcs/pack	Gross Weight:	9.3 kg
Inner Box	12 packs/box	Volume:	0.0251 cbm
Outer Carton	216 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



FR03-BP4

1.5V AAA

Packaging

Blister	4 pcs/pack	Gross Weight:	12.1 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



FR03-BP2

1.5V AAA

Packaging

Blister	2 pcs/pack	Gross Weight:	8.0 kg
Inner Box	12 packs/box	Volume:	0.0237 cbm
Outer Carton	288 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



Digi Alkaline Batteries

Camelion Digi Alkaline batteries are the right solution for many electronic devices including digital cameras, music players, and boom boxes. Using a new technology they offer long lasting power for high drain devices.



LR20-BP2DG

1.5V D

Packaging

Blister	2 pcs/pack	Gross Weight:	15.0 kg
Inner Box	6 packs/box	Volume:	0.0157 cbm
Outer Carton	48 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



LR14-BP2DG

1.5V C


Packaging

Blister	2 pcs/pack	Gross Weight:	14.3 kg
Inner Box	6 packs/box	Volume:	0.0227 cbm
Outer Carton	96 packs/carton		

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)





LR6-BP4DG

1.5V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 15.4 kg
Inner Box	12 packs/box	Volume: 0.0166 cbm
Outer Carton	144 packs/carton	

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	27.5(L) x 28.0(W) x 21.5(H)



LR6-BP2DG

1.5V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.6 kg
Inner Box	12 packs/box	Volume: 0.0251 cbm
Outer Carton	216 packs/carton	

Dimensions	
Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR03-BP4DG

1.5V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight: 15.9 kg
Inner Box	12 packs/box	Volume: 0.0237 cbm
Outer Carton	288 packs/carton	

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP2DG

1.5V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight: 9.1 kg
Inner Box	12 packs/box	Volume: 0.0237 cbm
Outer Carton	288 packs/carton	

Dimensions	
Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR6-PB24DG

1.5V AA

Packaging		
Blister	24 pcs/pack	Gross Weight: 14.1 kg
Inner Box	6 packs/box	Volume: 0.0149 cbm
Outer Carton	24 packs/carton	

Dimensions	
Blister (mm)	98(W) x 75(H) x 50(D)
Inner Box (mm)	237(L) x 200(W) x 65(H)
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)



LR03-PB24DG

1.5V AAA

Packaging		
Blister	24 pcs/pack	Gross Weight: 7.4 kg
Inner Box	6 packs/box	Volume: 0.0091 cbm
Outer Carton	24 packs/carton	

Dimensions	
Blister (mm)	76(W) x 60(H) x 44(D)
Inner Box (mm)	190(L) x 165(W) x 60(H)
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)

Plus Alkaline Batteries

Camelion Plus Alkaline batteries offer reliable power for high drain devices. They deliver stable and long lasting current couple to a long shelf life to support high drain devices such as CD players, toys, PDAs, and electronic games.



LR20-BP2

1.5V D

Packaging		
Blister	2 pcs/pack	Gross Weight: 15.0 kg
Inner Box	6 packs/box	Volume: 0.0157 cbm
Outer Carton	48 packs/carton	

Dimensions	
Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 19.5(W) x 24.0(H)



LR14-BP2

1.5V C

Packaging		
Blister	2 pcs/pack	Gross Weight: 14.3 kg
Inner Box	6 packs/box	Volume: 0.0227 cbm
Outer Carton	96 packs/carton	

Dimensions	
Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	140(L) x 90(W) x 92(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 20.5(H)



LR6-BP2

1.5V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.6 kg
Inner Box	12 packs/box	Volume: 0.0251 cbm
Outer Carton	216 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	41.5(L) x 27.5(W) x 22.0(H)



LR6-BP4

1.5V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 15.5 kg
Inner Box	12 packs/box	Volume: 0.0166 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	27.5(L) x 28.0(W) x 21.5(H)



4&2LR6

1.5V AA

Packaging		
Blister	6 pcs/pack	Gross Weight: 15.5 kg
Inner Box	12 packs/box	Volume: 0.0192 cbm
Outer Carton	96 packs/carton	

Dimensions

Blister (mm)	140(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 150(H)
Outer Carton (cm)	40.7(L) x 27.7(W) x 17.0(H)



4&4LR6

1.5V AA

Packaging		
Blister	8 pcs/pack	Gross Weight: 15.5 kg
Inner Box	12 packs/box	Volume: 0.0199 cbm
Outer Carton	72 packs/carton	

Dimensions

Blister (mm)	168(W) x 114(H) x 15(D)
Inner Box (mm)	175(L) x 140(W) x 10.8(H)
Outer Carton (cm)	43.5(L) x 19.0(W) x 24.0(H)



LR6-BP8

1.5V AA

Packaging		
Blister	8 pcs/pack	Gross Weight: 15.1 kg
Inner Box	12 packs/box	Volume: 0.0198 cbm
Outer Carton	72 packs/carton	

Dimensions

Blister (mm)	84(W) x 165(H) x 15(D)
Inner Box (mm)	265(W) x 100(H) x 90(D)
Outer Carton (cm)	31.5(L) x 28.0(W) x 22.5(H)



LR03-BP8

1.5V AAA

Packaging		
Blister	8 pcs/pack	Gross Weight: 8.3 kg
Inner Box	12 packs/box	Volume: 0.0132 cbm
Outer Carton	72 packs/carton	

Dimensions

Blister (mm)	84(W) x 165(H) x 11(D)
Inner Box (mm)	200(L) x 84(W) x 90(H)
Outer Carton (cm)	30.0(L) x 22.0(W) x 20.0(H)



LR03-BP2

1.5V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight: 9.1 kg
Inner Box	12 packs/box	Volume: 0.0237 cbm
Outer Carton	288 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



LR03-BP4

1.5V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight: 15.9 kg
Inner Box	12 packs/box	Volume: 0.0237 cbm
Outer Carton	288 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



4&2LR03

1.5V AAA

Packaging		
Blister	6 pcs/pack	Gross Weight: 12.8 kg
Inner Box	12 packs/box	Volume: 0.0207 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	125(W) x 114(H) x 11(D)
Inner Box (mm)	132(L) x 75(W) x 125(H)
Outer Carton (cm)	41.5(L) x 28.5(W) x 17.5(H)



4&4LR03

1.5V AAA

Packaging		
Blister	8 pcs/pack	Gross Weight: 8.9 kg
Inner Box	12 packs/box	Volume: 0.0147 cbm
Outer Carton	72 packs/carton	

Dimensions

Blister (mm)	168(W) x 114(H) x 11(D)
Inner Box (mm)	175(L) x 130(W) x 85(H)
Outer Carton (cm)	40.5(L) x 19.0(W) x 19.0(H)



6LR61-BP1

9V

Packaging

Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	11.2 kg
Volume:	0.0246 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)



3LR12-BP1

4.5V

Packaging

Blister	1 pcs/pack
Inner Box	6 packs/box
Outer Carton	144 packs/carton

Gross Weight:	16.9 kg
Volume:	0.0295 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 23(D)
Inner Box (mm)	160(L) x 75(W) x 86(H)
Outer Carton (cm)	36.0(L) x 33.5(W) x 24.5(H)



LR1-BP2

1.5V N

Packaging

Blister	2 pcs/pack
Inner Box	6 packs/box
Outer Carton	192 packs/carton

Gross Weight:	6.3 kg
Volume:	0.0181 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 12(D)
Inner Box (mm)	116(L) x 45(W) x 86(H)
Outer Carton (cm)	36.2(L) x 25.0(W) x 20.0(H)



LR6-DBP24

1.5V AA

Packaging

Blister	24 pcs/pack
Inner Box	12 packs/box
Outer Carton	24 packs/carton

Gross Weight:	15 kg
Volume:	0.0153 cbm

Dimensions

Blister (mm)	187(W) x 119(H) x 36(D)
Inner Box (mm)	248(L) x 128(W) x 190(H)
Outer Carton (cm)	27.5(L) x 26.5(W) x 21.0(H)



LR03-DBP24

1.5V AAA

Packaging

Blister	24 pcs/pack
Inner Box	12 packs/box
Outer Carton	24 packs/carton

Gross Weight:	7.7 kg
Volume:	0.010 cbm

Dimensions

Blister (mm)	162(W) x 110(H) x 29(D)
Inner Box (mm)	210(L) x 118(W) x 166(H)
Outer Carton (cm)	25.5(L) x 23.0(W) x 18.5(H)



LR6-BP1x10P

1.5V AA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	19.6 kg
Volume:	0.0264 cbm

Dimensions

Blister (mm)	135(W) x 225(H) x 15.5(D)
Inner Box (mm)	235(L) x 105(W) x 147(H)
Outer Carton (cm)	33.0(L) x 25.0(W) x 32.0(H)



LR03-BP1x10P

1.5V AAA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	10.6 kg
Volume:	0.0216 cbm

Dimensions

Blister (mm)	135(W) x 225(H) x 11.5(D)
Inner Box (mm)	235(L) x 85(W) x 147(H)
Outer Carton (cm)	27.0(L) x 25.0(W) x 32.0(H)



LR6-BP1x6P

1.5V AA

Packaging

Blister	6 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	15.6 kg
Volume:	0.0219 cbm

Dimensions

Blister (mm)	70(W) x 230(H) x 15.5(D)
Inner Box (mm)	255(L) x 105(W) x 82(H)
Outer Carton (cm)	34.5(L) x 27.0(W) x 23.5(H)



LR03-BP1x6P

1.5V AAA

Packaging

Blister	6 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	8.7 kg
Volume:	0.0182 cbm

Dimensions

Blister (mm)	70(W) x 230(H) x 11.5(D)
Inner Box (mm)	255(L) x 85(W) x 82(H)
Outer Carton (cm)	34.5(L) x 27.0(W) x 19.5(H)



LR20-SP2

1.5V D

Packaging		
Blister	2 pcs/pack	Gross Weight:
Inner Box	6 packs/box	16.7 kg
Outer Carton	60 packs/carton	Volume:
		0.0122 cbm

Dimensions

Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	35.5(L) x 15.0(W) x 23.0(H)



LR14-SP2

1.5V C

Packaging		
Blister	2 pcs/pack	Gross Weight:
Inner Box	6 packs/box	16.6 kg
Outer Carton	120 packs/carton	Volume:
		0.0123 cbm

Dimensions

Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	107(L) x 81(W) x 56(H)
Outer Carton (cm)	29.5(L) x 22.5(W) x 18.5(H)



LR6-SP4

1.5V AA

Packaging		
Blister	4 pcs/pack	Gross Weight:
Inner Box	15 packs/box	17.8 kg
Outer Carton	180 packs/carton	Volume:
		0.0096 cbm

Dimensions

Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	23.5(L) x 21.5(W) x 19.0(H)



LR6-SP2

1.5V AA

Packaging		
Blister	2 pcs/pack	Gross Weight:
Inner Box	20 packs/box	17.9 kg
Outer Carton	360 packs/carton	Volume:
		0.0100 cbm

Dimensions

Shrink (mm)	28(W) x 50(H) x 14(D)
Inner Box (mm)	113(L) x 72(W) x 50(H)
Outer Carton (cm)	31.5(L) x 23.5(W) x 13.5(H)



LR03-SP4

1.5V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight:
Inner Box	15 packs/box	14.7 kg
Outer Carton	300 packs/carton	Volume:
		0.0084 cbm

Dimensions

Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	29.0(L) x 20.0(W) x 14.5(H)



LR03-SP2

1.5V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight:
Inner Box	20 packs/box	14.8 kg
Outer Carton	600 packs/carton	Volume:
		0.0083 cbm

Dimensions

Shrink (mm)	20(W) x 44.5(H) x 10(D)
Inner Box (mm)	83(L) x 52(W) x 45(H)
Outer Carton (cm)	29.0(L) x 19.0(W) x 15.0(H)



6LR61-SP1

9V

Packaging		
Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	11.4 kg
Outer Carton	240 packs/carton	Volume:
		0.0083 cbm

Dimensions

Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 23.0(W) x 12.5(H)



3LR12-SP1

4.5V

Packaging		
Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	16.6 kg
Outer Carton	192 packs/carton	Volume:
		0.0233 cbm

Dimensions

Shrink (mm)	62(W) x 65.5 (H) x 22 (D)
Inner Box (mm)	188(L) x 90(W) x 65(H)
Outer Carton (cm)	38.5(L) x 20.5(W) x 29.5(H)

Shrink Wrap Packaging and Display Boxes

Handy Packaging!

Our shrink wrap packaging and display boxes help keep your batteries where you need them, with minimum fuss.

- Convenient, portable and durable
- Self-standing, sturdy display boxes
- Many sizes and shapes available
- Securely hold several batteries
- Professional, branded card inserts and designs for effective messaging



LR6-SP8

1.5V AA



Packaging		Gross Weight:
Blister	8 pcs/pack	15.5 kg
Inner Box	20 packs/box	Volume:
Outer Carton	4 boxes/carton	0.0099 cbm
Dimensions		
Inner Box (mm)	150(L) x 118(W) x 110(H)	
Outer Carton (cm)	25.0(L) x 16.5(W) x 24.0(H)	

LR03-SP8

1.5V AAA



Packaging		Gross Weight:
Blister	8 pcs/pack	15.5 kg
Inner Box	40 packs/box	Volume:
Outer Carton	4 boxes/carton	0.0096 cbm
Dimensions		
Inner Box (mm)	170(L) x 110(W) x 100(H)	
Outer Carton (cm)	23.5(L) x 18.5(W) x 22.0(H)	

LR6-SP10

1.5V AA



Packaging		Gross Weight:
Blister	10 pcs/pack	10 kg
Inner Box	20 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm
Dimensions		
Inner Box (mm)	150(L) x 147(W) x 110(H)	
Outer Carton (cm)	23.5(L) x 16.0(W) x 17.0(H)	

LR03-SP10

1.5V AAA



Packaging		Gross Weight:
Blister	10 pcs/pack	9.9 kg
Inner Box	40 packs/box	Volume:
Outer Carton	2 boxes/carton	0.0064 cbm
Dimensions		
Inner Box (mm)	213(L) x 110(W) x 100(H)	
Outer Carton (cm)	23.5(L) x 22.5(W) x 12.0(H)	

LR20-PB4

1.5V D



Packaging		
Blister	4 pcs/pack	Gross Weight: 14.8 kg Volume: 0.0191 cbm
Inner Box	6 packs/box	
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	89(L) x 84(W) x 62 (H)
Inner Box (mm)	260(L) x 185(W) x 75(H)
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)

LR14-PB4

1.5V C



Packaging		
Blister	4 pcs/pack	Gross Weight: 7.6 kg Volume: 0.0112 cbm
Inner Box	6 packs/box	
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	73(L) x 68(W) x 50(H)
Inner Box (mm)	210(L) x 152(W) x 61(H)
Outer Carton (cm)	32.0(L) x 22.5(W) x 15.5(H)

LR6-PB24

1.5V AA



Packaging		
Blister	24 pcs/pack	Gross Weight: 14.1 kg Volume: 0.0149 cbm
Inner Box	6 packs/box	
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	98(L) x 75(W) x 50(H)
Inner Box (mm)	237(L) x 200(W) x 65(H)
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)

LR03-PB24

1.5V AAA



Packaging		
Blister	24 pcs/pack	Gross Weight: 7.4 kg Volume: 0.0091 cbm
Inner Box	6 packs/box	
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	76(L) x 60(W) x 44(H)
Inner Box (mm)	190(L) x 165(W) x 60(H)
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)

6LR61-PB6

9V



Packaging		
Blister	6 pcs/pack	Gross Weight: 7.8 kg Volume: 0.0105 cbm
Inner Box	6 packs/box	
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	71(L) x 68(W) x 49 (H)
Inner Box (mm)	210(L) x 148(W) x 60(H)
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)



CM-FA-01

Packaging	10 x LR6 + 8 x LR03+ 2 x 6LR61 + 4xC Size Adaptors + 4 x D Size Adaptors+BT-0503	Gross Weight: 8.0 kg Volume: 0.0206 cbm
Outer Carton	10 boxes/carton	

Dimensions

Plastic box (mm)	255(L) x 173(W) x 37(H)
Outer Carton (cm)	35.8(L) x 26.7(W) x 21.5(H)

LR6-PBH24

1.5V AA



Packaging		
Blister	24 pcs/pack	Gross Weight: 16.3 kg Volume: 0.0142 cbm
Inner Box	12 packs/box	
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	108(L) x 92(W) x 32(H)
Inner Box (mm)	285(L) x 225(W) x 80(H)
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)

LR03-PBH24

1.5V AAA



Packaging		
Blister	24 pcs/pack	Gross Weight: 8.8 kg Volume: 0.0084 cbm
Inner Box	12 packs/box	
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	96(L) x 70(W) x 26(H)
Inner Box (mm)	220(L) x 200(W) x 65(H)
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)

LR6-PBH12

1.5V AA



Packaging		
Blister	12 pcs/pack	Gross Weight: 15.2 kg Volume: 0.0127 cbm
Inner Box	24 packs/box	
Outer Carton	48 packs/carton	

Dimensions

Plastic box (mm)	55(L) x 95(W) x 34(H)
Inner Box (mm)	195(L) x 170(W) x 142(H)
Outer Carton (cm)	36.5(L) x 21.0(W) x 16.5(H)

LR03-PBH12

1.5V AAA



Packaging		
Blister	12 pcs/pack	Gross Weight: 7.5 kg Volume: 0.0069 cbm
Inner Box	24 packs/box	
Outer Carton	48 packs/carton	

Dimensions

Plastic box (mm)	49(L) x 72(W) x 26(H)
Inner Box (mm)	150(L) x 150(W) x 110(H)
Outer Carton (cm)	32.0(L) x 16.5(W) x 13.0(H)

Super Heavy Duty Batteries

Camelion Zinc Carbon batteries are a great choice for small household electronic devices that need continuous power such as clocks, flashlights, remote controls and transistor radios. Manganese dioxide is used for the positive material and zinc/ammonium chloride for the electrolyte in a leakage proof structure. These, general purpose, batteries offer a long shelf life as well as reliability, versatility and savings.



R20P-BP2B

1.5V D

Packaging		Gross Weight:
Blister	2 pcs/pack	14.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	72 packs/carton	0.0238 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 34(D)
Inner Box (mm)	160(L) x 110(W) x 92(H)
Outer Carton (cm)	33.5(L) x 29.0(W) x 24.5(H)



R14P-BP2B

1.5V C

Packaging		Gross Weight:
Blister	2 pcs/pack	15.6 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0315 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 27(D)
Inner Box (mm)	137(L) x 86(W) x 86(H)
Outer Carton (cm)	37.5(L) x 29.5(W) x 28.5(H)



R6P-BP2B

1.5V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	10.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0272 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R6P-BP4B

1.5V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	17.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0272cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 15(D)
Inner Box (mm)	131(L) x 98(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)



R6P-BP8B

1.5V AA

Packaging		Gross Weight:
Blister	8 pcs/pack	11.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0198 cbm

Dimensions

Blister (mm)	84(W) x 165(H) x 15(D)
Inner Box (mm)	265(L) x 100(W) x 90(H)
Outer Carton (cm)	31.5(L) x 28.0(W) x 22.5(H)



R03P-BP8B

1.5V AAA

Packaging		Gross Weight:
Blister	8 pcs/pack	7.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0132 cbm

Dimensions

Blister (mm)	84(W) x 165(H) x 11(D)
Inner Box (mm)	200(L) x 84(W) x 90(H)
Outer Carton (cm)	30.0(L) x 22.0(W) x 20.0(H)



R03P-BP2B

1.5V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	8.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



R03P-BP4B

1.5V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	14.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 11(D)
Inner Box (mm)	119(L) x 75(W) x 86(H)
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)



6F22-BP1B

9V

Packaging

Blister	1 pcs/pack
Inner Box	12 packs/box
Outer Carton	240 packs/carton

Gross Weight:	11.4 kg
Volume:	0.0310 cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	45.0(L) x 27.0(W) x 25.5(H)



6F22-BP2B

9V

Packaging

Blister	2 pcs/pack
Inner Box	12 packs/box
Outer Carton	192 packs/carton

Gross Weight:	18.3 kg
Volume:	0.0246cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)



3R12-BP1B

4.5V


Packaging

Blister	1 pcs/pack
Inner Box	6 packs/box
Outer Carton	144 packs/carton

Gross Weight:	18.0 kg
Volume:	0.0290cbm

Dimensions

Blister (mm)	84(W) x 114(H) x 23(D)
Inner Box (mm)	160(L) x 75(W) x 86(H)
Outer Carton (cm)	33.5(L) x 31.5(W) x 27.5(H)



R6P-BP1x10BP

1.5V AA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	15.0 kg
Volume:	0.0264 cbm

Dimensions

Blister (mm)	135(W) x 225(H) x 15.5(D)
Inner Box (mm)	235(L) x 105(W) x 147(H)
Outer Carton (cm)	33.0(L) x 25.0(W) x 32.0(H)



R03P-BP1x10BP

1.5V AAA

Packaging

Blister	10 pcs/pack
Inner Box	12 packs/box
Outer Carton	72 packs/carton

Gross Weight:	9.6 kg
Volume:	0.0216 cbm

Dimensions

Blister (mm)	135(W) x 225(H) x 11.5(D)
Inner Box (mm)	235(L) x 85(W) x 147(H)
Outer Carton (cm)	27.0(L) x 25.0(W) x 32.0(H)



R6P-BP1x6BP

1.5V AA

Packaging

Blister	6 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	11.9 kg
Volume:	0.0219 cbm

Dimensions

Blister (mm)	70(W) x 230(H) x 15.5(D)
Inner Box (mm)	255(L) x 105(W) x 82(H)
Outer Carton (cm)	34.5(L) x 27.0(W) x 23.5(H)



R03P-BP1x6BP

1.5V AAA

Packaging

Blister	6 pcs/pack
Inner Box	12 packs/box
Outer Carton	96 packs/carton

Gross Weight:	8.1 kg
Volume:	0.0182 cbm

Dimensions

Blister (mm)	70(W) x 230(H) x 11.5(D)
Inner Box (mm)	255(L) x 85(W) x 82(H)
Outer Carton (cm)	34.5(L) x 27.0(W) x 19.5(H)



R20P-SP2B

1.5V D

Packaging		
Blister	2 pcs/pack	Gross Weight:
Inner Box	6 packs/box	13.9 kg
Outer Carton	72 packs/carton	Volume:
		0.0147 cbm

Dimensions

Shrink (mm)	66(W) x 61(H) x 33(D)
Inner Box (mm)	137(L) x 103(W) x 68(H)
Outer Carton (cm)	29.0(L) x 22.0(W) x 23.0(H)



R6P-SP4B

1.5V AA

Packaging		
Blister	4 pcs/pack	Gross Weight:
Inner Box	15 packs/box	18.5 kg
Outer Carton	240 packs/carton	Volume:
		0.0127cbm

Dimensions

Shrink (mm)	56(W) x 50(H) x 14(D)
Inner Box (mm)	174(L) x 72(W) x 50(H)
Outer Carton (cm)	30.5(L) x 22.0(W) x 19.0(H)



R03P-SP4B

1.5V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight:
Inner Box	15 packs/box	10.0 kg
Outer Carton	300 packs/carton	Volume:
		0.0083 cbm

Dimensions

Shrink (mm)	40(W) x 44.5(H) x 10(D)
Inner Box (mm)	125(L) x 52(W) x 45(H)
Outer Carton (cm)	28.5(L) x 20.0(W) x 14.5(H)



6F22-SP1B

9V

Packaging		
Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	17.8 kg
Outer Carton	480 packs/carton	Volume:
		0.0144 cbm

Dimensions

Shrink (mm)	25.5(W) x 48.5(H) x 17.5 (D)
Inner Box (mm)	105(L) x 52(W) x 50(H)
Outer Carton (cm)	29.0(L) x 22.5(W) x 22.0(H)



4R25-SP1B

6V

Packaging		
Blister	1 pcs/pack	Gross Weight:
Inner Box	6 packs/box	6.7 kg
Outer Carton	12 packs/carton	Volume:
		0.0090 cbm

Dimensions

Shrink (mm)	68.2(W) x 68.2(H) x 115 (D)
Inner Box (mm)	205(L) x 135(W) x 120(H)
Outer Carton (cm)	29.0(L) x 22.0(W) x 14.0(H)



R14P-SP2B

1.5V C

Packaging		
Blister	2 pcs/pack	Gross Weight:
Inner Box	6 packs/box	14.7 kg
Outer Carton	144 packs/carton	Volume:
		0.0129 cbm

Dimensions

Shrink (mm)	52(W) x 50(H) x 26(D)
Inner Box (mm)	104(L) x 78(W) x 50(H)
Outer Carton (cm)	25.5(L) x 23.0(W) x 22.0(H)



R6P-SP2B

1.5V AA

Packaging		
Blister	2 pcs/pack	Gross Weight:
Inner Box	20 packs/box	18.8 kg
Outer Carton	480 packs/carton	Volume:
		0.0127 cbm

Dimensions

Shrink (mm)	28(W) x 50(H) x 14(D)
Inner Box (mm)	113(L) x 72(W) x 50(H)
Outer Carton (cm)	30.5(L) x 22.0(W) x 19.0(H)



R03P-SP2B

1.5V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight:
Inner Box	20 packs/box	10.6 kg
Outer Carton	600 packs/carton	Volume:
		0.0083 cbm

Dimensions

Shrink (mm)	20(W) x 44.5(H) x 10(D)
Inner Box (mm)	83(L) x 52(W) x 45(H)
Outer Carton (cm)	28.5(L) x 20.0(W) x 14.5(H)



3R12-SP1B

4.5V

Packaging		
Blister	1 pcs/pack	Gross Weight:
Inner Box	12 packs/box	16.6 kg
Outer Carton	144 packs/carton	Volume:
		0.0188 cbm

Dimensions

Shrink (mm)	62(W) x 65.5 (H) x 22 (D)
Inner Box (mm)	188(L) x 90(W) x 65(H)
Outer Carton (cm)	39.0(L) x 21.0(W) x 23.0(H)

R6P-SP8B

1.5V AA



Packaging		Gross Weight:
Blister	8 pcs/pack	18.5 kg
Inner Box	20 packs/box	Volume:
Outer Carton	6 boxes/carton	0.0147 cbm
Dimensions		
Inner Box (mm)	150(L) x 118(W) x 110(H)	
Outer Carton (cm)	34.5(L) x 25.0(W) x 17.0(H)	

R03P-SP8B

1.5V AAA



Packaging		Gross Weight:
Blister	8 pcs/pack	19.7 kg
Inner Box	40 packs/box	Volume:
Outer Carton	6 boxes/carton	0.0141 cbm
Dimensions		
Inner Box (mm)	170(L) x 110(W) x 100(H)	
Outer Carton (cm)	31.5(L) x 23.5(W) x 19.0(H)	

R20P-PB4B

1.5V D



Packaging		Gross Weight:
Blister	4 pcs/pack	10.1 kg
Inner Box	6 packs/box	Volume:
Outer Carton	24 packs/carton	0.0191 cbm
Dimensions		
Plastic box (mm)	89(L) x 84(W) x 62(H)	
Inner Box (mm)	260(L) x 185(W) x 75(H)	
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)	

R6P-PB24B

1.5V AA



Packaging		Gross Weight:
Blister	24 pcs/pack	11.7 kg
Inner Box	6 packs/box	Volume:
Outer Carton	24 packs/carton	0.0149 cbm
Dimensions		
Plastic box (mm)	98(L) x 75(W) x 50(H)	
Inner Box (mm)	237(L) x 200(W) x 65(H)	
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)	

6F22-PB6B

9V



Packaging		Gross Weight:
Blister	6 pcs/pack	6.5 kg
Inner Box	6 packs/box	Volume:
Outer Carton	24 packs/carton	0.0105 cbm
Dimensions		
Plastic box (mm)	71(L) x 68(W) x 49(H)	
Inner Box (mm)	210(L) x 148(W) x 60(H)	
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)	

R6P-PBH24B

1.5V AA



Packaging		Gross Weight:
Blister	24 pcs/pack	12.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	24 packs/carton	0.0142 cbm
Dimensions		
Plastic box (mm)	108(L) x 92(W) x 32(H)	
Inner Box (mm)	285(L) x 225(W) x 80(H)	
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)	

R6P-SP24B

1.5V AA



Packaging		Gross Weight:
Blister	24 pcs/pack	18.4 kg
Inner Box	10 packs/box	Volume:
Outer Carton	4 boxes/carton	0.0144 cbm
Dimensions		
Inner Box (mm)	175(L) x 150(W) x 110(H)	
Outer Carton (cm)	31.5(L) x 19.0(W) x 24.0(H)	

R03P-SP24B

1.5V AAA



Packaging		Gross Weight:
Blister	24 pcs/pack	19.4 kg
Inner Box	10 packs/box	Volume:
Outer Carton	8 boxes/carton	0.0143 cbm
Dimensions		
Inner Box (mm)	130(L) x 110(W) x 100(H)	
Outer Carton (cm)	27.5(L) x 23.5(W) x 22.0(H)	

R14P-PB4B

1.5V C



Packaging		Gross Weight:
Blister	4 pcs/pack	5.9 kg
Inner Box	6 packs/box	Volume:
Outer Carton	24 packs/carton	0.0112 cbm
Dimensions		
Plastic box (mm)	73(L) x 68(W) x 50(H)	
Inner Box (mm)	210(L) x 152(W) x 61(H)	
Outer Carton (cm)	32(L) x 22.5(W) x 15.5(H)	

R03P-PB24B

1.5V AAA



Packaging		Gross Weight:
Blister	24 pcs/pack	6.8 kg
Inner Box	6 packs/box	Volume:
Outer Carton	24 packs/carton	0.0091 cbm
Dimensions		
Plastic box (mm)	76(L) x 60(W) x 44(H)	
Inner Box (mm)	190(L) x 165(W) x 60(H)	
Outer Carton (cm)	34.0(L) x 20.5(W) x 13.0(H)	

CM-FSB-01



Packaging	10 x R6P + 8 x R03P + 2 x 6F22 + 4 x R14P + 4 x R20P + BT-0503	Gross Weight: 10.1 kg
Outer Carton	10 boxes/carton	Volume: 0.0206 cbm
Dimensions		
Plastic box (mm)	255(L) x 173(W) x 37(H)	
Outer Carton (cm)	35.8(L) x 26.7(W) x 21.5(H)	

R03P-PBH24B

1.5V AAA



Packaging		Gross Weight:
Blister	24 pcs/pack	7.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	24 packs/carton	0.0084 cbm
Dimensions		
Plastic box (mm)	96(L) x 70(W) x 26(H)	
Inner Box (mm)	220(L) x 200(W) x 65(H)	
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)	



R20P-BP2G

1.5V D

Packaging		Gross Weight:
Blister	2 pcs/pack	14.1 kg
Inner Box	6 packs/box	Volume:
Outer Carton	72 packs/carton	0.0238cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 34(D)	
Inner Box (mm)	160(L) x 110(W) x 92(H)	
Outer Carton (cm)	33.5(L) x 29.0(W) x 24.5(H)	



R20P-BP4G

1.5V D

Packaging		Gross Weight:
Blister	4 pcs/pack	20.6 kg
Inner Box	6 packs/box	Volume:
Outer Carton	54 packs/carton	0.0340cbm
Dimensions		
Blister (mm)	84(W) x 190(H) x 34(D)	
Inner Box (mm)	290(L) x 110(W) x 90(H)	
Outer Carton (cm)	31.0(L) x 30.5(W) x 36.0(H)	



R14P-BP2G

1.5V C

Packaging		Gross Weight:
Blister	2 pcs/pack	14.3 kg
Inner Box	6 packs/box	Volume:
Outer Carton	144 packs/carton	0.0315 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 27(D)	
Inner Box (mm)	137(L) x 86(W) x 86(H)	
Outer Carton (cm)	37.5(L) x 29.5(W) x 28.5(H)	



R14P-BP4G

1.5V C

Packaging		Gross Weight:
Blister	4 pcs/pack	10.4 kg
Inner Box	6 packs/box	Volume:
Outer Carton	54 packs/carton	0.0245cbm
Dimensions		
Blister (mm)	84(W) x 165(H) x 27(D)	
Inner Box (mm)	240(L) x 90(W) x 90(H)	
Outer Carton (cm)	32.0(L) x 25.5(W) x 30.0(H)	



R6P-BP2G

1.5V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	9.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0272 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)	



R6P-BP4G

1.5V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	15.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0272cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 15(D)	
Inner Box (mm)	131(L) x 98(W) x 86(H)	
Outer Carton (cm)	45.0(L) x 27.5(W) x 22.0(H)	



R6P-BP8G

1.5V AA

Packaging		Gross Weight:
Blister	8 pcs/pack	9.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	72 packs/carton	0.0198 cbm
Dimensions		
Blister (mm)	84(W) x 165(H) x 15(D)	
Inner Box (mm)	265(L) x 100(W) x 90(H)	
Outer Carton (cm)	31.5(L) x 28.0(W) x 22.5(H)	



R03P-BP2G

1.5V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	7.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237 cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 11(D)	
Inner Box (mm)	119(L) x 75(W) x 86(H)	
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)	



R03P-BP4G

1.5V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.1 kg
Inner Box	12 packs/box	Volume:
Outer Carton	288 packs/carton	0.0237cbm
Dimensions		
Blister (mm)	84(W) x 114(H) x 11(D)	
Inner Box (mm)	119(L) x 75(W) x 86(H)	
Outer Carton (cm)	32.5(L) x 26.0(W) x 28.0(H)	



R03P-BP8G

1.5V AAA

Packaging		
Blister	8 pcs/pack	Gross Weight: 6.6 kg
Inner Box	12 packs/box	Volume: 0.0132 cbm
Outer Carton	72 packs/carton	
Dimensions		
Blister (mm)	84(W) x 165(H) x 11(D)	
Inner Box (mm)	200(L) x 84(W) x 90(H)	
Outer Carton (cm)	30.0(L) x 22.0(W) x 20.0(H)	



R03P-BP10G

1.5V AAA

Packaging		
Blister	10 pcs/pack	Gross Weight: 7.8 kg
Inner Box	12 packs/box	Volume: 0.0152cbm
Outer Carton	72 packs/carton	
Dimensions		
Blister (mm)	84(W) x 165(H) x 11(D)	
Inner Box (mm)	243(L) x 85(W) x 90(H)	
Outer Carton (cm)	30.0(L) x 26.0(W) x 19.5(H)	



6F22-BP1G

9V

Packaging		
Blister	1 pcs/pack	Gross Weight: 11.4 kg
Inner Box	12 packs/box	Volume: 0.0310 cbm
Outer Carton	240 packs/carton	
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	45.0(L) x 27.0(W) x 25.5(H)	



6F22-BP2G

9V

Packaging		
Blister	2 pcs/pack	Gross Weight: 18.3 kg
Inner Box	12 packs/box	Volume: 0.0246cbm
Outer Carton	192 packs/carton	
Dimensions		
Blister (mm)	84(W) x 114(H) x 18(D)	
Inner Box (mm)	123(L) x 117(W) x 86(H)	
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)	



3R12-BP1G

4.5V

Packaging		
Blister	1 pcs/pack	Gross Weight: 17.6 kg
Inner Box	6 packs/box	Volume: 0.0290cbm
Outer Carton	144 packs/carton	
Dimensions		
Blister (mm)	84(W) x 114(H) x 23(D)	
Inner Box (mm)	160(L) x 75(W) x 86(H)	
Outer Carton (cm)	33.5(L) x 31.5(W) x 27.5(H)	



R6P-BP1x10GP

1.5V AA

Packaging		
Blister	10 pcs/pack	Gross Weight: 12.4 kg
Inner Box	12 packs/box	Volume: 0.0264 cbm
Outer Carton	72 packs/carton	
Dimensions		
Blister (mm)	135(W) x 225(H) x 15.5(D)	
Inner Box (mm)	235(L) x 105(W) x 147(H)	
Outer Carton (cm)	33.0(L) x 25.0(W) x 32.0(H)	



R03P-BP1x10GP

1.5V AAA

Packaging		
Blister	10 pcs/pack	Gross Weight: 8.0 kg
Inner Box	12 packs/box	Volume: 0.0216 cbm
Outer Carton	72 packs/carton	
Dimensions		
Blister (mm)	135(W) x 225(H) x 11.5(D)	
Inner Box (mm)	235(L) x 85(W) x 147(H)	
Outer Carton (cm)	27.0(L) x 25.0(W) x 32.0(H)	



R6P-BP1x6GP

1.5V AA

Packaging		
Blister	6 pcs/pack	Gross Weight: 10.0 kg
Inner Box	12 packs/box	Volume: 0.0219 cbm
Outer Carton	96 packs/carton	
Dimensions		
Blister (mm)	70(W) x 230(H) x 15.5(D)	
Inner Box (mm)	255(L) x 105(W) x 82(H)	
Outer Carton (cm)	34.5(L) x 27.0(W) x 23.5(H)	



R03P-BP1x6GP

1.5V AAA

Packaging		
Blister	6 pcs/pack	Gross Weight: 6.8 kg
Inner Box	12 packs/box	Volume: 0.0182 cbm
Outer Carton	96 packs/carton	
Dimensions		
Blister (mm)	70(W) x 230(H) x 11.5(D)	
Inner Box (mm)	255(L) x 85(W) x 82(H)	
Outer Carton (cm)	34.5(L) x 27.0(W) x 19.5(H)	

R20P-PB4G

1.5V D



Packaging		
Blister	4 pcs/pack	Gross Weight: 9.5 kg
Inner Box	6 packs/box	Volume: 0.0191 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	89(L) x 84(W) x 62(H)
Inner Box (mm)	260(L) x 185(W) x 75(H)
Outer Carton (cm)	38.5(L) x 27.5(W) x 18.0(H)

R14P-PB4G

1.5V C



Packaging		
Blister	4 pcs/pack	Gross Weight: 5.4 kg
Inner Box	6 packs/box	Volume: 0.0112 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	73(L) x 68(W) x 50(H)
Inner Box (mm)	210(L) x 152(W) x 61(H)
Outer Carton (cm)	32(L) x 22.5(W) x 15.5(H)

R6P-PB24G

1.5V AA



Packaging		
Blister	24 pcs/pack	Gross Weight: 9.4 kg
Inner Box	6 packs/box	Volume: 0.0149 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	98(L) x 75(W) x 50(H)
Inner Box (mm)	237(L) x 200(W) x 65(H)
Outer Carton (cm)	42.5(L) x 25(W) x 14(H)

R03P-PB24G

1.5V AAA



Packaging		
Blister	24 pcs/pack	Gross Weight: 5.5 kg
Inner Box	6 packs/box	Volume: 0.0091 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	76(L) x 60(W) x 44(H)
Inner Box (mm)	190(L) x 165(W) x 60(H)
Outer Carton (cm)	34(L) x 20.5(W) x 13(H)

6F22-PB6G

9V



Packaging		
Blister	6 pcs/pack	Gross Weight: 6.5 kg
Inner Box	6 packs/box	Volume: 0.0105 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	71(L) x 68(W) x 49(H)
Inner Box (mm)	210(L) x 148(W) x 60(H)
Outer Carton (cm)	31.0(L) x 22.5(W) x 15.0(H)

CM-FSG-01



Packaging		
10 x R6P+8 x R03P +2 x 6F22+4 x R14P +4 x R20P +BT-0503		Gross Weight: 9.1 kg
Outer Carton	10 boxes/carton	Volume: 0.0206 cbm

Dimensions

Plastic box (mm)	255(L) x 173(W) x 37(H)
Outer Carton (cm)	35.8(L) x 26.7(W) x 21.5(H)

R6P-PBH24G

1.5V AA



Packaging		
Blister	24 pcs/pack	Gross Weight: 10.1 kg
Inner Box	12 packs/box	Volume: 0.0142 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	108(L) x 92(W) x 32(H)
Inner Box (mm)	285(L) x 225(W) x 80(H)
Outer Carton (cm)	30.5(L) x 24.5(W) x 19.0(H)

R03P-PBH24G

1.5V AAA



Packaging		
Blister	24 pcs/pack	Gross Weight: 5.7 kg
Inner Box	12 packs/box	Volume: 0.084 cbm
Outer Carton	24 packs/carton	

Dimensions

Plastic box (mm)	96(L) x 70(W) x 26(H)
Inner Box (mm)	220(L) x 200(W) x 65(H)
Outer Carton (cm)	24.0(L) x 22.0(W) x 16.0(H)



Photo Lithium Batteries

Camelion Photo batteries are ideal for a wide range of analog cameras.



CR123A-BP1

3V

Packaging		
Blister	1 pcs/pack	Gross Weight: 5.5 kg
Inner Box	10 packs/box	Volume: 0.0243 cbm
Outer Carton	200 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 17.5(D)
Inner Box (mm)	118(L) x 95(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 21.5(H)



CR2-BP1

3V

Packaging		
Blister	1 pcs/pack	Gross Weight: 4.5 kg
Inner Box	10 packs/box	Volume: 0.0215 cbm
Outer Carton	200 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 16.5(D)
Inner Box (mm)	118(L) x 85(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 19.0(H)



CR-P2-BP1

6V

Packaging		
Blister	1 pcs/pack	Gross Weight: 10.0 kg
Inner Box	10 packs/box	Volume: 0.0265 cbm
Outer Carton	200 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 20.5(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)



2CR5-BP1

6V

Packaging		
Blister	1 pcs/pack	Gross Weight: 10.0 kg
Inner Box	10 packs/box	Volume: 0.0265 cbm
Outer Carton	200 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	118(L) x 105(W) x 85(H)
Outer Carton (cm)	45.0(L) x 25.0(W) x 23.5(H)




9V Lithium Battery

The new Lithium 9V Battery from Camelion is a high capacity battery designed to provide long lasting life and stable operating voltage.

- 9V 1200mAh
- Up to 5X Longer Lasting*
- Low Self Discharge
- Anti leakage crimp design
- Temperature Range -20°C to +55°C
- Non-rechargeable
- 10 Year Shelf Life
- High And Stable Operating Voltage

*compare with alkaline batteries. Camelion 2010 Lab Tests.



CR9V-BP1

9V

Packaging		
Blister	1 pcs/pack	Gross Weight: 8.3 kg
Inner Box	12 packs/box	Volume: 0.0246 cbm
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)



ER9V-BP1

9V

Packaging		
Blister	1 pcs/pack	Gross Weight: 8.3 kg
Inner Box	12 packs/box	Volume: 0.0246 cbm
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	84(W) x 114(H) x 18(D)
Inner Box (mm)	123(L) x 117(W) x 86(H)
Outer Carton (cm)	36.2(L) x 26.3(W) x 25.8(H)

Micro Batteries

Camelion Micro batteries provide stable energy for small electronic devices and are available in lithium, alkaline, silver oxide and zinc air chemistries, depending upon voltage and size requirements of your equipment. They are suitable for car keys, calculators, laser points, hearing aids and many other electronic gadgets.



Lithium

3V



ITEM	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W.(KG)	VOLUME(CBM)
CR1216-BP1	56 x 92 x 3 1 PCS / BLISTER	98 x 37 x 58 10 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	9.5	0.0451
CR1220-BP1				8.0	
CR1225-BP1				8.0	
CR1616-BP1				8.0	
CR1620-BP1				8.5	
CR1632-BP1				10.4	
CR2016-BP1				9.5	
CR2025-BP1				11.0	
CR2032-BP1				12.0	
CR2320-BP1				11.5	
CR2330-BP1				13.0	
CR2430-BP1				13.5	
CR2450-BP1				17.5	
CR927-BP1				14.0	
CR2016-BP2	55 x 92 x 6 4 PCS / BLISTER	145 x120 x 58 40 PACKS	30.6 x 25.6 x 31.5 800 PACKS	8.64	0.0247
CR2025-BP2				9.76	
CR2032-BP2				10.4	
CR1216-BP5	55x 190 x 6 5 PCS / BLISTER	190 x 30 x 57 10 PACKS	29.0 x 22.0 x 26.0 360 PACKS	4.5	0.0165
CR1220-BP5				4.5	
CR1225-BP5				5.0	
CR1616-BP5				5.5	
CR1620-BP5				5.5	
CR2016-BP5				6.5	
CR2025-BP5				8.0	
CR2032-BP5				9.0	

Alkaline

1.5V



ITEM	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W.(KG)	VOLUME (CBM)
AG0-BP2	56 x 92 x 5 2 PCS / BLISTER	145 x 98 x 58 40 PACKS	45.5x 31.5 x 31.5 1800 PACKS	7.0	0.0379
AG1-BP2				7.0	
AG2-BP2				7.8	
AG3-BP2				8.0	
AG4-BP2				7.0	
AG5-BP2	56 x 92 x 7 2 PCS / BLISTER			9.0	0.0451
AG6-BP2	56 x 92 x 5 2 PCS / BLISTER			8.0	0.0379
AG7-BP2				8.5	
AG8-BP2				9.0	
AG9-BP2				9.0	
AG10-BP2				10.0	
AG11-BP2	7.0			0.0451	
AG12-BP2	11.0				
AG13-BP2	13.0				
625A	56 x 92 x 7 1 PCS / BLISTER			18.0	0.0451
AG0-BP10	50x 160 x 5 10 PCS / BLISTER	170 x 40 x 52 10 PACKS	50.0 x 20.0 x 20.0 360 PACKS	4.0	0.0198
AG1-BP10				4.0	
AG2-BP10				4.5	
AG3-BP10				5.0	
AG4-BP10				4.0	
AG5-BP10				6.5	
AG6-BP10				5.0	
AG7-BP10				5.5	
AG8-BP10				6.0	
AG9-BP10				6.0	
AG10-BP10				7.0	
AG11-BP10				4.0	
AG12-BP10				8.7	
AG13-BP10				10.0	

Alkaline 12V



ITEM	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W.(KG)	VOLUME (CBM)
A23-BP1	56 x 92 x 10 1 PC / BLISTER	125 x 95 x 58 20 PACKS	39.5 x 30.5 x 31.5 900 PACKS	8.6	0.0380
A27-BP1				8.0	
A32-BP1				7.1	
A23-BP5	50x 160 x 10 5 PCS / BLISTER	170 x 65 x 52 10 PACKS	42.0 x 36.0 x 18.0 360 PACKS	18.0	0.0273
A27-BP5				12.0	
A32-BP5				10.2	



4LR44-BP1C

6V

Packaging		
Blister	1 pcs/pack	Gross Weight: 15.0 kg
Inner Box	20 packs/box	
Outer Carton	900 packs/carton	Volume: 0.0451 cbm
Dimensions		
Blister (mm)	56(W)x 92(H) x (D)	
Inner Box (mm)	145(L)x 95(W) x 58(H)	
Outer Carton (cm)	45.5(L)x 31.5(W) x 31.5(H)	

Hearing Aid Zinc Air 1.4V

Camelion Hearing Aid batteries are light and reliable. They are conveniently packaged to make them easy to use.



ITEM	WxHxD (mm)	PACKAGING	WxHxD (mm)	INNER BOX	WxHxD (mm)	INNER CARTON	WxHxD (cm)	SHIPPING CARTON	G.W.(KG)	VOLUME (CBM)
A13-BP6	48 x 90 x 6.5	6PCS/Blister	92 x42 x5	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	6.5	0.0242
A10-BP6	48 x 90 x 4.5	6PCS/Blister	92 x32 x5	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.0	0.0196
A675-BP6	48 x 90 x 6.5	6PCS/Blister	92 x42 x5	10 Packs	245 x 120 x 130	100 Packs	62 x 26 x 15	500 Packs	9.5	0.0242
A312-BP6	48 x 90 x 4.5	6PCS/Blister	92 x32 x5	10 Packs	195 x 120 x 130	100 Packs	62 x 21 x 15	500 Packs	6.5	0.0196

Silver Oxide

1.55V



ITEM	PACKAGING WxHxD(mm)	INNER BOX LxWxH(mm)	SHIPPING CARTON LxWxH(cm)	G.W.(KG)	VOLUME(CBM)
SR41W-BP1	55x 92 x 5 1 PC / BLISTER	145 x 95 x 58 40 PACKS	45.5 x 31.5 x 31.5 1800 PACKS	8.5	0.0451
SR58W-BP1				8	
SR59W-BP1				8	
SR60W-BP1				8	
SR63W-BP1				7.5	
SR66W-BP1				8	
SR43-BP1				10.5	
SR44-BP1				11.5	
SR54-BP1				9.5	
SR69W-BP1				9.5	
SR41W-BP5	55x 190 x 5 5 PCS / BLISTER	195 x 90 x 58 20 PACKS	37.0 x 21.7 x 29.5 360 PACKS	4.5	0.0237
SR58W-BP5				4	
SR59W-BP5				4	
SR60W-BP5				4	
SR63W-BP5				3.5	
SR66W-BP5				4	
SR43-BP5				6.5	
SR44-BP5				7.5	
SR54-BP5				5.5	
SR69W-BP5				5.5	
4SR44-BP1C	55x 92 x 5 1 PC / BLISTER	145 x 95 x 58 20 PACKS	45.5 x 31.5 x 31.5 900 PACKS	15.0	0.0451

Batteries Tester



BT-0503



Tests AA and AAA Batteries

• Insert battery: Observe polarity

• Check LED indicator: If LED fluctuates press slightly

MAIN FEATURES

- Quickly determines if battery needs charging or replacing
- On the spot testing – just insert and check LED
- Compact & light




BT-0506

Tests AA, AAA, C, D, 9V and some models of button cell

MAIN FEATURES

- Easy to Read LCD Display for displaying real time battery conditions.
- Three-color Scale and Voltage Level for easily reading the battery voltage and power conditions.
- Wide Usage Available to test most 1.5V and 9V batteries.
- Retractable Test Arm easily adapts to different battery types.
- Compact and Portable



Battery Selection Chart

✓ BEST ✓ GOOD NO

	Classification	Lithium Batteries	Alkaline Primary			Carbon Zinc	Lithium		Silver Oxide	Lithium Button Cell	Alkaline Button Cell	Zinc Air
	Camelion Series	Lithium P7	Oxy-Alkaline	Digi-Alkaline	Plus Alkaline	Super Heavy Duty	Lithium Photo	ER9V CR9V	Micro Batteries	Micro Batteries	Micro Batteries	Hearing Aid
Music	MP3	✓	✓	✓	✓							
	Walkman	✓	✓	✓	✓	✓						
	iPod®											
	CD/DVD/MiniDisc	✓	✓	✓								
	Headphones	✓	✓	✓	✓	✓						
	Boombox	✓	✓	✓								
	Karaoke									✓		
	AM/FM Radio	✓	✓	✓	✓	✓			✓	✓	✓	
Toys & Games	Cassette	✓	✓	✓	✓	✓						
	Remote Control/Toys	✓	✓	✓	✓	✓			✓		✓	
	Racing Car	✓	✓	✓	✓				✓			
	Plays tation®	✓	✓	✓	✓	✓			✓			
	Blinker										✓	
Photo & Video	Laser Point										✓	
	Digital Camera	✓	✓	✓			✓			✓	✓	
	Liquid Crystal TVs	✓	✓	✓	✓							
	Portable Reader											
	CCTV/Surveillance											
	Analog Camera	✓	✓	✓	✓		✓		✓	✓		
	Camcorder									✓		
Mobile & Professional	Flashlight			✓	✓	✓	✓			✓		
	Cellular & Cordless Phone									✓		
	Bluetooth											
	Mobile Phone											
	PDA Phone											
	IP Phone											
	Blackberry®											
	Transceivers		✓	✓	✓	✓						
Office Appliances	Pagers		✓	✓	✓	✓						✓
	Notebook									✓		
	Hand Copy/Fax Machines		✓	✓	✓					✓		
	Transcribers		✓	✓	✓	✓						
	Walkie Talkie											
	Watches & Electronics								✓	✓	✓	
	Calculator		✓	✓	✓	✓			✓	✓	✓	
Other	Car Alarm									✓		
	Wi-Fi									✓		
	PDA									✓		
	Clocks			✓	✓	✓				✓	✓	
	Infrared Inductor			✓	✓							
	Micrometers								✓			
	Interphones/telephones				✓	✓						
	Electronic lighters								✓	✓		
	Strobe lights		✓	✓						✓		
	Autowinders		✓	✓								
	Shavers		✓	✓								
	IC/ID Cards									✓		
	Hearing Aid											✓
	Smoke Alarm							✓				
	Radio-communication							✓				
	Security Systems							✓				
	Wireless Transmitters							✓				
	GPS							✓				
	Metering Systems							✓				
	LED Lighting Applications							✓				
	Measuring Devices		✓	✓	✓	✓				✓	✓	

Please Note:

These are suggested recommendations only.
For the most accurate information please refer to your device manufacturer's manual.
Camelion is not responsible for accidents resulting from the use of this information



Rechargeable

AlwaysReady™ Batteries

Camelion AlwaysReady is a pre-charged, long-life, energy and money saving rechargeable battery which enable to hold charge for up to one year. It provides excellent performance-to-cost advantages over both conventional dry-cell batteries and other rechargeable batteries.



MAX — Maximum capacity, ideal for professional use




NH-AA2500ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 12.0 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 13.1 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



PREMIUM — Suitable for all high drain devices



NH-AA2300ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 11.8 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2300ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.9 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2100ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 11.7 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2100ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.7 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA900ARBP4

1.2V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight: 9.5 kg
Inner Box	12 packs/box	Volume: 0.0168 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA900ARBP2

1.2V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight: 8.6 kg
Inner Box	12 packs/box	Volume: 0.0269 cbm
Outer Carton	240 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA800ARBP4

1.2V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight: 9.2 kg
Inner Box	12 packs/box	Volume: 0.0168 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA800ARBP2

1.2V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight: 8.4 kg
Inner Box	12 packs/box	Volume: 0.0269 cbm
Outer Carton	240 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)

LONG LIFE — Maximum rechargeable life cycle up to 1500 cycles



NH-AA1000ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 11.4 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)




NH-AA1000ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.4 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA800ARBP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 11.4 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA800ARBP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.4 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA600ARBP4

1.2V AAA

Packaging		
Blister	4 pcs/pack	Gross Weight: 8.6 kg
Inner Box	12 packs/box	Volume: 0.0168 cbm
Outer Carton	144 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600ARBP2

1.2V AAA

Packaging		
Blister	2 pcs/pack	Gross Weight: 7.9 kg
Inner Box	12 packs/box	Volume: 0.0269 cbm
Outer Carton	240 packs/carton	

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



Ni-MH Rechargeable Batteries

Camelion Ni-MH Rechargeable batteries offer high capacity performance, up to 1000 recharge cycles, and because they are used again and again they help reduce environmental waste. High drain devices such as music players and digital cameras are supported, therefore, you can hear more songs and take more photos.



NH-D10000BP2

1.2V D

Packaging		Gross Weight:
Blister	2 pcs/pack	17.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	48 packs/carton	0.0244 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	165(L) x 135(W) x 105(H)
Outer Carton (cm)	43.5(L) x 35.0(W) x 16.0(H)



NH-D7000BP2

1.2V D

Packaging		Gross Weight:
Blister	2 pcs/pack	19.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	60 packs/carton	0.0234 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	160(L) x 112(W) x 97(H)
Outer Carton (cm)	34.0(L) x 27.5(W) x 25.0(H)



NH-D2500BP2

1.2V D

Packaging		Gross Weight:
Blister	2 pcs/pack	11.2 kg
Inner Box	6 packs/box	Volume:
Outer Carton	60 packs/carton	0.0234 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	160(L) x 112(W) x 97(H)
Outer Carton (cm)	34.0(L) x 27.5(W) x 25.0(H)



NH-C3500BP2

1.2V C

Packaging		Gross Weight:
Blister	2 pcs/pack	16.8 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0248 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-C2500BP2

1.2V C

Packaging		Gross Weight:
Blister	2 pcs/pack	16.0 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0248 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NH-AA2700BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	13.4 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2700BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	14.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2500BP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 13.0 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2500BP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 14.3 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2300BP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 12.6 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2300BP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 13.9 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA2000BP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 12.1 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA2000BP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 13.1 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA1800BP4

1.2V AA

Packaging		
Blister	4 pcs/pack	Gross Weight: 11.8 kg
Inner Box	12 packs/box	Volume: 0.0144 cbm
Outer Carton	96 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA1800BP2

1.2V AA

Packaging		
Blister	2 pcs/pack	Gross Weight: 12.7 kg
Inner Box	12 packs/box	Volume: 0.0274 cbm
Outer Carton	192 packs/carton	

Dimensions	
Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AA1500BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	10.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	96 packs/carton	0.0144 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	29.0(L) x 21.5(W) x 23.0(H)



NH-AA1500BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	11.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	192 packs/carton	0.0274 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.0(W) x 23.0(H)



NH-AAA1100BP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	9.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA1100BP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	9.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA1000BP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	8.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA1000BP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	8.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA900BP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	8.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA900BP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	8.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA800BP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	7.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA800BP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	7.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-AAA600BP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	7.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0168 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)



NH-AAA600BP2

1.2V AAA

Packaging		Gross Weight:
Blister	2 pcs/pack	7.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0269 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	51.0(L) x 27.0(W) x 19.5(H)



NH-9V250BP1

9V Voltage: 8.4V

Packaging		Gross Weight:
Blister	1 pcs/pack	12.3 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0385 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)



NH-9V200BP1

9V Voltage: 8.4V

Packaging		Gross Weight:
Blister	1 pcs/pack	11.6 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0385 cbm

Dimensions	
Blister (mm)	90(W) x 117(H) x 18(D)
Inner Box (mm)	135(L) x 125(W) x 97(H)
Outer Carton (cm)	51.0(L) x 29.0(W) x 26.0(H)



Ni-Cd Rechargeable Batteries

Camelion nickel-cadmium battery can be used again and again. They are economical and practical to suit more wide application. Since these batteries contain cadmium please dispose properly after use.



NC-D4500BP2

1.2V D

Packaging		Gross Weight:
Blister	2 pcs/pack	15.6 kg
Inner Box	6 packs/box	Volume:
Outer Carton	60 packs/carton	0.0234 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 34(D)
Inner Box (mm)	160(L) x 112(W) x 97(H)
Outer Carton (cm)	34.0(L) x 27.5(W) x 25.0(H)



NC-C2500BP2

1.2V C

Packaging		Gross Weight:
Blister	2 pcs/pack	16.4 kg
Inner Box	6 packs/box	Volume:
Outer Carton	96 packs/carton	0.0248 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 27(D)
Inner Box (mm)	138(L) x 90(W) x 97(H)
Outer Carton (cm)	41.0(L) x 29.5(W) x 20.5(H)



NC-AA1000BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	13.7 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0207 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	31.0(L) x 29.0(W) x 23.0(H)



NC-AA1000BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	12.8 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0335 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	54.1(L) x 28.5(W) x 21.7(H)



NC-AA800BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	12.2 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0207 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	31.0(L) x 29.0(W) x 23.0(H)



NC-AA800BP2

1.2V AA

Packaging		Gross Weight:
Blister	2 pcs/pack	11.5 kg
Inner Box	12 packs/box	Volume:
Outer Carton	240 packs/carton	0.0335 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	54.1(L) x 28.5(W) x 21.7(H)



NC-AA600BP4

1.2V AA

Packaging		Gross Weight:
Blister	4 pcs/pack	11.9 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0207 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 15(D)
Inner Box (mm)	134(L) x 104(W) x 97(H)
Outer Carton (cm)	31.0(L) x 29.0(W) x 23.0(H)



NC-AAA300BP4

1.2V AAA

Packaging		Gross Weight:
Blister	4 pcs/pack	7.0 kg
Inner Box	12 packs/box	Volume:
Outer Carton	144 packs/carton	0.0167 cbm

Dimensions

Blister (mm)	90(W) x 117(H) x 11(D)
Inner Box (mm)	125(L) x 84(W) x 97(H)
Outer Carton (cm)	31.0(L) x 27.0(W) x 20.0(H)

> Ultra Fast Charger

Offer the ultimate in speed charging. In as little as one hour one can use the same batteries again, saving time and money.

Camelion®

BC-0907

Charges:

1-4 x AA

1-4 x AAA



Ni-MH

Ni-Cd



Includes:



AC Adapter

Car Adapter

*Different plug models for different countries



MAIN FEATURES

- 4 Independent Charging Channels
- 6 Level Charge Protections
 - -ΔV Cut Off
 - Timer Control Protection (1.5 hours)
 - Over Temperature Protection
 - Reverse Polarity Protection
 - Over current and Short Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- Low Leakage Current Feature
- Trickle Charge
- Worldwide Voltage
- Refresh Battery Memory Capability
- Pulse Charging Technology
- Easy to Ready LCD Display



SPECIFICATIONS

AC To DC Adapter

Input: 100-240V~50/60Hz

Output: 12V

Car Plug Output: 12V

Charger

Charging Currents

4 x (1.4V) 2200mA AA Size

4 x (1.4V) 800mA AAA Size

AVAILABLE COLORS



PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	302	229.5
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 67	125 x 205 x 67
Inner Carton		
Packs / Inner ctn	8	8
Net Weight(kg)	2.2	2.17
Gross Weight(kg)	2.5	2.48
Dimensions(L)x(W)x(H)(cm)	42 x 22 x 14	42 x 22 x 14
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	8.8	8.66
Gross Weight(kg)	10.46	10.34
Dimensions(L)x(W)x(H)(cm)	45.4 x 43.5 x 30	45.4 x 43.5 x 30
Volume(cbm)	0.0593	0.0593

> Super Fast Chargers

It charges most batteries in 1 to 4 hours. They also offer multiple levels of safety protection and many convenient features, such as LED displays and worldwide use plugs.

BC-1007

Charges:

1-4 x AA

1-4 x AAA



Ni-MH

Ni-Cd



Includes:



AC Cord

*Different plug models for different countries



MAIN FEATURES

- 4 Independent Charging Channels
- 6 Level Charge Protections
 - -ΔV Cut Off
 - Timer Control Protection 3.5 hours (1-2 cells) or 7 hours (3-4 cells)
 - Over Temperature Protection
 - Reverse Polarity Protection
 - Short Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- Low Leakage Current Feature
- Worldwide Voltage
- LED Indicators

Red	Charging
Red LED Flashing	Defective / Non-rechargeable Battery / Short circuit
Green	Fully charged / Trickle

SPECIFICATIONS

Input: 100-240V~50/60Hz

Output: AA 1000mA (1-2 pcs); 500mA (3-4 pcs)

AAA 600mA (1-2 pcs); 300mA (3-4 pcs)

AVAILABLE COLORS



PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	201.5	166
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 87	125 x 205 x 87
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	2.3	2.7
Gross Weight(kg)	3.8	3.2
Dimensions(L)x(W)x(H)(cm)	46 x 25.5 x 27	46 x 25.5 x 27
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	6.45	5.3
Gross Weight(kg)	8	6.7
Dimensions(L)x(W)x(H)(cm)	53 x 47.5 x 29	53 x 47.5 x 29
Volume(cbm)	0.0730	0.0730

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	1-2 Cells	3-4 Cells
Ni-MH AA 2700 mAh	3 h	6 h
Ni-MH AA 2000 mAh	2.5 h	4.5 h
Ni-MH AA 1500 mAh	2 h	3.5 h
Ni-MH AAA 800 mAh	100 min	3 h
Ni-Cd AA 1000 mAh	70 min	2 h
Ni-Cd AAA 300 mAh	40 min	70 min

BC-0905A


Charges:

1-4 x AA
1-4 x AAA

Ni-MH

Ni-Cd

Fast as
2h



Flip plug

*Different plug models for different countries

MAIN FEATURES

- 4 Independent Charging Channels
- 6 Level Charge Protections
 - ΔV Cut Off
 - Timer Control Protection
 - 3.5 hours (1-2cells) or 7 hours (3-4cells)
 - Over Temperature Protection
 - Reverse Polarity Protection
 - Over Current and Short Circuit Protection
 - Defective and Non-rechargeable Battery Detection
- Low Leakage Current Feature
- Trickle Charge
- Switch and Match Plugs
- LED Indicators

Red	Charging
Flashing	Defective or non-rechargeable batteries / Short circuit
Green	Fully charged/trickle

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: AA: 1000mA (1-2 pcs), 500mA (3-4 pcs)
AAA: 600mA (1-2 pcs), 300mA (3-4 pcs)

AVAILABLE COLORS

☐ White ☐ Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	153	116
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 70	125 x 205 x 70
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	2.45	1.85
Gross Weight(kg)	3	2.47
Dimensions(L)x(W)x(H)(cm)	48.5x22.5x27	48.5x22.5x27
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	4.9	3.7
Gross Weight(kg)	6.4	5.34
Dimensions(L)x(W)x(H)(cm)	51x 47 x 29	51 x 47 x 29
Volume(cbm)	0.0682	0.0682

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	2 Batteries	4 Batteries
Ni-MH AA 2700 mAh	3 h	6 h
Ni-MH AA 2000 mAh	2.5 h	4.5 h
Ni-MH AA 1500 mAh	2 h	3.5 h
Ni-MH AAA 800 mAh	100 min	3 h
Ni-Cd AA 1000 mAh	70 min	2 h
Ni-Cd AAA 300 mAh	40 min	70 min

> Fast Chargers

Charge most batteries in 4 to 8 hours. Packed with features, they are handy using in home, at office and even when traveling.

BC-1002A

BC-1002B

BC-1002C

Charges:

2 or 4 x AA
2 or 4 x AAA

Ni-MH

Ni-Cd

Fast as
8h



BC-1002C Only



BC-1002A/B Only



BC-1002C Only

Includes:



USB(BC-1002C Only)



AC Cord

*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Timer Control (8 hours)
- Over Temperature Protection
- Reverse Polarity Protection
- Low Leakage Current Feature
- Trickle Charge (BC-1002C)
- LED Indicators

Flashing	Charging
On	Fully charged

SPECIFICATIONS

Input: 100-240V~50/60Hz
USB input: 5V 500mA (BC1002C only)
Output: 2 x (2.8V 300mA)AA Size
2 x (2.8V 150mA)AAA Size

AVAILABLE COLORS

☐ White

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	196	123.7
Dimensions(W) x (H) x (D)(mm)	125 x 205 x 70	125 x 205 x 70
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	3.14	1.98
Gross Weight(kg)	3.68	2.65
Dimensions(L)x (W) x (H) (cm)	46 x 24.5 x 27	46 x 24.5 x 27
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	6.28	3.96
Gross Weight(kg)	7.76	7.69
Dimensions(L)x (W) x (H)(cm)	51x 47 x 29	51 x 47 x 29
Volume(cbm)	0.0695	0.0695

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	8 h
Ni-MH AA 2000 mAh	8 h
Ni-MH AA 1500 mAh	6 h
Ni-MH AAA 800 mAh	8 h
Ni-Cd AA 1000 mAh	4 h
Ni-Cd AAA 300 mAh	2.5 h

BC-1012

Charges:

1-4 x AA
1-4 x AAA



Ni-MH

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 4 Independent Charging Channels
- Multi-band LCD Monitor
- Reverse Polarity Protection
- Pulse Charging Technology
- Micro Control Unit (MCU) – identify battery types
- Over Current Protection & Short Circuit Protection
- Timer Control
(1-2 cells: 6 hours; 3 cells: 9 hours; 4 cells: 12 hours)

SPECIFICATIONS

Input: 100-240V~50/60Hz 5W max

Output: 1.4V

AA: 400mA (1-2 Pcs);

260mA (3 Pcs);

200mA (4 Pcs)

AAA: 200mA (1-2 Pcs);

130mA (3 Pcs);

100mA (4 Pcs)

AVAILABLE COLORS



White



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	118.2	97
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 75	125 x 205 x 75
Inner Carton		
Packs / Inner ctn	8	8
Net Weight(kg)	0.95	0.78
Gross Weight(kg)	1.3	1.13
Dimensions(L)x(W)x(H)(cm)	49.5 x 23.5 x 14	49.5 x 23.5 x 14
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	3.78	3.11
Gross Weight(kg)	5.5	4.83
Dimensions(L)x(W)x(H)(cm)	50.5 x 48.5 x 30	50.5 x 48.5 x 30
Volume(cbm)	0.0735	0.0735

CHARGING TIMES

Type of Battery	Charging Times (Appr.)		
	1-2 Cell	3 Cells	4 Cells
Ni-MH AA 2500 mAh	6 h	9 h	12 h
Ni-MH AA 2000 mAh	6 h	9 h	12 h
Ni-MH AAA 1000 mAh	6 h	9 h	12 h
Ni-MH AAA 800 mAh	6 h	9 h	11 h
Ni-Cd AA 1000 mAh	3 h	4.5 h	6 h
Ni-Cd AAA 300 mAh	2 h	3 h	3.5 h

BC-1014

Charges:

2 or 4 x AA
2 or 4 x AAA



Ni-MH

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Timer Control (4 cells: 6 hours, 2 cells: 3 hours)
- Beeps when charge is complete
- Low Leakage Current Feature
- Reverse Polarity Protection
- Over Temperature Protection
- LED Indicators

Red	Charging
Flashing	Charge completed

SPECIFICATIONS

Input: 100-240V~60/50Hz 5W max

Output: 1 x (2.8V ~ 800mA) 1 Pair AA

2 x (2.8V ~ 400mA) 2 Pairs AA

1 x (2.8V ~ 400mA) 1 Pair AAA

2 x (2.8V ~ 200mA) 2 Pairs AAA

AVAILABLE COLORS



White



Black

PACKAGING

Blister	
Plug:	TUV
Weight(g)	146
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 75
Inner Carton	
Packs / Inner ctn	8
Net Weight(kg)	1.17
Gross Weight(kg)	1.43
Dimensions(L)x(W)x(H)(cm)	49.5 x 23.5 x 14
Outer Carton	
Packs / Carton	32
Net Weight(kg)	4.68
Gross Weight(kg)	6.12
Dimensions(L)x(W)x(H)(cm)	50.5 x 48.5 x 30
Volume(cbm)	0.0735

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	2 Cell	4 Cell
Ni-MH AA 2500 mAh	3 h	6 h
Ni-MH AA 2000 mAh	3 h	6 h
Ni-MH AA 1500 mAh	2.5 h	4.5 h
Ni-MH AAA 800 mAh	2.5 h	5 h
Ni-Cd AA 1000 mAh	1.5 h	3 h
Ni-Cd AAA 300 mAh	50min	2 h

> Regular Chargers

These Standard battery chargers are ideal for travel, regular household or office use. Some are also powered by USB ports.

BC-1001A

BC-1001B

Charges:

1-2 x AA

1-2 x AAA

1 x 9V

Ni-MH

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 3 Independent Charging Channels
- 12 Hours Timer Control (BC-1001A)
- Reverse Polarity Protection
- Slim and Portable
- LED Indicators (BC-1001A)

Red	Charging
Off	Fully charged

- LED Indicators (BC-1001B)

Red	Charging or charge completed
-----	------------------------------

SPECIFICATIONS

Input: 100-240V~50/60Hz

Output: 2 x (1.4V $\frac{1}{1000}$ 200mA) AA/AAA Size

1 x (9V $\frac{1}{1000}$ 25mA) 9V Size (BC1001A)

1 x (9V $\frac{1}{1000}$ 16mA) 9V Size (BC1001B)

AVAILABLE COLORS



White



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	91	75.6
Dimensions(W)x(H)x(D)(mm)	87 x 172 x 50	87 x 172 x 50
Inner Carton		
Packs / Inner ctn	32	32
Net Weight(kg)	2.82	2.42
Gross Weight(kg)	3.47	3.07
Dimensions(L)x(W)x(H)(cm)	39.5 x 37.5 x 18	39.5 x 37.5 x 18
Outer Carton		
Packs / Carton	64	64
Net Weight(kg)	5.64	4.84
Gross Weight(kg)	7.34	6.54
Dimensions(L)x(W)x(H)(cm)	41 x 39 x 39	41 x 39 x 39
Volume(cbm)	0.0624	0.0624

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	BC-1001A	BC-1001B
Ni-MH AA 2000 mAh	12 h	14 h
Ni-MH AA 1500 mAh	11 h	11 h
Ni-MH AAA 800 mAh	5 h	5 h
Ni-MH 9V 200 mAh	11 h	18 h
Ni-Cd AA 1000 mAh	6 h	6 h
Ni-Cd AAA 300 mAh	2 h	2 h

BC-1009

BC-1009A

Charges:

1-2 x AA

1-2 x AAA

1 x 9V

Ni-MH

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Low Leakage Current Feature
- Comfortable Shell Case Design
- 2 LED Indicators

Red	Charging
Off	Fully Charged (BC1009A)

SPECIFICATIONS

Input: 100-240V~50/60Hz 3W max

Output: 2 x (1.4V $\frac{1}{1000}$ 150mA)

AVAILABLE COLORS



White



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	75	65
Dimensions(W)x(H)x(D)(mm)	90 x 172 x 72	90 x 172 x 50
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	1.2	1.04
Gross Weight(kg)	1.6	1.35
Dimensions(L)x(W)x(H)(cm)	41.5 x 20 x 22.5	36 x 20 x 20
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	2.4	2.08
Gross Weight(kg)	3.5	3.2
Dimensions(L)x(W)x(H)(cm)	43 x 42 x 24.5	42 x 37.5 x 22
Volume(cbm)	0.0443	0.0347

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	23 h
Ni-MH AA 2000 mAh	18 h
Ni-MH AA 1500 mAh	14 h
Ni-MH AAA 800 mAh	8 h
Ni-Cd AA 1000 mAh	9 h
Ni-Cd AAA 300 mAh	2.5 h

BC-1010B

Charges:

2 or 4 x AA

Ni-MH



Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Low Charging Current Feature
- Reverse Polarity Protection
- Worldwide Voltage
- 2 LED Indicators

Red Charging or charge completed

SPECIFICATIONS

Input: 100-240V~50/60Hz 4W max
Output: 2 x (2.8V $\frac{1}{3}$ 200mA) AA/AAA

AVAILABLE COLORS

White Black

PACKAGING

Blister	
Plug:	TUV
Weight(g)	118.2
Dimensions(W)x(H)x(D)(mm)	125 x 204 x 76
Inner Carton	
Packs / Inner ctn	8
Net Weight(kg)	0.95
Gross Weight(kg)	1.3
Dimensions(L)x(W)x(H)(cm)	49.5 x 23.5 x 14
Outer Carton	
Packs / Carton	32
Net Weight(kg)	3.78
Gross Weight(kg)	5.5
Dimensions(L)x(W)x(H)(cm)	50.5 x 48.5 x 30
Volume(cbm)	0.0735

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	17 h
Ni-MH AA 2000 mAh	14 h
Ni-MH AA 1500 mAh	11 h
Ni-MH AAA 800 mAh	5 h
Ni-Cd AA 1000 mAh	6 h
Ni-Cd AAA 300 mAh	2 h

BC-1021C

Charges:

1-2 x AA

Ni-MH

1-2 x AAA

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Timer Control (12 Hours)
- Low Charging Current Feature
- Low Leakage Current Feature
- 2 LED Indicators

Red Charging
Green Fully charged/Trickle

SPECIFICATIONS

Input: 100-240V~50/60Hz
Output: 2 x (1.4V $\frac{1}{3}$ 200mA) AA Size
2 x (1.4V $\frac{1}{3}$ 100mA) AAA Size

AVAILABLE COLORS

White

PACKAGING

Blister	
Plug:	TUV
Weight(g)	80
Dimensions(W)x(H)x(D)(mm)	100 x 180 x 46
Inner Carton	
Packs / Inner ctn	32
Net Weight(kg)	2.56
Gross Weight(kg)	3.2
Dimensions(L)x(W)x(H)(cm)	41.8 x 27 x 22.5
Outer Carton	
Packs / Carton	64
Net Weight(kg)	5.12
Gross Weight(kg)	6.8
Dimensions(L)x(W)x(H)(cm)	43 x 28.2 x 48.8
Volume(cbm)	0.0592

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2000 mAh	12 h
Ni-MH AA 1500 mAh	11 h
Ni-MH AAA 800 mAh	11 h
Ni-Cd AA 1000 mAh	6 h
Ni-Cd AAA 300 mAh	3.5 h

BC-0901

Charges:

1-2 x AA

1-2 x AAA

Ni-MH

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- LED Indicators

Red Charging or charge completed

SPECIFICATIONS

Input: 120V~60Hz or 230V~50Hz

Output: 2 x 1.4V $\approx$ 100mA AA/AAA size

AVAILABLE COLORS



White



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	165	105.6
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 80	125 x 205 x 80
Inner Carton		
Packs / Inner ctn	16	16
Net Weight(kg)	2.64	1.69
Gross Weight(kg)	3.14	2.08
Dimensions(L)x(W)x(H)(cm)	44 x 24.5 x 26	39.5 x 23.5 x 20
Outer Carton		
Packs / Carton	32	32
Net Weight(kg)	5.28	3.38
Gross Weight(kg)	6.68	4.56
Dimensions(L)x(W)x(H)(cm)	51 x 45.5 x 28	48.5 x 41 x 22
Volume(cbm)	0.0650	0.0438

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	32 h
Ni-MH AA 2000 mAh	27 h
Ni-MH AA 1500 mAh	21 h
Ni-MH AAA 800 mAh	11 h
Ni-Cd AA 1000 mAh	14 h
Ni-Cd AAA 300 mAh	3.5 h

BC-0902

Charges:

1-2 x AA

1-2 x AAA

Ni-MH

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- LED Indicators

Red Charging or charge completed

SPECIFICATIONS

Input: 120V~60Hz or 230V~50Hz

Output: 2 x (2.8V $\approx$ 200mA) AA Size
2 x (2.8V $\approx$ 120mA) AAA Size

AVAILABLE COLORS



Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	274	187
Dimensions(W)x(H)x(D)(mm)	210 x 130 x 82	210 x 130 x 66
Inner Carton		
Packs / Inner ctn	4	8
Net Weight(kg)	1.1	1.5
Gross Weight(kg)	1.3	1.75
Dimensions(L)x(W)x(H)(cm)	49.5 x 9 x 21.5	41.5 x 21.5 x 13.5
Outer Carton		
Packs / Carton	16	16
Net Weight(kg)	4.4	3
Gross Weight(kg)	5.9	4.5
Dimensions(L)x(W)x(H)(cm)	51 x 39 x 23.5	43 x 23 x 29.5
Volume(cbm)	0.0468	0.0292

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2700 mAh	17 h
Ni-MH AA 2000 mAh	14 h
Ni-MH AA 1500 mAh	11 h
Ni-MH AAA 600 mAh	6 h
Ni-Cd AA 1000 mAh	6 h
Ni-Cd AAA 300 mAh	3 h

BC-0904S BC-0904T BC-0904SM

Charges:

2 or 4 x AA
2 or 4 x AAA
1-2 x 9V

Ni-MH

Ni-Cd



*Different plug models for different countries

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- 10 Hours Timer Control (BC-0904T)
- Low Charging Current Feature
- LED Indicators

Red	Charging or charge completed
-----	------------------------------

SPECIFICATIONS

Input: 120V~60Hz or 230V~50Hz (BC-0904S/T)
100-240V~50/60Hz (BC-0904SM)

Output: (BC-0904S/SM)

2 x (2.8V $\frac{1}{3}$ 160mA) AA size
2 x (2.8V $\frac{1}{3}$ 80mA) AAA size
2 x (9V $\frac{1}{3}$ 25mA) 9V size
(BC-0904T)
2 x (2.8V $\frac{1}{3}$ 250mA) AA size
2 x (2.8V $\frac{1}{3}$ 120mA) AAA size
2 x (9V $\frac{1}{3}$ 25mA) 9V size

AVAILABLE COLORS

Black

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	250	146.3
Dimensions(W)x(H)x(D)(mm)	210 x 130 x 84	210 x 130 x 66
Inner Carton		
Packs / Inner ctn	4	8
Net Weight(kg)	1.1	1.17
Gross Weight(kg)	1.3	1.36
Dimensions(L)x(W)x(H)(cm)	49.5 x 9 x 21.5	41.5x21.5x13.5
Outer Carton		
Packs / Carton	16	16
Net Weight(kg)	4	2.34
Gross Weight(kg)	5.4	3.12
Dimensions(L)x(W)x(H)(cm)	51 x 39 x 23.5	43 x 23 x 29.5
Volume(cbm)	0.0468	0.0292

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	BC-0904S/SM	BC-0904T
Ni-MH AA 2000 mAh	17 h	10 h
Ni-MH AA 1500 mAh	13 h	8 h
Ni-MH AAA 800 mAh	14 h	9 h
Ni-Cd AA 1000 mAh	9 h	5 h
Ni-Cd AAA 300 mAh	4.5 h	3 h
Ni-MH 9V 200 mAh	11 h	11 h

BC-0903B

Charges:

2 or 4 x AA
2 or 4 x AAA

Ni-MH

Ni-Cd



USB Charging

Includes:



USB

MAIN FEATURES

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Timer Control (10 Hours)
- LED Indicators

SPECIFICATIONS

Input: 5V $\frac{1}{3}$ 600mA

Output: 2 x (2.8V $\frac{1}{3}$ 300mA) AA size
2 x (2.8V $\frac{1}{3}$ 150mA) AAA size

AVAILABLE COLORS

White

PACKAGING

Blister	
Plug:	
Weight(g)	297
Dimensions(W)x(H)x(D)(mm)	125 x 205 x 68
Inner Carton	
Packs / Inner ctn	16
Net Weight(kg)	4.75
Gross Weight(kg)	5.21
Dimensions(L)x(W)x(H)(cm)	43.5 x 27.5 x 23
Outer Carton	
Packs / Carton	32
Net Weight(kg)	9.5
Gross Weight(kg)	12
Dimensions(L)x(W)x(H)(cm)	57 x 45 x 25
Volume(cbm)	0.0642

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2100 mAh	10 h
Ni-MH AA 2000 mAh	9 h
Ni-MH AAA 1100 mAh	9 h
Ni-MH AAA 800 mAh	7 h
Ni-Cd AA 1000 mAh	4 h
Ni-Cd AAA 300 mAh	2.5 h

BC-0805A

BC-0805B

Charges:

1-2 x AA

1-2 x AAA

Ni-MH

Ni-Cd



BC-0805A



BC-0805B



Includes:



USB

PACKAGING

Blister	
Plug:	
Weight(g)	72
Dimensions(W)x(H)x(D)(mm)	98 x 180 x 56
Inner Carton	
Packs / Inner ctn	10
Net Weight(kg)	0.62
Gross Weight(kg)	0.72
Dimensions(L)x(W)x(H)(cm)	32.3 x 18.6 x 10.3
Outer Carton	
Packs / Carton	60
Net Weight(kg)	3.7
Gross Weight(kg)	4.9
Dimensions(L)x(W)x(H)(cm)	33.5 x 38.4 x 34
Volume(cbm)	0.0438

MAIN FEATURES

BC-0805A

- 2 Independent Charging Channels
- Reverse Polarity Protection
- Timer Control Protection (12 Hours)
- ΔV Cut Off
- Green LED Indicator

Charging: LED flashing, Full: LED constant on

BC-0805B

- Not Independent Charging Channels
- Reverse Polarity Protection
- Red LED Indicator

Charging or Charge Completed: LED constant on

SPECIFICATIONS

BC-0805A

Input: 5V $\overline{\text{---}}$ 500mA

Output: 2 x (1.4V $\overline{\text{---}}$ 280mA) AA/AAA size
Timer Control: 12 hours

BC-0805B

Input: 5V $\overline{\text{---}}$ 500mA

Output: 2.8V $\overline{\text{---}}$ 150mA AA/AAA size

AVAILABLE COLORS



White



Black

CHARGING TIMES

Type of Battery	Charging Times (Appr.)	
	BC-0805A	BC-0805B
Ni-MH AA 2300 mAh	12 h	21 h
Ni-MH AA 2000 mAh	11 h	18 h
Ni-MH AAA 1100 mAh	6 h	9 h
Ni-MH AAA 800 mAh	4.5 h	7 h
Ni-Cd AA 1000 mAh	5 h	9 h
Ni-Cd AAA 300 mAh	2 h	2.5 h

> Universal Chargers

These can recharge many types of batteries and are perfect for high battery usage households. They are reliable and safe and can even test your batteries to see if its time for a recharge.

BC-0906S

Charges:

1-4 x AA

1-4 x AAA

1-4 x C or D

1-2 x 9V

Ni-MH

Ni-Cd



*Different plug models for different countries

PACKAGING

Blister		
Plug:	TUV	UL
Weight(g)	503.8	543.8
Dimensions(W)x(H)x(D)(mm)	130 x 295 x 101	130 x 295 x 101
Inner Carton		
Packs / Inner ctn	4	4
Net Weight(kg)	2.0	2.18
Gross Weight(kg)	2.36	2.51
Dimensions(L)x(W)x(H)(cm)	31.3 x 31 x 14.3	31.3 x 31 x 14.3
Outer Carton		
Packs / Carton	16	16
Net Weight(kg)	8.06	8.7
Gross Weight(kg)	9.82	10.42
Dimensions(L)x(W)x(H)(cm)	64.5x33.3x31.5	64.5x33.3x31.5
Volume(cbm)	0.0677	0.0677

MAIN FEATURES

- 6 Independent Charging Channels
- Charge for AA/AAA/D/C/9V Batteries
- Reverse Polarity Protection
- LED Indicators

Red

Charging or charge completed

SPECIFICATIONS

Input: 120V~60Hz or 230V~50Hz

Output: 4 x (1.4V $\overline{\text{---}}$ 250mA) D/C/AA/ AAA Size
2 x (9V $\overline{\text{---}}$ 25mA) 9V Size

AVAILABLE COLORS



Black

CHARGING TIMES

Type of Battery	Charging Times (Appr.)
Ni-MH AA 2500 mAh	13 h
Ni-MH AA 2000 mAh	11 h
Ni-MH AA 1500 mAh	8 h
Ni-MH AAA 600 mAh	3 h
Ni-Cd AA 1000 mAh	5 h
Ni-Cd AAA 300 mAh	1.5 h
Ni-MH C 2500 mAh	14 h
Ni-MH D 2500 mAh	14 h
Ni-MH 9V 200 mAh	11 h

LBC-312

Charges:
Most 3.7V or
7.4V Batteries



Li-ion

Ni-MH

Ni-Cd



Includes:



AC Cord

USB

*Different plug models for different countries



PACKAGING

Blister	
Plug:	TUV
Weight(g)	179
Dimensions(W)x(H)x(D)(mm)	185 x 128 x 70
Inner Carton	
Packs / Inner ctn	10
Net Weight(kg)	1.79
Gross Weight(kg)	2.14
Dimensions(L)x(W)x(H)(cm)	47.6 x 24.8 x 13.5
Outer Carton	
Packs / Carton	40
Net Weight(kg)	7.16
Gross Weight(kg)	10.6
Dimensions(L)x(W)x(H)(cm)	51.1 x 49.1 x 29
Volume(cbm)	0.0728

MAIN FEATURES

- Compatible with almost all 3.7V and 7.4V Li-ion, 1.2V Ni-MH and Ni-Cd batteries
- Automatic Voltage/Polarity Selection Capability
- Faulty Battery Detection
- Timer control 5 hours for Ni-MH / Cd and 10 hours for Li-ion
- Portable and Lightweight
- USB Output Port Design

Green	Red	Condition
OFF	OFF	No power or faulty power supply
OFF	ON	Power on
ON	ON	Fully charged
Flashing	ON	Battery charging
Flashing	Flashing	Faulty battery or charging process stopped by safety timer

SPECIFICATIONS

Charger:

Input: 100-240V~50/60Hz 10Wmax

Output:

2 x (1.4V $\overline{\text{---}}$ 0.7A) max (1.2V NH/NC Battery)

4.2V $\overline{\text{---}}$ 0.8A max (3.7V Li-ion Battery)

8.4V $\overline{\text{---}}$ 0.6A max (7.4V Li-ion Battery)

USB Port: 5V $\overline{\text{---}}$ 0.5A

AVAILABLE COLORS



Black

CHARGING TIMES

Battery Capacity	Charging Times
Ni-MH AA 2700 mAh	4.5 h
Ni-MH AA 2000 mAh	3.5 h
Ni-MH AA 1500 mAh	2.5 h
Ni-MH AAA 800 mAh	90 min
Ni-Cd AA 1000 mAh	100 min
Ni-Cd AAA 300 mAh	30 min
Battery Capacity(Li-ion)	Charging Times
2200 mAh	3.5 h
1800 mAh	3 h
1400 mAh	2.5 h
1000 mAh	100 min
600 mAh	70 min

Battery Charging Table

Directions:

The following table lists out charging times for specific Camelson chargers and batteries. For example, to find the charging time for the BC-0907 charger using a Nickel Metal Hydride AA2200 (NH-AA2200) battery, first locate the BC-0907 column. Then locate the NH-AA2200 row. Finally, the point of intersection indicates the value, which is 70min.

Cameson Model	SBC3001		BC-0907	BC-1007		BC-0905A		BC-1002A	BC-1012			BC-1014	
	2 cells	4 cells	DC in 12V 1.5A	1-2 cells	3-4 cells	2 cells	4 cells	BC-1002B BC-1002C	1-2 cells	3 cells	4 cells	2 cells	4 cells
Timer Control	NA	NA	1.5h	3.5h	7.0h	3.5h	7.0h	NA	6h	9h	12h	3h	6h
Ni-MH Batteries													
NH-D2500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NH-C2500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NH-AA2700	17h	34h	80min	3h	6h	3h	6h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 3h	T/C 6h
NH-AA2600	16h	32h	80min	3h	5.5h	3h	5.5h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 3h	T/C 6h
NH-AA2500	16h	32h	80min	3h	5.5h	3h	5.5h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 3h	T/C 6h
NH-AA2300	15h	31h	70min	3h	5.5h	3h	5.5h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 3h	T/C 6h
NH-AA2200	15h	29h	70min	2.5h	5h	2.5h	5h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	T/C 3h	T/C 6h
NH-AA2000	14h	27h	60min	2.5h	4.5h	2.5h	4.5h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	3h	6h
NH-AA1800	13h	26h	60min	2h	4.5h	2h	4.5h	T/C 8h	5.5h	T/C 9h	T/C 12h	3h	5.5h
NH-AA1500	10h	21h	50min	2h	3.5h	2h	3.5h	6h	4.5h	8h	11h	2.5h	4.5h
NH-AA1100	6h	12h	90min	2h	4h	2h	4h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	3h	6h
NH-AA1000	5.5h	11h	80min	2h	3.5h	2h	3.5h	T/C 8h	T/C 6h	T/C 9h	T/C 12h	3h	5.5h
NH-AA900	5h	10h	80min	100min	3.5h	100min	3.5h	T/C 8h	5.5h	T/C 9h	T/C 12h	2.5h	5h
NH-AA800	5h	10h	70min	100min	3h	100min	3h	T/C 8h	5.5h	9h	11h	2.5h	5h
NH-AA600	3.5h	7h	60min	70min	2.5h	70min	2.5h	5h	3.5h	5.5h	7h	2h	3.5h
NH-9V250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NH-9V200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ni-Cd Batteries													
NC-D1600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NC-C1600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NC-AA1000	5.5h	11h	30min	70min	2h	70min	2h	4h	3h	4.5h	6h	1.5h	3h
NC-AA900	5.5h	11h	30min	70min	2h	1h	2h	3.5h	3h	4.5h	5.5h	1.5h	3h
NC-AA800	5h	10h	30min	1h	2h	60min	2h	3.5h	2.5h	4h	5h	70min	2.5h
NC-AA600	3.5h	7h	20min	40min	90min	40min	90min	2.5h	2h	3h	3.5h	50min	2h
NC-AA300	2h	3.5h	30min	40min	70min	40min	70min	2.5h	2h	3h	3.5h	50min	2h

Camelion Model	BC-1001A	BC-1001B	BC-1009	BC-1010B	BC-1021C	BC-0901	BC-0902	BC-0904S/SM	BC-0904T	BC-0903B	BC-0805A	BC-0805B	BC-0906S	LBC-312
Timer Control	Voltage Cut Off	NA	NA	NA	12h	NA	NA	NA	10h	10h	12h	NA	NA	5h
Ni-MH Batteries														
NH-D2500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14h	NA
NH-C2500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14h	NA
NH-AA2700	T/C 12h	17h	23h	17h	T/C 12h	34h	17h	22h	T/C 10h	T/C 10h	T/C 12h	23h	14h	4.5h
NH-AA2600	T/C 12h	16h	22h	16h	T/C 12h	32h	16h	20h	T/C 10h	T/C 10h	T/C 12h	22h	13h	4h
NH-AA2500	T/C 12h	16h	22h	16h	T/C 12h	32h	16h	20h	T/C 10h	T/C 10h	T/C 12h	22h	13h	4h
NH-AA2300	T/C 12h	16h	21h	16h	T/C 12h	31h	16h	19h	T/C 10h	T/C 10h	T/C 12h	21h	12h	4h
NH-AA2200	T/C 12h	15h	20h	15h	T/C 12h	30h	15h	19h	T/C 10h	T/C 10h	T/C 12h	20h	12h	3.5h
NH-AA2000	T/C 12h	14h	18h	14h	T/C 12h	27h	14h	17h	T/C 10h	9h	11h	18h	11h	3.5h
NH-AA1800	T/C 12h	13h	17h	13h	T/C 12h	25h	13h	16h	T/C 10h	8h	10h	17h	10h	3h
NH-AA1500	11h	11h	14h	11h	11h	21h	11h	13h	8h	6h	8h	14h	8h	2.5h
NH-AAA1100	6h	6h	9h	6h	T/C 12h	13h	11h	17h	T/C 10h	9h	6h	9h	4.5h	100min
NH-AAA1000	5.5h	5.5h	9h	5.5h	T/C 12h	13h	11h	16h	T/C 10h	8h	5.5h	8h	4.5h	100min
NH-AAA900	5h	5h	8h	5h	12h	12h	10h	15h	10h	8h	5h	8h	4h	90min
NH-AAA800	5h	5h	8h	5h	11h	11h	9h	14h	9h	7h	4.5h	7h	3.5h	90min
NH-AAA600	3.5h	3.5h	5h	3.5h	8h	8h	6h	11h	7h	5h	3.5h	5h	3h	1h
NH-9V250	14h	22h	NA	NA	NA	NA	NA	14h	14h	NA	NA	NA	14h	NA
NH-9V200	11h	18h	NA	NA	NA	NA	NA	11h	11h	NA	NA	NA	11h	NA
Ni-Cd Batteries														
NC-D1600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9h	NA
NC-C1600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9h	NA
NC-AA1000	6h	6h	9h	6h	6h	14h	6h	9h	5h	4h	5h	9h	5h	100min
NC-AA900	5.5h	5.5h	9h	5.5h	5.5h	13h	5.5h	7h	4.5h	3.5h	5h	8h	4.5h	100min
NC-AA800	5h	5h	8h	5h	5h	11h	5h	6h	4h	3.5h	4.5h	8h	4h	90min
NC-AA600	3.5h	3.5h	5h	3.5h	3.5h	8h	3.5h	4.5h	3h	2.5h	3.5h	5h	3h	1h
NC-AAA300	2h	2h	2.5h	2h	3.5h	3.5h	3h	4.5h	3h	2.5h	2h	2.5h	1.5h	30min

Notes:

NA - Not Applicable.

T/C: Charger has timer control. This is the cut off time, whether the battery is fully charged or not..

All the data is based on Camelion latest lab tests. Charging times may vary based upon temperature, product age, voltage and other conditions.

This data sheet is for customer reference purposes only and to help customers choose the appropriate product. Contents do not constitute a warranty.

For information on specific Camelion products please visit our website at www.camelionbattery.com or contact us directly at info@camelionbattery.com.




Power Supplies

> USB Car Chargers

DD801 Charge 2 USB devices at the same time!



DD801-DB



Unit:mm

Main Features

- **Car Charger with Dual USB Port** Up to 5V, 2.1A direct power sources for iPad, iPod units, iPhone, mobile phones, PSP, Blackberry, Digital cameras and other music players and devices. Just plug it in to your car cigarette or plug into electric socket, power up and start to play.
- **Short Circuit Protection** Damage to the charger and mobile device is prevented in case of a short circuit.

Specifications

Input: 12 - 24V

Output: 5V 2.1A using 1USB port
5V 1A using 2USB ports

Directions



Available Colors

White Black

Packaging

Blister	Plug:	/
	Weight(g)	66
	Dimensions (W) x (H) x (D)(mm)	133 x 220 x 69
Inner Carton	Packs / Inner ctn	18
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	41.5 x 30 x 23.5
Outer Carton	Packs / Carton	36
	Net Weight(kg)	2.4
	Gross Weight(kg)	3.9
	Dimensions (L)x (W) x (H) (cm)	48.5 x 31.5 x 43.5
	Volume(cbm)	0.0665

DD802 Charge Most USB devices!



Made for
iPod iPhone


Mfi produc plan # 102601-0009



DD802



DD802-C1-DB



Unit:mm

Main Features

- **Car Charger with USB Port** 5V, 1A direct power source for iPod units, iPhone, mobile phones, PSP Blackberry, digital cameras and other music players and devices. Just plug it in to your car cigarette or plug into electric socket, power up and start to play.
- **Small and Portable** The device is smaller than standard car chargers and can be carried easily.
- **Short Circuit Protection** Damage to the charger and mobile device is prevented in case of a short circuit

Specifications

Input: 12 - 24V

Output: 5V 1A

Directions



Available Colors

Black

Packaging

Blister	Plug:	/
	Weight(g)	56.3
	Dimensions (W) x (H) x (D)(mm)	112x184x57
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	23.1x19.1x12.4
Outer Carton	Packs / Carton	48
	Net Weight(kg)	2.7
	Gross Weight(kg)	3.9
	Dimensions (L)x (W) x (H) (cm)	39.6x24.5x40
	Volume(cbm)	0.0388

PS625F



PS625F-26PB



Accessory:



USB Cable (L:30cm)

Main Features

- Multiple intelligent safety protections
- Built-in LED flashlight
- Works with your existing cables
- Compatible with most mobile devices
- Easy to read power indicator
- Convenient carrying size
- Powered by Samsung battery cell


Specifications

Battery Capacity: 2600mAh/2800mAh Lithium-ion Battery

Power Input: Micro USB 5V $\pm$ 1A

Power Output: 5V $\pm$ 1A

Directions



Available Colors

- Blue Silvery Green Gold
- Red Purple Dark blue Black


Packaging

Blister	Plug:	/
	Weight(g)	116
	Dimensions (W) x (H) x (D)(mm)	80x31x183
Inner Carton	Packs / Inner ctn	12
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.0x19.3x8.8
Outer Carton	Packs / Carton	48
	Net Weight(kg)	5.57
	Gross Weight(kg)	6.27
	Dimensions (L)x (W) x (H) (cm)	39.5x36.5x21.5
	Volume(cbm)	0.0309

PS625FH



PS625FH-26PB



Accessory:



USB Cable (L:30cm)

Main Features

- Multiple intelligent safety protections
- Built-in LED flashlight
- Works with your existing cables
- Compatible with most mobile devices
- Easy to read power indicator
- Convenient carrying size
- Powered by Samsung battery cell


Specifications

Battery Capacity: 2600mAh/2800mAh Lithium-ion Battery

Power Input: Micro USB 5V $\pm$ 1A

Power Output: 5V $\pm$ 1A

Directions



Available Colors

4 Appearances

Packaging

Blister	Plug:	/
	Weight(g)	116
	Dimensions (W) x (H) x (D)(mm)	80x31x183
Inner Carton	Packs / Inner ctn	12
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	38.0x19.3x8.8
Outer Carton	Packs / Carton	48
	Net Weight(kg)	5.57
	Gross Weight(kg)	6.27
	Dimensions (L)x (W) x (H) (cm)	39.5x36.5x21.5
	Volume(cbm)	0.0309

PS626



PS626-PB

Accessories:
1 x USB Cable
(L:50cm)
1 x Pouch



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
○ ● ● ●	75%-50%
○ ○ ● ●	50%-25%
○ ○ ○ ●	<25%

Main Features

- Multiple intelligent safety protections
 - Over charge protection
 - Over discharge protection
 - Over current protection
 - Short circuit protection
- Works with your existing cables
- Compatible with most mobile devices
- Easy to read power indicator

Specifications

Battery Capacity: 4400mAh Lithium-ion Battery

Power Input: Micro USB 5V $\bar{\square}$ 1A (max)

Power Output: 5V $\bar{\square}$ 1A (max)

Directions



Available Colors

Blue Gold

Packaging

Blister	Plug:	/
	Weight(g)	194
	Dimensions (W) x (H) x (D)(mm)	110x27x205
Inner Carton	Packs / Inner ctn	10
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	27.2x21.5x13
Outer Carton	Packs / Carton	40
	Net Weight(kg)	7.8
	Gross Weight(kg)	9.2
	Dimensions (L)x (W) x (H) (cm)	55.5x29x23.5
	Volume(cbm)	0.0378

PS627



PS627-PB

Accessories:
1 x USB Cable
(L:50cm)
1 x Pouch



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
○ ● ● ●	75%-50%
○ ○ ● ●	50%-25%
○ ○ ○ ●	<25%

Main Features

- Multiple intelligent safety protections
 - Over charge protection
 - Over discharge protection
 - Over current protection
 - Short circuit protection
- Works with your existing cables
- Compatible with most mobile devices
- Easy to read power indicator

Specifications

Battery Capacity: 7800mAh Lithium-ion Battery

Power Input: Micro USB 5V $\bar{\square}$ 1A (max)

Power Output: 5V $\bar{\square}$ 1A (max)

Directions



Available Colors

Blue Gold

Packaging

Blister	Plug:	/
	Weight(g)	262
	Dimensions (W) x (H) x (D)(mm)	110x27x205
Inner Carton	Packs / Inner ctn	10
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	27.2x21.5x13
Outer Carton	Packs / Carton	40
	Net Weight(kg)	10.5
	Gross Weight(kg)	11.9
	Dimensions (L)x (W) x (H) (cm)	55.5x29x23.5
	Volume(cbm)	0.0378

PS632



PS632-PB

Accessories:
1 x USB Cable
(L:50cm)
1 x Pouch



LED Status (● ON ○ OFF)	Capacity
● ● ● ●	75%-100%
○ ● ● ●	75%-50%
○ ○ ● ●	50%-25%
○ ○ ○ ●	<25%

Main Features

- Multiple intelligent safety protections
- Dual USB ports enable to charge two devices at once
- Perfect compatible with most mobile phones/tablets
- Ultra high capacity, extend 200% of iPad battery life
- Works with your existing cables
- To charger: 8 hours fast charging capability

Specifications

Battery Capacity: 12000mAh Lithium polymer Battery
Charging Time: 8 Hours
Power Input: Micro USB 5V $\pm$ 2A (max)
Power Output: 5V $\pm$ 1A (2USB) 5V $\pm$ 2.1A (1USB)

Directions



Available Colors

Blue Gold


Packaging

Blister	Plug:	/
	Weight(g)	310
	Dimensions (W) x (H) x (D)(mm)	110x27x205
Inner Carton	Packs / Inner ctn	10
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	27.2x21.5x13
Outer Carton	Packs / Carton	40
	Net Weight(kg)	12.4
	Gross Weight(kg)	13.8
	Dimensions (L)x (W) x (H) (cm)	55.5x29x23.5
	Volume(cbm)	0.0378

AD518



Intertek
3109300




Made for
iPod iPhone

Mfi product plan #102601-0013



AD518-C1-DB



Main Features

- **Convenient Power Source** 5V, 1A direct power source for iPhone units, mobile phones, PSP, Blackberry, MP3/4, DV, PDA and other devices. Just plug it into your wall socket, power up and start to play.
- **Small and Compact** This unit is designed to be portable and ergonomic.
- **Short Circuit Protection**
- **Over-current and Overheating Protection**
- **Global Use Options** Plug types are available depending on country requirements.

Specifications

Input: 100-240V ~50/60Hz
Output: 5V $\pm$ 1A

Directions



Available Colors

White Red Blue

Packaging

Blister	Plug:	TUV
	Weight(g)	85
	Dimensions (W) x (H) x (D)(mm)	115x188x74
Inner Carton	Packs / Inner ctn	18
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	60x34.2x12.7
Outer Carton	Packs / Carton	36
	Net Weight(kg)	3.1
	Gross Weight(kg)	4.5
	Dimensions (L)x (W) x (H) (cm)	62x36.2x27.4
	Volume(cbm)	0.0752

> USB Wall Charger


AD5028 Easily Charge 2 USB devices at the same time!



Intertek
3109300



AD5028-DB



Unit:mm

Main Features

- **2 USB Power Adapter**
- **Universal Voltage**
- **Handy Power Source** Direct power source for iPad, iPhone, iPod, Blackberry, mobile phones, PSP, MP3/4/5, DV, PDA and other devices.
- **Easy to Use:** Plug it into wall socket, power up and start to play.
- **Portable and Compact** This unit is designed to be portable and ergonomic
- **Short Circuit Protection**

Specifications

Input: 100-240V~50/60Hz 21W max
Output: 5V $\square$ 3.4 A(2.4 A+1A)

Directions



Available Colors

☐ White ☐ Black

Packaging

Blister	Plug:	TUV/UL
	Weight(g)	128
	Dimensions (W) x (H) x (D)(mm)	139x221x76
Inner Carton	Packs / Inner ctn	18
	Net Weight(kg)	2.3
	Gross Weight(kg)	3.0
	Dimensions (L)x (W) x (H) (cm)	40.5x36x22.5cm
Outer Carton	Packs / Carton	36
	Net Weight(kg)	4.6
	Gross Weight(kg)	6.7
	Dimensions (L)x (W) x (H) (cm)	42.3x37.8x47cm
	Volume(cbm)	0.0751


AD3127



Intertek
3109300



AD3127-DB



Unit:mm

Main Features

- **Handy Power Source** 5V, 1A direct power source for iPad, iPhone, iPod, mobile phones, PSP, Blackberry, MP3/4, DV, PDA and other devices. Just plug it into your wall socket, power up and start to play.
- **Compact Design**
- **Short Circuit Protection**
- **Overcurrent and Overheating Protection**
- **Global Use Options** Different plug types are available depending on country requirements.
- **Universal voltage** AC100-240V Input

Specifications

Input: 100-240V~50/60Hz
Output: 5V $\square$ 1A

Directions





Available Colors

☐ White ☐ Black

Packaging

Blister	Plug:	TUV/UL
	Weight(g)	52
	Dimensions (W) x (H) x (D)(mm)	102x167x61
Inner Carton	Packs / Inner ctn	24
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	43x35x12
Outer Carton	Packs / Carton	48
	Net Weight(kg)	2.5
	Gross Weight(kg)	3.5
	Dimensions (L)x (W) x (H) (cm)	44.5x37.5x27.5
	Volume(cbm)	0.0459

AD318 Easily Connect and charge your mobile device using any AC power outlet!




Main Features

- **Handy Power Source** Direct power source for mobile devices.
- **Use in over 150 Countries** Four (4) supplied plug suitable for North America, Europe, Australia, UK and other countries.
- **Short Circuit Protection**
- **Universal Voltage**
- **LED indicator**

Specifications

Input: 100-240V~50/60Hz
USB Power Output: 5V $\equiv$ 1A

Directions




Available Colors

White Black

Packaging

Blister	Plug:	UL/UK/TUV/SAA
	Weight(g)	112
	Dimensions (W) x (H) x (D)(mm)	185 x 128 x 70
Inner Carton	Packs / Inner ctn	18
	Net Weight(kg)	3
	Gross Weight(kg)	4
	Dimensions (L)x (W) x (H) (cm)	40.5x36x22.5
Outer Carton	Packs / Carton	36
	Net Weight(kg)	6
	Gross Weight(kg)	8.1
	Dimensions (L)x (W) x (H) (cm)	42.3x37.8x47
	Volume(cbm)	0.0752

AD618 Easily connect, power and charge up to 4 mobile devices at once using any AC power outlet!




Main Features

- **Practical Power Source** Direct power source for mobile devices.
- **Short Circuit Protection**
- **Universal Voltage**
- **LED indicator**
- **Use in over 150 Countries:** Four (4) different plugs are supplied suitable for North America, Europe, Australia, UK and other countries.

Specifications

Input: 100-240V~50/60Hz
USB Power Output:
5V $\equiv$ 2.1A using 1 USB, 5V $\equiv$ 1A using 2 USBs,
5V $\equiv$ 0.66A using 3 USBs, 5V $\equiv$ 0.5A using 4 USBs

Directions



Available Colors

White Black

Packaging

Blister	Plug:	UL/UK/TUV/SAA
	Weight(g)	184.1
	Dimensions (W) x (H) x (D)(mm)	185 x 128 x 70
Inner Carton	Packs / Inner ctn	18
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	43.5x39x23.5
Outer Carton	Packs / Carton	36
	Net Weight(kg)	6.5
	Gross Weight(kg)	8
	Dimensions (L)x (W) x (H) (cm)	49.5x41.0x46
	Volume(cbm)	0.0934

AD718A Easily Charge 2 USB devices at the same time



AD718A-DB



Main Features

- **2 USB Power Adapter**
- **4 Worldwide Input Plugs**
- **Handy Power Source** Direct power source for iPod, iPhone, iPad, Blackberry, mobile phones, PSP, MP3/4, DV, PDA and other devices. Just plug it in to your wall socket, power up and start to play.
- **Small and Compact** This unit is designed to be portable and ergonomic.
- **Short Circuit Protection**

Specifications


Input: 100-240V~50/60Hz 600mA max

Output: 5V $\pm$ 2.1A (1 x USB use)


5V $\pm$ 1.0A (2 x USB use)

Directions

Insert AC plug



Remove



Press to release plug

Available Colors

White Black


Packaging

Blister	Plug:	UL/UK/TUV/SAA
	Weight(g)	174
	Dimensions (W) x (H) x (D)(mm)	139x221x72
Inner Carton	Packs / Inner ctn	18
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	40.5x36x22.5
Outer Carton	Packs / Carton	36
	Net Weight(kg)	6
	Gross Weight(kg)	8.1
	Dimensions (L)x (W) x (H) (cm)	42.3x37.8x47
	Volume(cbm)	0.0752

PS918



PS918-DB



Unit:mm

Main Features

- **Power Box for Emergencies** Once the internal 1800mAh battery is charged use it to charge up or power your device (Output 5V/700mA).
- **USB Power Adapter** gives you socket plug in power almost anywhere in the world. Just plug into your AC socket, power up and start to play.
- **4 World Use Input Plugs** to conveniently fit travel or business trips.
- **Optional DC Connectors and Cables** to support Cell Phones, iPhone, PSP, MP3, MP4, DV, PDA and other devices.
- **Over-discharge Protection**
- **Graded LED Indicator** to indicate internal battery charge status.

Specifications

Input: 100-240V~50/60Hz

Output: (AC Powered) Output 5V $\pm$ 1A

Internal Battery Output: 5V $\pm$ 700mA

Directions



Available Colors

White Black

Packaging

Blister	Plug:	UL/UK/TUV/SAA
	Weight(g)	184.1
	Dimensions (W) x (H) x (D)(mm)	133x220x77
Inner Carton	Packs / Inner ctn	18
	Net Weight(kg)	/
	Gross Weight(kg)	/
	Dimensions (L)x (W) x (H) (cm)	43.5x39x23.5
Outer Carton	Packs / Carton	36
	Net Weight(kg)	6.5
	Gross Weight(kg)	8
	Dimensions (L)x (W) x (H) (cm)	49.5x41.0x46
	Volume(cbm)	0.0934

PS609




Warm & Toasty
20 Seconds
to Heat Up to 50°C (122°F)

Power Station
for Mobile Devices

Charger
Charges 2xAAA
Rechargeable Batteries



PS609-2H21AR-PB



Unit:mm


Main Features

- Hand Warmer** Only 20 seconds to warm up to 50°C (122°F). Provides up to 3 hours of toasty, warm heat on cold days.
- Power Box** for iPod, PSP, MP3, MP4, DV, PDA Whenever your device is low on power just connect it to the power pod and charge up for continue use. Afterwards, you can disconnect to save energy and when you need it again, just plug-in and play. Use primary or rechargeable batteries for flexibility.
- Battery Charger for 2 AA Ni-MH/Ni-Cd Batteries** with an output of 5.0V/500mA
- Ergonomic and practical:** Comfortable to hold, light and durable. Take it with you for emergencies, travel, work, camping and other activities.
- Mini-USB Connector and Other Tip Options** Supports many devices.
- Over-discharge Protection & Charging Cut-off Timer** (8 hours)

Specifications

LED indicator	Charger (Switch Position 1)	Hand Warmer (Switch Position 2)	Power Station (Switch Position 3)
Red LED	ON-Charging	OFF-needs recharging	/
Red LED flashing	/	Normal Operation	/
Green LED	ON-Fully charged	/	OFF-needs recharging
Green LED Flashing	/	/	Normal Operation

Directions



Available Colors

Gray Pink

Packaging

Color Box	Plug:	UL/UK/TUV/SAA
	Weight(g)	195
Inner Carton	Dimensions (W) x (H) x (D)(mm)	164 x 124 x 32
	Packs / Inner ctn	/
	Net Weight(kg)	/
	Gross Weight(kg)	/
Outer Carton	Dimensions (L) x (W) x (H) (cm)	/
	Packs / Carton	48
	Net Weight(kg)	9.4
	Gross Weight(kg)	10.2
	Dimensions (L) x (W) x (H) (cm)	40 x 35 x 30.5
	Volume(cbm)	0.0427

Device Chart

BEST ☒ YES ☐ NO ☐

		Camelion Power Supplies														
USB Enable Devices		AD318	AD518	AD5028	AD618	AD718A	PS918	AD3127	DD801	DD802	PS625F	PS625FH	PS626	PS627	PS632	PS609
Mobile & Professional	iPhone 4/4S/5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	iPod®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	iPad®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	iTouch®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	PDA	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Sumsung	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Sony	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	HTC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Blackberry®	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Nokia	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Sharp	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Motorola	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Smart Phone	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Others	Playstations	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Tablet	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MP3/MP4/MP5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CD/DVD	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Loudspeaker	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AM/FMRadio	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Digital Camera	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	GPS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	USB battery charger	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Electric shaver	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

- Remark:**
1. The capacity of the iPad battery must be not less than 5%.
 2. Apply for USB 2.0 or lower version only.
 3. Camelion accepts no responsibility for any accidents resulting from use of this information.



Flashlights & Lanterns

TUFFeLite™ Flashlights

Maximum Illumination in a Professional, Durable Design



- **CREE® XR-E 3W LED** Up to 5 km visibility and 200 meters effective range
- **Unbreakable Anodized Aircraft Aluminum Alloy**
- **Water Resistant** O-Ring and sealed switch design
- **Shock Resistant and Weatherproof**
- **Adjustable focus** for different usage

Best for:


- Security, police, military, emergency response
- Ideal for work, outdoor and general purpose activities

Specifications									
Product Picture	Name	Model #	LEDs	LED Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
	Professional Flashlight	T536	1	CREE® XR-E 3W LED	120	3AAA	Aircraft aluminum	■ Black	×
	Professional Flashlight	T556	1	CREE® XP-E LED	High: 120 LM Low: 60LM	3AAA	Aircraft aluminum	■ Black	×

3 Lighting Modes (T536)



Exceptional Illumination



Aircraft Aluminium Alloy

T536



CREE®
XP-E 3W LED




T536-3LR03BP

3 Lighting Modes (T556)

Directions



3 lighting modes with red alarm ring



T556



T556-3LR03PDB

Packaging Details

			Packaging Details												
Pack. Picture	Name	Item #	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Professional Flashlight	T536-3LR03BP	Double Blister	3AAA	250	150	38	214	24	47.5	31.0	27.5	0.0405	6.2	5.1
	Professional Flashlight	T556-3LR03PDB	Double Blister	3AAA	110	190	38	144	24	49.5	27.5	25	0.0340	7.8	7.0

TRAVLite™ Flashlights

Ideal Lighting for Out of Doors



LED Pocket Flashlight

- **Ultra Shock Resistant** TPE Casing Up to 3 meters drop height
- **Up to 40 hrs continuous Lighting***
- **O-Ring and Sealed Switch** for water resistant (IPX4**) performance
- **Slim, Smart Portable Design** includes lanyard, great for travel
- **Uses Easily Available Economical AAA Batteries**

Best for:

Traveling, hiking, camping, fishing, athletics



LED Rubber Flashlight


- **Heavy Duty Rubberized Case**
- **Shock Resistant** up to 2 meters drop
- **Water Proof** (up to IPX7***)
- **Shatterproof Optical Lens**
- **Non Slip Grip** oil/grease resistant grip with push button switch and end strap
- **Never replace LEDs** 100,000 hr lifetime
- **Brightness Intensifying Optical Cavity Design**

*Camelion 2009 lab tests, using 3 Camelion alkaline AAA batteries; LED brightness will attenuate when battery power is weak.

**An IPX4 designation means it will hold up against rain and jets of water, but is not suitable for swimming or guaranteed to survive immersion in water.

***An IPX7 designation means the case can withstand accidental immersion in one meter of water for up to 30 minutes.

Specifications									
Product Picture	Name	Model #	LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Pocket Flashlight	HP7011	1	Super Bright LED	40lm	3AAA	Rubber	 Red Green	✓
	Rubber Flashlight	PT6L2D	6	Super Bright LED	1200mcd	2D	Rubber	 Red Blue	✓
	Rubber Flashlight	PT3L2AA	3	Super Bright LED	1200mcd	2AA	Rubber	 Red Blue	✓



HP7011




HP7011-BP

HP7011-3R03BP

HP7011D24
HP7011-3R03PD24

6 LED



PT6L2D




PT6L2D-2R20PBP



PT6L2DBP

3 LED



PT3L2AA



PT3L2AA-2R6PBP



PT3L2AABP

Packaging Details

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Pocket Flashlights	HP7011-3R03BP	Blister Pack	3R03P	190	110	40	96.5	48	51.5	21.5	26.5	0.0294	6.4	4.7
		HP7011-BP	Blister Pack	——	190	110	40	74	48	46.5	41.5	21.5	0.0415	4.8	3.7
		HP7011-3R03PD24	Display Box	3R03P	303	206	110	2036	4	46	34	25	0.0391	9.3	8.2
		HP7011D24	Display Box	——	303	206	110	1496	4	46	34	25	0.0391	7.1	6.0
	Rubber Flashlights	PT6L2D-2R20PBP	Blister Pack	2R20P	305	175	70	446	24	50.5	45	33	0.0750	11.7	10.7
		PT6L2DBP	Blister Pack	——	305	175	70	279	24	50.5	45	33	0.0750	7.7	6.7
	Rubber Flashlights	PT3L2AA-2R6PBP	Blister Pack	2R6P	248	120	50	161	48	49.5	36	33	0.0588	8.7	7.7
		PT3L2AABP	Blister Pack	——	248	120	50	131	48	49.5	36	33	0.0588	7.3	6.3

TRAVLite™ Flashlights

Ideal Lighting for Out of Doors



Mini Area Lantern

- **Dual Lighting Modes** High beam / Low beam.
- **Handy** Easy to hang with the lanyard or seat on a specially designed base.
- **Comfortable** Frosted shade lighting tube and rubber boot switch.
- **Long Lifespan LED** provides outstanding illumination and free of replacement.
- **Energy Saving** Up to 80% more than a krypton light bulb.


Best for:

Camping, outdoors, children's quarters

LED Lantern

- **Effective Lighting** 360° lighting with light diffuser.
- **LED Technology** The high lumen LED provides outstanding illumination, high energy efficiency, and up to 30,000 hours lifetime.
- **Standby Yellow LED** to save energy costs.
- **Handy** Easy grip, adjustable handle with hook.
- **Durable Construction** Slim with non-topple base.
- **2 Lighting Modes** Night Light and Full Beam lighting modes for different situations.
- **Rubber boot push switch**

Specifications									
Product Picture	Name	Model #	LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Mini Area Lantern	SL7051	1	0.5W LED	36lm	4AAA	Plastic	 Green	✗
	LED Lantern	SL1011	1	1W LED	70lm	3D	Plastic	 Yellow  Green	✗



SL7051

Up to
12 Hrs
Continuous use

2 Mode
Lighting Modes



SL7051-4R03PBP SL7051-4R03PD12



SL1011

Up to
180 hours*
continuous lighting

2 Mode
Lighting Modes

Up to
30,000
Hours LED Lifetime
Effective Lighting
360°
Degree Lighting



SL1011

Packaging Details

			Packaging Details												
			Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
Pack. Picture	Name	Item#	L Length	W Width	D Depth		L Length			W Width	D Depth				
	Mini Area Lantern	SL7051-4R03PBP	Double Blister	4R03P	202	125	55	300	24	33.7	29.8	47.6	0.0480	8.7	7.2
		SL7051D12	Display Box	—	285	220	150	900	4	47.5	31.5	33.5	0.0502	4.5	3.6
	LED Lantern	SL1011	Box	3LR20	125	125	205	600	12	43.4	27.2	40.5	0.0478	8.6	7.2

TRAVLite™ Flashlights

Ideal Lighting for Out of Doors



Key-Chain Flashlight

- **Small Size and Key Chain** to carry anywhere.
- **Fashionable Design** with rubberized casing.
- **Continuous Lighting** up to 14 hours.*
- **Energy Savings** Up to 80% more than regular incandescent bulbs.
- **Never Replace LEDs** No need to replace the 100,000 hours lifespan LED.

Best for:

Tourists, Family, Professionals

*Camelion 2011 lab tests, using 3pcs LR44 batteries



Work Lamp

- **24 LED Illumination** (4/24 LED beam selector on model SL7280)
- **Energy Saving** Up to 80% more than incandescent bulbs
- **Up to 20 Hours Continuous Lighting** (up to 10 hours on SL7280)
- **Rubberized ABS Casing** is not only durable but also comfortable
- **Strong Magnet Button and 360 Swivel Hook** allows for hands free work in many places
- **Never Replace LEDs** No need to replace the 100,000 hours lifespan LED.

Best for:

Tourists, Family, Professionals

Specifications									
Product Picture	Name	Model #	LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Premium Metal Key-Chain LED Flashlight	SL3013	1	Superbright LED	1850 mcd	3LR44	Plastic	Orange Purple Blue Red	✗
	LED Work Lamp	SL5240	24	Superbright LED	12000 mcd	3AA	Plastic	Black + Orange	✗
	LED Work Lamp	SL7280	4+24	Superbright LED	12000 mcd	3AAA	Plastic	Black + Orange	✗



SL3013



SL3013-3LR44BP



SL3013-3LR44-PB36



SL5240

24LED



SL5240-3R6PD12



SL7280

28LED



SL7280-BP



SL7280-3R03PD12

Packaging Details

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Packs/ Carton	Outer Carton Details					
					Dimensions (mm)			Net Weight (g)		Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Mini Key Chain LED Flashlight	SL3013-3LR44BP	Blister Pack	3LR44	140	98	24	26	192	43	35.2	33	0.0500	6.8	5.0
		SL3013-3LR44-PB36	Fish bowl	3LR44	130	110	150	850	12	41	24.5	34.5	0.0347	11	10.2
	LED Work Lamp	SL5240-3R6PD12	Display Box	3R6P	202	227	210	1750	4	49	24	46	0.0541	9.0	7.0
	LED Work Lamp	SL7280-BP	Blister Pack	-----	202	125	40	94	48	58	36.5	22.5	0.0477	5.5	4.5
		SL7280-3R03PD12	Display Box	3R03P	143	232	108	1250	8	62.5	34	22.5	0.0479	11.5	10.5

TRAVLite™ Flashlights

Ideal Lighting for Out of Doors



Bicycle Safety Light

- **Flexible Silicon Body** easy to fasten.
- **Compact and Fashion**
- **3 Lighting Modes**
- **LED Technology** efficiency and free of replacement.
- **Long Continuous Lighting** up to 45 hrs (constant lighting) or 70 hrs (strobe lighting).*

* Camelion 2012 lab test result, by using 2XCR2032 Camelion batteries. LED's brightness will attenuate when batteries power is weak.



Bicycle Safety Light

- **Weather and Slip Resistant**
- **360 degrees Mount** convenient for getting good angle of lighting direction
- **Anti-Shock Holder** Easy-mount and easy-release
- **Never Replace LEDs** No need to replace the 100,000 hours lifespan LED
- **High Quality LED** provides outstanding illumination and high energy efficiency
- **3 lighting modes** with strobe mode

Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Bicycle Light	S760	2	Super Bright LED	12000 mcd	2CR2032	Silicon	 Red  White	✓
	Bicycle Light	S761	9	Super Bright LED	12000 mcd	3AAA	Plastic	 Black	✓
	Bicycle Light	T556S	1	CREE® XP-E LED	High: 120 LM Low: 60 LM	3AAA	Aircraft aluminum	 Black	✓



S760

2LED



S760-2CR2032BP2



S760-2CR2032-PB30



S761

9LED




S761-3R03P-DB

Directions



3 lighting modes with red alarm ring



T556S

1LED



T556S-3LR03PDB

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Bicycle Light	S760-2CR2032BP2	Blister Pack	2CR2032	202	125	35	94	48	46	25.5	28	0.0329	4.95	4.5
		S760-2CR2032-PB30	Fish Bowl	2CR2032	130	110	150	718	12	41	24.5	34.5	0.0347	9.4	8.6
	Bicycle Light	S761-3R03P-DB	Double Blister	3AAA	165	118	80	112.5	40	47.5	35.5	26.5	0.0447	5.5	4.5
	Bicycle Light	T556S-3LR03PDB	Double Blister	3AAA	222	128	42	184	24	57.5	32.5	29	0.0542	9.6	8.8

HomeBright™ Flashlights

LED Flashlights for Home or Outdoor Use



Pocket Aluminum LED Flashlight

- **Compact** Fits in your pocket
- **Durable** Aluminum casing
- **Never Replace LED** 100,000h LED lifetime
- **Shock and Water Resistant**
- **Energy Saving LEDs** up to 5 times brighter, 8 times more efficient than regular krypton bulbs*
- **Easy to Use** Handy grip with push button switch

Best for:

- Everyday pocket use,
- Handy for camping, travel, boating or even walking the dog

*Camelion 2012 Lab Tests. Performance subject to battery, temperature and ambient lighting conditions.


Specifications									
Product Picture	Name	Model #	LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Pocket LED Flashlights	T5012	1	Super Bright LED	18lm	1AA	Aluminum	Pink Gray Blue Green	✓
	Pocket LED Flashlights	T5013	1	Super Bright LED	18lm	1AA	Aluminum	Red Gunmetal Blue Black	✓
	Pocket LED Flashlights	T530	9	Super Bright LED	13000mcd	3AAA	Aluminum	Red Gunmetal Blue Black	✓
	Pocket LED Flashlights	T540	9	Super Bright LED	13000mcd	3AAA	Aluminum	Red Gunmetal Blue Black	✓
	Pocket LED Flashlights	T550	12	Super Bright LED	13000mcd	3AAA	Aluminum	Red Silver Blue Black	✓



T5012



1LED



T5012-LR6BP



T5012-R6PD24



T5013



1LED



T5013-LR6BP



T5013-R6PD24

100000
Hrs
LED life time



Durable Aluminum casing

T530



9LED



T530-3R03PD12

T540



9LED



T540D24, T540-3R03PD24

T550



12LED



T550-3R03PBP

Packaging Details

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Pocket LED Flashlights	T5012-LR6BP	Blister Pack	1AA	198	101	25	68	48	41.5	29	23	0.0277	4.1	3.3
		T5012-R6PD24	Display box	1AA	165	130	95	1360	12	35.3	28.5	33	0.0332	18.3	16.3
	Pocket LED Flashlights	T5013-LR6BP	Blister Pack	1AA	198	101	25	60	48	41.5	29	23	0.0277	3.7	2.9
		T5013-R6PD24	Display box	1AA	165	130	95	1360	12	35.3	28.5	33	0.0332	18.3	16.3
	Pocket LED Flashlights	T530-3R03PD12	Display box	3R03P	168	103	126	350	12	54	18.5	33.5	0.0335	4.56	4.2
	Pocket LED Flashlights	T540-3R03PD24	Display box	3R03P	\	\	\	\	\	\	\	\	\	\	\
	Pocket LED Flashlights	T550-3R03PBP	Blister Pack	3R03P	205	110	35	121	48	50.5	30.5	25	0.0385	6.5	5.8

HomeBright™ Flashlights

LED Flashlights for Home or Outdoor Use



LED Flashlight

- **Cloverleaf Reflector System** for maximum focus and intensity
- **Energy Saving LEDs** up to 5 times brighter, 8 times more efficient than regular krypton bulbs*
- **Long Service Life** Up to 180 hours continuous lighting*
- **Never Replace LEDs** 100,000h LED lifetime
- **Handy Grip** with hooks, anti-roll design

Best for:

- Indoor and/or outdoor use
- Handy for camping, travel, fishing
- Household use, walking the dog

*Camelion 2009 Lab Tests. Performance subject to battery, temperature and ambient lighting conditions.

2 in 1 Flashlight & Glowstick

- **Multi-function** 3LED flashlight & dual-mode glowstick
- **Dual-mode Glowstick** lighting and flashing
- **Water Resistant** water resistant performance up to IPX4
- **Comfortable** frosted shade tube for glow stick and rubber bootied switch
- **Long Lifespan LED** high energy efficiency and never needs replacement
- **Convenience** powered by widely available AAA batteries

Product Picture	Name	Model #	LEDs	LED Type	Specifications				
					Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Multi-Head LED Flashlights	FL6L2D	6	Superbright LED	1850mcd	2D	Plastic	 Yellow	✓
	Multi-Head LED Flashlights	FL3L2AA	3	Superbright LED	1850mcd	2AA	Plastic	 Yellow	✓
	1 LED Flashlights	S772	1	1W LED	65LM	3AAA	Plastic	 Red Purple Blue	✗
	2 in 1 Flashlight & Glowstick	S773	3+1	Superbright LED	/	3AAA	Plastic	 Red Purple Blue	✗

Up to
180 Hrs
Continuous
use



6LED

FL6L2D



FL6L2D2R20P



FL6L2D



Hook
Ring

Up to
35 Hrs
Continuous
use



3LED

FL3L2AA



FL3L2AA2R6P



FL3L2AA

100,000
Hours
LED
Life Time

S772



NEW



S772- 3R6PBP



S773



NEW



S773-3R03PD12

Packaging Details

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Multi-Head LED Flashlights	FL6L2D2R20P	Blister Pack	2R20P	264	144	40	3.8	24	55.5	42.5	18.5	0.0436	8.3	7.4
		FL6L2D	Blister Pack	——	264	144	40	146	24	55.5	42.5	15.5	0.0366	4.4	3.5
	Multi-Head LED Flashlights	FL3L2AA2R6P	Blister Pack	2R6P	210	98	30	87	60	40	30	23	0.0276	5.8	5.2
		FL3L2AA	Blister Pack	——	210	98	30	45	60	40	30	23	0.0276	3.3	2.7
	1 LED Flashlights	S772-3R6PBP	Blister Pack	——	262	137	52	150	24	44	33.5	32	0.0472	4.6	3.6
	2 in 1 Flashlight & Glowstick	S773-3R03PD12	Display box	——	213	160	185	1090	4	44	33.5	20.5	0.0302	4.96	4.36

HomeBright™ Searchlamps

LED Search lamps for Home or Outdoor Use



LED Search lamp

- **Powerful** Lights distances up to 150 meters*
- **Cloverleaf Reflector System** for maximum focus and intensity
- **Energy Saving LEDs** up to 5 times brighter, 8 times more efficient than regular krypton bulbs*
- **Long Service Life** Up to 500 hours continuous lighting*
- **Never Replace LEDs** 100,000h LED lifetime
- **Handy Grip** with hooks, anti-roll design

Best for:

- Indoor and/or outdoor use
- Military, security, campus, factory, emergency kits
- Vehicle use, garages, auto service use
- Handy for camping, travel, fishing

*Camelion 2009 Lab Tests. Performance subject to battery (alkaline), temperature and ambient lighting conditions.

Product Picture	Name	Model #	LEDs	LED Type	Specifications				
					Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Multi-Head LED Search lamps	HP5091	9	Super Bright LED	1200mcd	4AA	Plastic	 Yellow	✓
	Multi-Head LED Search lamps	FL-16LED	16	Super Bright LED	1850mcd	4D/4R25	Plastic	 Yellow	✓
	Multi-Head LED Search lamps	FL-9LED	9	Super Bright LED	1850mcd	4AA	Plastic	 Yellow	✓



HP5091



HP5091CB
HP5091-4R6PCB



FL-16LED



FL-16LED-4R20PCB



FL-16LED-4R20B



FL-9LED



FL-9LED-4R6P

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details			Net Weight (g)	Packs/ Carton	Outer Carton Details			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					Dimensions (mm)					Dimensions (cm)					
					L Length	W Width	D Depth	L Length	W Width	D Depth					
	Multi-Head LED Search lamps	HP5091CB	Box	——	170	80	92	131	16	35.5	33.5	21.5	0.0256	3.3	2.1
		HP5091-4R6PCB	Box	4R6P	170	80	92	206	16	35.5	33.5	21.5	0.0256	4.5	3.3
	Multi-Head LED Search lamps	FL-16LED-4R20PCB	Box	4R20P/4R25	250	123	135	708	12	51	38	28.5	0.0552	9.1	8.5
		FL-16LED-4R20P	Box	4R20P/4R25	250	120	132	695	12	51	37	28	0.0528	8.9	8.3
	Multi-Head LED Search lamps	FL-9LED-4R6P	Shrink pack	4R6P	100	146	110	278	36	59	54	24	0.0765	12.0	10

HomeBright™ Flashlights

Budget Flashlights for Everyday Use



Classic Flashlight

- Economical
- General Purpose
- Impact Resistant Plastic
- Many Color Options
- Krypton, Vacuum bulb

Best for:

- Indoor & outdoor usage
- Handy for camping, travel, fishing
- Household use, walking the dog

Specifications								
Product Picture	Name	Model #	Bulb Type	Voltage/Ampere	Battery Mode	Body Material	Available Colors	Water Resistant
	Classic Flashlights	FL2D	Vacuum	2.4V/500mA	2D	Plastic	Red Yellow Blue Black	✗
	Classic Flashlights	FL2C	Vacuum	2.4V/500mA	2C	Plastic	Red Yellow Blue Black	✗
	Classic Flashlights	FL2AA	Vacuum	2.4V/500mA	2AA	Plastic	Red Yellow Blue Black	✗

FL2D



FL2DB2R20P



F2DD12

FL2C



FL2CB2R14P

FL2AA



FL2AAB2R6P



F2AAD24

Packaging Details

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Packs/ Carton	Outer Carton Details				Gross Weight (Kg)	Net Weight (kg)
					Dimensions (mm)			Net Weight (g)		Dimensions (cm)			Volume (M³)		
					L Length	W Width	D Depth		L Length	W Width	D Depth				
	Classic Flashlights	FL2DB2R20P	Blister Pack	2R20P	292	158	64	313	24	46	31.5	31	0.0449	9.0	7.5
		F2DD12	Display box	———	250	188	195	1332	4	51.5	40	21.5	0.0443	7.0	5.3
	Classic Flashlights	FL2CB2R14P	Blister Pack	2R14P	240	131	50	170	24	47	26	20	0.0244	4.1	5.0
	Classic Flashlights	FL2AAB2R6P	Blister Pack	2R6P	211	99	38	84	60	40	30	23	0.0276	6.0	5.3
		F2AAD24	Display box	———	230	154	150	1116	8	48	33	32.5	0.0515	10.5	8.9

HomeBright™ Search Lamps

Budget Search lamps for Everyday Use



Classic Search Lamp

- Economical
- General purpose
- Impact Resistant Plastic
- Many Color Options
- Krypton or Vacuum bulb

Best for:

- Indoor & outdoor usage
- Military, security, campus, factory, emergency kits
- Vehicle use, garages, auto service use
- Handy for camping, travel, fishing

Specifications								
Product Picture	Name	Model #	Bulb Type	Voltage/Ampere	Battery Mode	Body Material	Available Colors	Water Resistant
	Classic Search lamps	CM25B1	Krypton	4.8V/750mA	4R25	Plastic	 Red	✗
	Classic Search lamps	CM4AA01	Krypton	4.8V/750mA	4AA	Plastic	 Yellow	✓

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (cbm)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Classic Search lamps	CM25B1	Shrink Pack	1 x 4R25	255	110	115	800	12	53	32.5	28.5	0.0491	12.5	9.6
	Classic Search lamps	CM4AA01-4R6P	Shrink Pack	4 x R6P	100	146	110	278	36	59	54	24	0.0765	12.0	10.0

DoctorLite™ Flashlights

An Elegant Gift and a Handy Tool



- Powerful Spot Beam
- Durable Aircraft Aluminum
- Strong Pocket Clip
- Push Button Switch

Best for:

- Useful tool for doctors
- Elegant, fashionable gift
- Great for hard to reach recesses and gaps



DL2AAAS

Specifications								
Product Picture	Name	Model #	Bulb Type	Voltage/Ampere	Battery Mode	Body Material	Available Colors	Water Resistant
	DoctorLite Flashlight	DL2AAAS	Vacuum	2.2V/250mA	2AAA	Aircraft aluminum	☐ Silver	X

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	DoctorLite Flashlight	DL2AAAS	Blister Pack	2R03P	195	90	21	56	100	48.5	39	25	0.0479	5.6	7.0

HyberBrite™

Rechargeable Flashlights

Maximum Illumination and Durable Design



- **CREE® XR-E 3W/5W LED** Up to 5 km visibility and 200 meters effective range
- **Rechargeable** up to 1000 times
- **Long Lasting** Up to 30 hours on a charge
- **Outstanding Thermal Management** for safe recharging and lighting
- **Virtually Unbreakable, Corrosion and Shock Resistant**
Aircraft aluminum alloy
- **Water resistant** Rubber O-ring protection and sealed switch design
- **Easy Grip Handle With Anti-Roll Head**
- **Concealed Recharging Socket**

Best for:

- Security, Police, Military, Emergency response
- Ideal for professional work, campus, factory, outdoor and general purpose activities

Product Picture	Name	Model #	Flashlight Specifications							Charger Specification		
			LED Type	LEDs	Battery Mode	Body Material	Available Colors	Water Resist	Operating Time	Input	Ouput	Charging Time
	Rechargeable Flashlight	RT3071	CREE® XR-E 3W LED	1	3NC-SC2000	Aircraft aluminum	Black	✓	8 hrs	100-240~50/60Hz	4.2  500mA	4.8 hrs
	Rechargeable Flashlight	RT3011	CREE® XR-E 3W LED	1	Li-ion 18650	Aircraft aluminum	Black	✓	12 hrs	100-240~50/60Hz	4.2  500mA	6 hrs
	Rechargeable Flashlight	RT397	CREE® XR-E 5W LED	1	3NC-D2500	Aircraft aluminum	Black	✓	High: 8hrs Low: 30hrs	100-240~50/60Hz	4.2  500mA	6 hrs
	Rechargeable Flashlight	RT398	CREE® XR-E 5W LED	1	3NC-C2500	Aircraft aluminum	Black	✓	High: 8hrs Low: 30hrs	100-240~50/60Hz	4.2  500mA	6 hrs

5 WATT LED CREE® XR-E

3 Lighting Modes(RT3071)

High power
white LED
Emergency:
6 red LEDs
Strobe:
6 red LED
strobe lights

RT3071

Up to
8 Hrs
Continuous
use

CE



RT3071-3SC2000CB

3 WATT LED CREE® XR-E

RT3011

Up to
12 Hrs
Continuous
use



RT3011-18650CB

5 WATT LED CREE® XR-E

3 Lighting Modes(RT397,RT398)

High
Medium
Low

RT397

Up to
8 Hrs
Continuous
use



NEW



RT397-3NC-D2500CB

RT398

Up to
8 Hrs
Continuous
use



NEW



RT398-3NC-C2500CB

100000
Hrs
LED life time



Rechargeable



Aircraft
aluminum



High
Illumination

Packaging Details

Aircraft aluminum		High Illumination	Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (Kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Rechargeable Flashlight	RT3071- 3SC2000CB	Box	3NC- SC2000	268	130	62	588	8	29	28	28.5	0.0232	5.3	4.7
	Rechargeable Flashlight	RT3011- 18650CB	Box	Li-ion 18650	184	138	58	350	24	43.2	39.8	25.5	0.0439	9.0	8.4
	Rechargeable Flashlight	RT397-3NC- D2500CB	Box	3NC-D2500	316	145	65	992	8	33.1	30.5	27.8	0.0281	8.2	7.9
	Rechargeable Flashlight	RT398-3NC- C2500CB	Box	3NC-C2500	256	125	55	650	8	27.1	26.5	23.8	0.0171	5.5	5.2

COLED™ Flashlights

Rechargeable LED Flashlights



Rechargeable LED Flashlight

- **Built-in Rechargeable Battery** Use again and again without battery replacement
- **Retractable Plug For Easy Charging** Just plug-in the wall and charge
- **Dual Lighting Modes** (3/6 LED beam selector on model RHP6062)
- **Never Replace LEDs** 100,000 hours lifetime.
- **Efficient LEDs** up to 8 times more energy efficient than regular light bulbs*
- **10 Times Longer Operating Time** than regular flashlight light bulbs*

Best for


- Indoor and/or Outdoor use
- Flexible and Perfect for camping, travel, fishing
- Household use, walking the dog

*Camelion 2012 Lab Tests

Product Picture	Name	Model #	Flashlight Specifications							
			LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resist	Operating Time
	Rechargeable Flashlight	RHP6041	4	Super Bright LED	1850mcd	Lead Acid	Plastic	Yellow Black	✗	20 hrs
	Rechargeable Flashlight	RHP6062	6	Super Bright LED	1850mcd	Lead Acid	Plastic	Red + Black Yellow + Black	✗	3LEDs: 24 hrs 6LEDs: 15 hrs
	Rechargeable Flashlight	RHP6051	5	Super Bright LED	1850mcd	Lead Acid	Plastic	Gary + White Orange + White	✗	15 hrs
	Rechargeable Flashlight	RHP6012	1	0.5W LED	18LM	Lead Acid	Plastic	Gary + White Orange + White	✗	20 hrs
	Rechargeable Flashlight	RHP6042	4	Super Bright LED	1850mcd	Lead Acid	Plastic	Yellow Blue	✗	12 hrs
	Rechargeable Flashlight	RHP6013	1	Super Bright LED	18LM	Lead Acid	Plastic	Green Orange	✗	High: 16 hrs Low: 24 hrs



Directions



RHP6041



4LED



RHP6041BP

RHP6062



3LED



6LED



RHP6062BP

RHP6051



5LED



RHP6051-BP

RHP6012



0.5WLED



RHP6012-BP

RHP6042



4LED



RHP6042-BP

RHP6013



4LED



RHP6013-BP

Packaging Details

			Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
Pack. Picture	Name	Item#			Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Rechargeable Flashlight	RHP6041BP	Blister Pack	Lead Acid	240	103	57	170	48	54.5	50.5	26	0.0716	9.1	8.1
	Rechargeable Flashlight	RHP6062BP	Blister Pack	Lead Acid	285	110	63	198	48	56.5	56	31.5	0.0997	10.9	9.5
	Rechargeable Flashlight	RHP6051-BP	Blister Pack	Lead Acid	238	88	59	128	48	43	26.5	39.5	0.0451	8.4	6.8
	Rechargeable Flashlight	RHP6012-BP	Blister Pack	Lead Acid	198	79	60	134	48	43	26.5	39.5	0.0451	8.6	7.0
	Rechargeable Flashlight	RHP6042-BP	Blister Pack	Lead Acid	238	88	49	110	48	41	23	32.5	0.0307	5.8	5.0
	Rechargeable Flashlight	RHP6013-BP	Blister Pack	Lead Acid	198	80	48	92	48	37.5	21	32.5	0.0256	5.2	4.4

COLED™ Flashlights

Rechargeable LED Flashlights



Rechargeable Work Light

- Anti-impact Hi-Transparency Polycarbonate Tube
- Strong Magnetic can be used to hang the unit from a metal surface
- Swivel Hook 360 degrees Swivel Hanging Hook
- Adjustable Holder easily adjusted to appropriate position
- Weather, oil and shock resistant



Rechargeable LED Lantern

- The 1W High Power LED provides outstanding illumination, high energy efficiency and up to 50,000 hours lifetime
- Effective 360° Lighting with Light Diffuser
- AC Input and Built-in Rechargeable Battery
- Easy Handy Grip
- Adjustable Handle with hook
- 2 Lighting Modes for different situations

2 Lighting Modes



Full Beam



Night Light



AC Cable for Charging



RS650

Product Picture	Name	Model #	Flashlight Specifications							
			LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resist	Operating Time
	Rechargeable Work Light	RS660	60	Super Bright LED	12000mcd	Ni-MH Pack	Plastic	Black	✗	4 hrs
	Rechargeable LED Lantern	RS650	1	1W LED	70Lm	Lead Acid	Plastic	Yellow Green	✗	16 hrs

			Packaging Details												
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Rechargeable Work Light	RS660-3H10ADCA-DB	Double Blister	Ni-MH Pack	488	138	84	650	20	51	29	63	0.0932	14	13
	Rechargeable LED Lantern	RS650	BOX	Lead Acid	125	125	205	523	12	43.4	27.2	40.5	0.0478	7.0	6.4

Flashlights Replacement Bulbs

LED



Specifications

Model No.	Lamp Type	Voltage (V)	Current (mA)	Power (W)	Luminous Flux (lm)	Color Temperature (K)	Base Type	Average Life (hrs)	Battery Type
BL304 WN	LED Flashlight Bulb	3.0	130	0.4	30	6000--8000 (Cool White)	P 13.5S	10,000	2x(AA/AAA/D/C)
BL304 WR						3500--4000 (Warm White)			
BL406 WN	LED Flashlight Bulb	4.5	130	0.6	38	6000--8000 (Cool White)	P 13.5S	10,000	3x(AA/AAA/D/C) 3LR12,3R12
BL406 WR						3500--4000 (Warm White)			
BL608 WN	LED Flashlight Bulb	6.0	130	0.8	42	6000--8000 (Cool White)	P 13.5S	10,000	4x(AA/AAA/D/C), 4R25
BL608 WR						3500--4000 (Warm White)			

Packaging Details

			Packaging Details											
			Packaging Type	Blister/Box Details				Outer Carton Details						
				Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
				L Length	W Width	D Depth			L Length	W Width	D Depth			
	LED Replacement Bulbs	BL304WN-BP1	Blister Pack	92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4
		BL304WR-BP1		92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4
		BL406WN-BP1		92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4
		BL406WR-BP1		92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4
		BL608WN-BP1		92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4
		BL608WR-BP1		92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4

Vacuum and Krypton



Specifications

Model Number	Technology	Amperage	Voltage	Bulb/Socket/ Brightness	Av. Life (Hrs)
BV2/50P-BP2	Vacuum	0.50A	2.4 V	Prefocused/ Flange (P13.5S)/ 0.910	15
BV3/50P-BP2	Vacuum	0.50A	3.6 V	Prefocused/ Flange (P13.5S)/ 1.700	15
BK2/70P-BP2	Krypton	0.70A	2.4 V	Prefocused/ Flange (P13.5S)/ 1.300	20
BK3/50P-BP2	Krypton	0.50A	3.6 V	Prefocused/ Flange (P13.5S)/ 1.200	50
BK3/75P-BP2	Krypton	0.75A	3.6 V	Prefocused/ Flange (P13.5S)/ 2.650	25
BK4/75P-BP2	Krypton	0.75A	4.8 V	Prefocused/ Flange (P13.5S)/ 4.500	25

Packaging Details

			Packaging Details											
			Packaging Type	Blister/Box Details				Outer Carton Details						
				Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
				L Length	W Width	D Depth			L Length	W Width	D Depth			
	Flashlight Bulbs	BV2/50P-BP2	Blister Pack	114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BK2/70P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BV3/50P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BK3/50P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BK3/75P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
		BK4/75P-BP2		114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0



Promotional Accessories

Promotional Accessories

Maximum Impact, Minimum Space, Optimal Sales

When you want your Camelion products to have maximum impact you need optimal promotional accessories.

For the latest sales accessories and premiums please contact us at info@camelionbattery.com

 MFD-05 Metal Floor Display - Durable furnace-tested metal finish 72 Height-adjustable racks 8 Basket racks (L=10cm) 4 Face/360 Degree Rotatable Design - Easily add racks - Dimensions: 41(L) x 41(W) x 170(H) cm Qty for Each Hook: <table border="1"> <tr><td>AAA Size</td><td>10 packs</td></tr> <tr><td>AA Size</td><td>7 packs</td></tr> <tr><td>9V Size</td><td>6 packs</td></tr> <tr><td>C Size</td><td>5 packs</td></tr> <tr><td>D Size</td><td>4 packs</td></tr> </table>	AAA Size	10 packs	AA Size	7 packs	9V Size	6 packs	C Size	5 packs	D Size	4 packs	 MFD-04 Metal Floor Display - Durable furnace-tested metal finish 36 Height-adjustable racks 2 Basket racks (L=10cm) - Easily add racks - Dimensions: 67(L) x 36(W) x 175(H) cm Qty for Each Hook: <table border="1"> <tr><td>AAA Size</td><td>10 packs</td></tr> <tr><td>AA Size</td><td>7 packs</td></tr> <tr><td>9V Size</td><td>6 packs</td></tr> <tr><td>C Size</td><td>5 packs</td></tr> <tr><td>D Size</td><td>4 packs</td></tr> </table>	AAA Size	10 packs	AA Size	7 packs	9V Size	6 packs	C Size	5 packs	D Size	4 packs	 MFD-03 Metal Floor Display - Up to 300-400 peg holes (ideally holds 20-30 large/medium size packages) - Use metal racks to expand each peg - Professional slim and elegant design - Rugged steel construction for long life - Easy assembly by interlocking joints, no screws or hammers needed (Instructions included) - W x H x D: 170x61 x 80 cm
AAA Size	10 packs																					
AA Size	7 packs																					
9V Size	6 packs																					
C Size	5 packs																					
D Size	4 packs																					
AAA Size	10 packs																					
AA Size	7 packs																					
9V Size	6 packs																					
C Size	5 packs																					
D Size	4 packs																					
 MFD-02 Metal Counter Display - Use metal racks to expand each peg - Professional slim and elegant design - Rugged steel construction for long life - Easy assembly by interlocking joints, no screws or hammers needed (Instructions included) - W x H x D: 46 x 70 x 26 cm	 WCD-02	 WCD-03	 WCD-05	Metal Counter Display WCD-02: 33 x 43 x 22 cm (6 hooks) WCD-03: 33 x 58 x 22 cm (9 hooks) WCD-05: 44 x 66 x 20 cm (12 hooks) - Sturdy steel construction for long use - Easy to see, easy to reach - Light weight for easy portability - Available in Metal Black																		
 WCD-06 Metal Counter Display - Durable furnace-tested metal finish 20 Racks (L=15 cm) - Simple and lightweight design - Dimensions: 35(L) x 35(W) x 160(H) cm Qty for Each Hook: <table border="1"> <tr><td>AAA Size</td><td>10 packs</td></tr> <tr><td>AA Size</td><td>7 packs</td></tr> <tr><td>9V Size</td><td>6 packs</td></tr> <tr><td>C Size</td><td>5 packs</td></tr> <tr><td>D Size</td><td>4 packs</td></tr> </table>	AAA Size	10 packs	AA Size	7 packs	9V Size	6 packs	C Size	5 packs	D Size	4 packs	 HW-01	 HW-04	 HW-05	 HW-06	4 Metal Hook Racks HW-01 W x H x D: 10 x 75 x 8 cm 12 Clear Plastic Hook Racks HW-01 W x H: 7.5 x 62 cm 12 White Plastic Hook Racks HW-01 W x H: 6.2 x 77.5 cm 12 Black Plastic Hook Racks HW-01 W x H: 84 x 11.3 cm							
AAA Size	10 packs																					
AA Size	7 packs																					
9V Size	6 packs																					
C Size	5 packs																					
D Size	4 packs																					
 DR-04 Aisle Display Box Economical white corrugated cardboard retail display is great for supermarkets, presentations and trade shows. This portable display is lightweight, easy to set up and built to stand up to high retail traffic. - Freestanding cardboard aisle display has 16 trays, each tray is 13cm wide x 24cm high x 5cm deep. - W x H x D: 33 x 152.5 x 33 cm	 DR-05 Aisle Display Box This new display rack is designed to make items easier to reach and retrieve. You can display different kinds of batteries according to your sales mix. It is easy to transport, easy to set up in the store and supermarkets. It also uses some new symbol like Mr. Camelion. - Display informative images - Clear Branding - Light, durable materials - Easy to place and retrieve items - Clear Messages - W x H x D: 36.5 x 137 x 44 cm																					
 DR-06-SHD DR-06-A	Aisle Display Box Economical corrugated cardboard retail display box are great for supermarkets, presentations and trade shows. This portable display is lightweight, easy to set up for high retail display traffic. - Freestanding cardboard display has 20 trays, each tray is 9.5cm wide x 11.8cm high x 13cm deep - W x H x D: 41.5 x 138.2 x 32.5 cm	 DR-07 Aisle Display Box Economical corrugated cardboard retail display box are great for supermarkets presentations and trade shows. This portable display is lightweight, easy to set up for high retail display traffic. - Freestanding cardboard display box has 30 trays, each tray is 9.5cm wide x 18.7cm high x 15.8cm deep - W x H x D: 52.3 x 150 x 31.5 cm																				



DR-08

Cardboard Floor Display

Economical portable cardboard retail display is great for presentation in store, supermarket, road show and exhibition. It is easy for set up and transportation as well as hit high retail display traffic.

- Freestanding cardboard floor display has 20 trays, each tray is 12.0cm(W) x 20.3cm(H) x 30.8cm(D)
- W x H x D: 52x150x47cm



NEW

Aisle Display Box

Economical corrugated cardboard retail display box are great for supermarkets presentations and trade shows. This portable display is lightweight, easy to set up for high retail display traffic.

- Freestanding cardboard display box has 30 trays, each tray is 9.5cm wide x 18.7cm high x 15.8cm deep
- W x H x D: 52.3 x 150 x 31.5 cm

DR-11

DR-12



ADS-01

Desktop Acrylic Display Stand

- Compact Size suitable on the shelf or near the cashier
- 15 Flexible hooks for different series of products (hook: L=5cm)
- Dimensions (L*W*H mm): 490*350*130(*8 Depth) 75°
- Elegant design : Economical and versatile
- Durable and light : Made by acrylic material

Six Options:



SPK-01



SPK-02

The AlwaysReady and Digi Alkaline Speaker

The AlwaysReady and Digi Alkaline Speaker deliver impressive volume and clarity, it is small enough to fit in your pocket and uses a standard headphone jack to connect to your music device, ideally effortless amplify your favorite tunes via any iPhone, iPod, MP3/4 player, Smartphone, or laptop.

T-02



Short-sleeved T-Shirt

- Durable cotton matt short sleeved polo style shirt
- Cotton matt

C-01



Caps

Comfortable golf caps with all-size fits design, in trendy corporate colors

NEW



T-05-WR



T-05-WB

Short-sleeved T-Shirt

- Durable cotton matt short sleeved polo style shirt
- Cotton matt

PTB-01



Promotion Bag

- (Transparent)
- W x H : 13 x 20 cm

WB-01



Wristband

PAN-01



Ball Pen

PAN-02



Gel Pen with Rubber Coated

AIRB-01



Balloon Pop Up

HB-04



Non Woven Bag

- Material: Fiber
- W x H x D: 38 x 34 x 10cm

HB-05



Plastic

- W x H x D: 30 x 38 x 6cm

HB-06



Promotional Tote Bag

- Material: Fiber
- W x H x D: 38 x 34 x 12cm

HB-03



Non Woven Fiber

PB-03

Memo Post It



PB-04



Notebook

- Spiral bound
- Durable plastic front and back
- Includes 6 Page color product brochure
- W x H: 17 x 19 cm

PM-07G



POSTER-AR

AlwaysReady Poster

- W x H: 41.5 x 58 cm

LFLT-AR



AlwaysReady Leaflet

- LFLTAlwaysReady
- W x H: 14 x 21 cm



Posters

Our sales literature and marketing materials are created to bring out the benefits of Camelion products.

- Professionally designed and produced
- Simple and powerful messages
- Useful information
- Designed with the end-user in mind
- W x H: 39 x 57 cm



X BannerStand

- Available :
- Charger and Battery banners
 - W x H: 80 x 180 cm



Retractable Roll Up Banner Stand

- Available : Charger and Battery banners
- W x H: 80 x 200 cm



Supermarket Banner

Model: SMB-LI/SMB-DA/SMB-PA/SMB-AR/SMB-NH

- This banner is suitable for Supermarkets, retail stores, malls, etc.
- It is excellent advertisement for Camelion Brand.
- W x H: 45 x 60 cm



Floor Sticker

Model: FG-LI/FG-DA/FG-PA/FG-AR/FG-NH

- The floor sticker is abrasion resistance and durable. Can be used in the lobby, supermarket's aisles, shopping malls, or any public place.
- W x H: 150 x 110 cm, 110 x 80 cm, 80 x 60cm



Step Stickers

- This announcement can be used in the steps of supermarkets, shopping malls and many other places.
- W x H: 200 x 16 cm

Battery Adapter



For Rechargeable & Non-Rechargeable Batteries



AA Battery + Adapter

D or C Size

Warning:

When using two or more adapters together, avoid mixing new and used batteries, batteries with different charge levels or different brands. Don't mix adapters with actual D batteries in the device. Please insert the AA batteries into the adapter correctly. Remove battery after use, or when not in use. Store adapter separately from battery. Do not recharge battery while in the adapter.

Battery Case




MAIN FEATURES

- Durable plastic case holds up to 4 AA/AAA batteries.
- Keep your batteries together and safe.



Directions



Let Us Offer You More Energy Solutions Today

Camelion has provided consumer friendly solutions for customers worldwide for over 16 years. Our customers have been consistently satisfied with our quality, prices and attention to detail. We offer a broad range of energy solutions. Try us out today.



CHINA

Camelion Battery Co., Ltd
Unit 705, Cyber Times Tower A,
Tianan Cyber Park, Shenzhen,
Guangdong 518041,
China

HONG KONG

Camelion Enterprises Ltd.
Units 2611-13A, 26/F., 113 Argyle
Street, Mongkok, Kowloon, Hong
Kong

GERMANY

Camelion Batterien GmbH.
Bergiusstr. 53-59, D - 12057 Berlin,
Germany

NORTH AMERICA

Camelion Holding Inc.
Batteries and Things Inc.
365 24th Street, LaSalle, IL 61301

LATIN AMERICA

Camelion Battery Co., Inc.
5000 SW 75th Avenue, Suit 236
Miami, Florida 33155

For more information about the Camelion group of companies, please visit www.camelionbattery.com



Camelion is a registered trademark of Camelion Battery Co., Ltd.
All other brand names are trademarks or registered trademarks of the respective companies.
Copyright ©2014 Camelion Battery Co., Ltd. All rights reserved.

www.camelionbattery.com

CA-2014