


# Let Us Offer You More Energy Solutions Today

Camelion has provided consumer friendly solutions for customers worldwide for over 12 years. Our customers have been consistently satisfied with our quality, prices and attention to detail. We offer a broad range of energy solutions. Try us out today.



- North America**
  - Canada
  - U. S. A
  - Mexico
- Caribbean/ Latin America**
  - Argentina
  - Aruba
  - Bahamas
  - Barbados
  - Brazil
  - Bolivia
  - Colombia
  - Chile
  - Costa Rica
  - Cuba
  - Dominica
  - Dominican Republic
  - Ecuador
  - EL Salvador
  - Grenada
  - Guatemala
  - Honduras
  - Nicaragua
  - Panama
  - Paraguay
  - Peru
  - Porto Rico
  - Trinidad and Tobago
  - Uruguay
  - Venezuela
- Middle East /Africa**
  - Algeria
  - Egypt
  - Iran
  - Israel
  - Kuwait
  - Lebanon
  - Morocco
  - Qatar
  - Saudi Arabia
  - Syria
  - S. Africa
  - U.A.E
- Europe**
  - Austria
  - Bulgaria
  - Belgium
  - Czech Republic
  - Croatia
  - Denmark
  - England
  - Estonia
  - Finland
  - France
  - Germany
  - Georgia
  - Greece
  - Hungary
  - Holland
  - Latvia
  - Lithuania
  - Ireland
  - Italy
  - Portugal
  - Poland
  - Romania
  - Sweden
  - Slovakia
  - Slovenia
  - Spain
  - Turkey
  - Yugoslavia
  - Montenegro
  - Serbia
- Asia**
  - Azerbaijan
  - Armenia
  - China
  - Hong Kong
  - Indonesia
  - India
  - Korea
  - Kazakstan
  - Malaysia
  - Pakistan
  - Philippines
  - Russia
  - Singapore
  - Sri Lanka
  - Thailand
  - Vietnam
- Oceania**
  - Australia
  - New Zealand



# Flashlights

**CHINA**  
Camelion Battery Co., Ltd  
Unit 705, Cyber Times Tower A,  
Tianan Cyber Park, Shenzhen,  
Guangdong 518041,  
China

**HONG KONG**  
Camelion Enterprises Ltd.  
17/F., Ginza Square, No. 565-567  
Nathan Road, Kowloon,  
Hong Kong

**GERMANY**  
Camelion Batterien GmbH.  
Bergiusstr. 53-59,D - 12057 Berlin,  
Germany

**North America**  
Camelion North America Inc.  
365 24th Street, LaSalle, IL 61301

**Latin America**  
Camelion Battery Co., Inc.  
5000 SW 75th Avenue, Suit 236  
Miami, Florida 33155

For more information about the Camelion group of companies, please visit [www.camelion.net](http://www.camelion.net)

Camelion is a registered trademark of Camelion Battery Co., Ltd.  
All other brand names are trademarks or registered trademarks of the respective companies.  
Copyright ©2012 Camelion Battery Co., Ltd. All rights reserved.

FL-2012

[www.camelionbattery.com](http://www.camelionbattery.com)

**Camelion®**  
*More Energy Solutions*



# Brilliant Lighting For More Places

When you need to light up difficult to reach places or when regular lighting is not available, Camelion provides the light you need. We offer one of the broadest flashlight series in the market today, from standard to professional models, all suited for a variety of situations.

**More Choices** Dozens of models are available to choose from.

**Suitable For Many Environments** Our line includes household flashlights plus anodized metal and weatherproof models that can be used indoors or outdoors.

**Long Lasting and Strong Illumination** 1W and multi-watt LED models are designed for durability and high beam intensity.

**Easy to Use** A variety of grips, switching modes and other features help make our flashlights easy to use.

**Environment Safe** Rechargeable flashlights can help reduce the use of wasteful and expensive disposal batteries.

When you need great lighting for more places, try our Camelion flashlights.

# Camelion®


## Battery Powered Flashlights

	<b>TUFFeLite™ Flashlights</b> T7071, T7012, T5	4
	<b>TRAVLite™ Flashlights</b> <b>LED Area Lantern &amp; Flashlight</b> SL7051	6
	<b>LED Rubber</b> PT6L2D, PT3L2AA, HP7011	6
	<b>LED Head Lamp</b> CM-HL001	8
	<b>LED Lantern</b> SL1011, SL1121	8
	<b>Key-Chain</b> T7013, SL3013	10
	<b>Work Lamps</b> SL5240, SL7280	10
	<b>SuperBright™ Flashlights</b> <b>Pocket LED Aluminum</b> T5060, T7092, T5012, T5013	12
	<b>Multi-head LED Classic</b> FL6L2D, FL3L2AA	14
	<b>Multi-head LED Search Lamps</b> HP5091, FL-16LED, FL-9LED	16
	<b>HomeBright™ Flashlights</b> <b>Classic</b> FL2D, FL2C, FL2AA	18
	<b>Searchlamps</b> CM25B1, CM4AA01	20
	<b>DoctorLite™</b> DL2AAAS	21

## Rechargeable Flashlights

	<b>HyberBrite™ Flashlights</b> T7, T8, T9, T10, RT3071, RT3011	22
	<b>CooLED™ Flashlights</b> RHP6121, RHP6041	24
	<b>Rechargeable LED Reading Lamp</b> RSL6180, RSL6013	25
	<b>LED Flashlight &amp; Lantern</b> HP7010, RHP6062	26
	<b>Flashlight Replacement Bulbs</b> BL406WR	27

Try us out  
today!





# TUFFeLite™ Flashlights

Maximum Illumination in a Professional, Durable Design




- CREE® XR-E/XP-E 3W LED Up to 5 mile visibility and 200 meters effective range
- Virtually Unbreakable Anodized Aircraft Aluminum Alloy
- Water Resistant O ring and sealed switch design
- Shock Resistant and Weatherproof

**Best for:**


- Security, police, military, emergency response
- Ideal for work, outdoor and general purpose activities

Specifications									
Product Picture	Name	Model #	LEDs	LED Type	Lumens	Battery Mode	Body Material	Available Colors	Water Resistant
	TUFFeLite™ Professional Flashlights	T7071	1+6	CREE® XR-E 3W LED	130	3AAA	Aircraft aluminum	Black	✓
	TUFFeLite™ Professional Flashlights	T7012	1	CREE® XP-E 3W LED	150	3AAA	Aircraft aluminum	Black	✓
	TUFFeLite™ Professional Flashlights	T5	1	CREE® XR-E 3W LED	130	3AAA	Aircraft Aluminum	Black	✓


**3 Mode Lighting (T7071)**



**3 Mode Lighting (T7012)**



Exceptional Illumination



Aircraft Aluminium Alloy

**T7071**



CREE® XR-E 3W LED



T7071-3LR03PBP

**T7012**



CREE® XP-E 3W LED



T7012-3LR03BP

**T5**



CREE® XR-E 3W LED



AL3W3LR03-BP05

Pack. Picture	Name	Item #	Packaging Type	Included Batteries	Packaging Details										
					Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
L	W	D	L	W	D										
	TUFFeLite™ Professional Flashlights	T7071-3LR03PBP	Blister Pack	3AAA	250	150	42	263	24	47.5	31.0	27.5	0.0405	7.4	6.3
	TUFFeLite™ Magnum LED Flashlight	T7012-3LR03PBP	Blister Pack	3AAA	250	150	38	193	24	47.5	31.0	27.5	0.0405	5.7	4.6
	TUFFeLite™ Professional Flashlights	AL3W3LR03-BP05	Blister Pack	3AAA	250	150	40	179	24	47.5	29.7	27.5	0.0388	5.4	4.3

# TRAVLite™ Flashlights

ideal Lighting for Out of Doors



## LED Flashlight

- Using 3xAAA Size Batteries
- IPX4 Water Resistant Index
- 0.5W, 40lm Super Bright LED
- Anti-shock 2M Height
- Rubberized Hand Grip
- Rubberized Head / End Cap
- Red Signal Light with Flash
- Metal Back Trim Ring

## LED Rubber Flashlights

- Heavy Duty Rubberized Case
- Shockproof up to 3 meters drop
- Water Resistant (up to IPX7\*)
- Shatterproof Optical Lens
- Non Slip Grip oil/grease resistant grip with push button switch and end strap
- Never replace LEDs 100,000 hr lifetime
- Brightness Intensifying Optical Cavity Design

**Best for:**  
Traveling, hiking, camping, fishing, athletics

\*An IPX7 designation means the case can withstand accidental immersion in one meter of water for up to 30 minutes.

Specifications									
Product Picture	Name	Model #	LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Rubber Flashlights	HP7010	1	0.5W LED	40lm	3 x AAA	Plastic	Red + Black Yellow + Black	✓
	Rubber Flashlights	HP7011	1	Superbright LED	40lm	3AAA	Rubber	Red Green	✓
	Rubber Flashlights	PT6L2D	6	Superbright LED	1850mcd	2D	Rubber	Red Blue	✓
	Rubber Flashlights	PT3L2AA	3	Superbright LED	1850mcd	2AA	Rubber	Red Blue	✓



HP7010



Red Signal Light with Flash HP7010BP



HP7011




HP7011-BP HP7011-3R03BP HP7011D24 HP7011-3R03PD24



PT6L2D



PT6L2D-2R20PBP PT6L2DBP



PT3L2AA



PT3L2AA-2R6PBP PT3L2AABP

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Packaging Details										
					Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
L	W	D		L	W	D		L	W	D					
	Rubber Flashlights	HP7010BP	Blister Pack	Lead Acid											
	Rubber Flashlights	HP7011-3R03BP	Double Blister	3 x R03P	110	190	40	96.5	48	51.5	21.5	26.5	0.0294	6.4	4.7
	Rubber Flashlights	HP7011-BP	Double Blister	—	110	190	40	74	48	46.5	41.5	21.5	0.0415	4.8	3.7
	Rubber Flashlights	HP7011-3R03PD24	Display Box	3 x R03P	303	206	110	2036	4	46	34	25	0.0391	9.3	8.2
	Rubber Flashlights	HP7011D24	Display Box	—	303	206	110	1496	4	46	34	25	0.0391	7.1	6.0
	Rubber Flashlights	PT6L2D-2R20PBP	Double Blister	2 x R20P	305	175	70	446	24	50.5	45	33	0.0750	11.7	10.7
	Rubber Flashlights	PT6L2DBP	Double Blister	—	305	175	70	279	24	50.5	45	33	0.0750	7.7	6.7
	Rubber Flashlights	PT3L2AA-2R6PBP	Double Blister	2 x R6P	248	120	50	161	48	49.5	36	33	0.0588	8.7	7.7
	Rubber Flashlights	PT3L2AABP	Double Blister	—	248	120	50	131	48	49.5	36	33	0.0588	7.3	6.3





**Area Lantern & Flashlight Combo**

- Dual usage - Flashlight or lantern
- Attached lanyard
- Frosted shade window
- Special base for stable placement

**Best for:**  
Camping, outdoors, children's quarters



**LED Lantern**

Key Features	Model SL1011	Model SL1121
Powerful 1 W LED	✓	×
12 Standard White LEDs	×	✓
Water resistant	✓	×
Material	ABS	PS
Long Life Use	180 Hrs	150 Hrs
Key Applications	Professionals, craft technicians, travel, children's playrooms, camping, outdoors	Household use, travel, children's playrooms, camping

- **Effective Lighting** 360° lighting with light diffuser.
- **LED Technology** The high lumen LED provides outstanding illumination, high energy efficiency, and up to 30,000 hours lifetime.
- **Standby Yellow LED** to save energy costs.
- **Handy** Easy grip, adjustable handle with hook.
- **Durable Construction** Slim with non-topple base.
- **2 Mode Lighting** Standby and Full Beam lighting modes for different situations.
- **Rubber boot**ed push switch

**LED Area Lantern & Flashlight**



5 LED Lantern 1 LED Flashlight

**SL7051**

Up to 45 Hrs Continuous use



SL7051-4R03PBP

SL7051D12

**1W High Power LED**



**12LED**

**SL1011**

Up to 180 Hrs continuous lighting


2 Mode Up to 30,000 Hrs 360°



**SL1121**

Up to 150 Hrs continuous lighting

2 Mode Up to 30,000 Hrs 360°



**CM-HL001**



CM-HL001

Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Area Lantern & Flashlight Combo	SL7051	1+4	Superbright LED	2200/39000 mcd	4AAA	Plastic	Green	✗
	LED Lantern	SL1011	1	1W LED	70lm	3D	Plastic	Yellow Green	✗
	12 LED Lantern	SL1121	12	Superbright LED	1850mcd	3D	Plastic	Yellow Green	✗
	LED Head lamp	CM-HL001	14	Superbright LED	2200mcd	3AAA	Rubber	Orange	✓

**Packaging Details**

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Area Lantern & Flashlight Combo	SL7051-4R03PBP	Double Blister	4 x R03P	125	202	55	300	24	33.7	29.8	47.6	0.0480	8.7	7.2
		SL7051D12	Display Box	—	285	220	150	900	4	47.5	31.5	33.5	0.0502	4.5	3.6
	LED Lantern	SL1011	Box	3 x LR20	125	125	205	342	12	43.4	27.2	40.5	0.0478	5.5	4.1
	12 LED Lantern	SL1121	Box	3 x LR20	125	125	205	342	12	43.4	27.2	40.5	0.0478	5.5	4.1
	LED Head lamp	CM-HL001	Double Blister	3 x LR03	210	125	75	168	48	57	49.2	29.5	0.0828	10.5	8.1



**Key-Chain**

- **Durable** CNC-machined aluminum alloy body or rubberized ABS casing.
- **Small Size and Key Chain** to carry anywhere.
- **Fashionable Design** with anodized finish or rubberized casing.
- **Continuous Lighting** up to 8/14 hours.\*
- **Energy Savings** Up to 80% more than regular incandescent bulbs.
- **Never Replace LEDs** No need to replace the 50,000 hours lifespan LED.

**Best for:**  
Tourists, Family, Professionals

**Work Lamps**

- **24 LED Illumination** (4/24 LED beam selector on model SL7280)
- **Energy Savings** Up to 80% more\*
- **Up to 20 Hours Continuous Lighting** (up to 10 hours on SL7280)
- **Rubberized ABS Casing** is not only durable but also comfortable
- **Strong Magnet Button and 360 Swivel Hook** allows for hands free work in many places
- **Never Replace LEDs** No need to replace the 100,000 hours lifespan LED.

**Best for:**  
Tourists, Family, Professionals

\*Camelion 2011 lab tests, using 1 Camelion alkaline AAA battery (T7013) or 3pcs LR44 batteries (SL3013)

\*than incandescent bulbs.

Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Premium Metal Key-Chain LED Flashlight	T7013	1	Superbright LED	24000 mcd	1AAA	Aircraft Aluminium	Gold Silver	✓
	Premium Metal Key-Chain LED Flashlight	SL3013	1	Superbright LED	1850 mcd	3LR44	Plastic	Orange Purple Blue Red	✗
	LED Work Lamps	SL5240	24	Superbright LED	12000 mcd	3AA	Plastic	Black+Orange	✗
	LED Work Lamps	SL7280	3+24	Superbright LED	12000 mcd	3AAA	Plastic	Black+Orange	✗



**T7013**  
**1 LED**



T7013-LR03BP



T7013-LR03BP2



**SL3013**



SL3013-3LR44BP



SL3013-3LR44-PB36



**SL5240**

**24 LED**



SL5240-3R6PD12



**SL7280**

**28 LED**



SL7280-BP



SL7280-3R03PD12

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Packaging Details										
					Blister/Box Details				Outer Carton Details						
					L Length	W Width	D Depth	Net Weight (g)	Packs/Carton	L Length	W Width	D Depth	Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
	Premium Metal Key-Chain LED Flashlight	T7013-LR03BP	B blister Pack	1 x LR03	160	98	19	52	48	39.5	20	18.5	0.0147	3.4	2.5
		T7013-LR03BP2	B blister Pack	2 x LR03	200	130	19	100	48	41	34.5	22.5	0.0319	5.7	4.8
	Mini Key Chain LED Flashlight	SL3013-3LR44BP	B blister Pack	3 x LR44											
		SL3013-3LR44-PB36	F fish ball	3 x LR44	400	122	31	850	12	41.8	32.8	26.5	0.0364	11.4	10.2
	LED Work Lamps	SL5240-3R6PD12	D display Box	3 x R6P	202	227	210	1750	4	49.0	24.0	46.0	0.0541	9.0	7.0
	LED Work Lamps	SL7280-BP	B blister Pack	-----	202	125	40	94	48	55.0	38.0	23.0	0.0481	5.5	4.5
		SL7280-3R03PD12	D display Box	3 x R03P	143	232	108	1250	8	64.0	34.5	24.0	0.0530	12.5	10.0



# SuperBright™ Flashlights

LED Flashlights for Home or Outdoor Use



## Pocket LED Aluminum Flashlights

- **Compact** Small portable design
- **Durable** Aluminum casing
- **Never Replace LED** 100,000h LED lifetime
- **Shock and Water Resistant**
- **Powerful Energy Saving LEDs** up to 5 times brighter, 8 times more efficient than regular krypton bulbs\*
- **Easy to Use** Handy grip with push button switch

- Best for:**
- Everyday pocket use,
  - Handy for camping, travel, boating or even walking the dog

\*Camelion 2009 Lab Tests. Performance subject to battery, temperature and ambient lighting conditions.

Product Picture	Name	Model #	Specifications						
			LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Pocket LED Flashlights	T5060	5	Superbright LED	13000mcd	1AA	Aluminum	Black	✓
	Pocket LED Flashlights	T7092	9	Superbright LED	13000mcd	3AAA	Aluminum	Red Gunmetal Blue Black	✓
	Pocket LED Flashlights	T5012	1	Superbright LED	18lm	1 AA	Aluminum	Pink Gray Blue Green	✓
	Pocket LED Flashlights	T5013	1	Superbright LED	18lm	1AA	Aluminum	Red Gunmetal Blue Black	✓



T5060

5 LED



T5060-R6PBP



Durable Aluminum casing

T7092

9 LED



T7092D24, T7092-3R03PD24



T5012

1 LED



T5012-LR6BP



T5012-R6PD24



T5013

1 LED



T5013-LR6BP



T5013-R6PD24

## Packaging Details

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details										
					Dimensions (mm)			Net Weight (g)	Outer Carton Details						
					L Length	W Width	D Depth		Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
	Pocket LED Flashlights	T5060-R6PBP	Blister Pack	1AA	205	110	28	78	48	44.0	27	23	0.0274	4.6	3.7
	Pocket LED Flashlights	T7092-3R03PD24	Display box	3AAA	260	175	100	1583	6	38.5	29	34	0.0380	10.6	9.5
		T7092D24		—	260	175	100	1050	6	38.5	29	34	0.0380	7.4	6.3
	Pocket LED Flashlights	T5012-LR6BP	Blister Pack	1AA	198	101	25	68	48	41.5	29	23	0.0277	4.1	3.3
	Pocket LED Flashlights	T5012-R6PD24	Display box	1AA	165	130	95	1360	12	35.3	28.5	33	0.0332	18.3	16.3
	Pocket LED Flashlights	T5013-LR6BP	Blister Pack	1AA	198	101	25	60	48	41.5	29	23	0.0277	3.7	2.9
		T5013-R6PD24	Display box	1AA	165	130	95	1360	12	35.3	28.5	33	0.0332	18.3	16.3

# SuperBright™ Flashlights

LED Flashlights for Home or Outdoor Use



## Multi-head LED Classic Flashlights

- **Cloverleaf Reflector System** for maximum focus and intensity
- **Energy Saving LEDs** up to 5 times brighter, 8 times more efficient than regular krypton bulbs\*
- **Long Service Life** Up to 180 hours continuous lighting\*
- **Never Replace LEDs** 100,000h LED lifetime
- **Handy Grip** with hooks, anti-roll design

### Best for:

- Indoor and/or outdoor use
- Handy for camping, travel, fishing
- Household use, walking the dog

\*Camelion 2009 Lab Tests. Performance subject to battery, temperature and ambient lighting conditions.

100,000  
Hours  
LED  
Life Time



## FL6L2D

Up to  
180 Hrs  
Continuous Use

6LED



FL6L2D2R20P



FL6L2D

## FL3L2AA

Up to  
35 Hrs  
Continuous Use

3LED



FL3L2AA2R6P



FL3L2AA

Product Picture	Name	Model #	LEDs	LED Type	Specifications				
					Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Multi-Head LED Classic Flashlights	FL6L2D	6	Superbright LED	1850mcd	2D	Plastic	Yellow	✓
	Multi-Head LED Classic Flashlights	FL3L2AA	3	Superbright LED	1850mcd	2AA	Plastic	Yellow	✓

### Packaging Details

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Multi-Head LED Classic Flashlights	FL6L2D2R20P	Blister Pack	2 x R20P	264	144	40	285	24	55.5	42.5	18.5	0.0436	8.3	7.4
		FL6L2D	Blister Pack	—	264	144	40	115	24	55.5	42.5	18.5	0.0436	3.3	2.8
	Multi-Head LED Classic Flashlights	FL3L2AA2R6P	Blister Pack	2 x R6P	210	98	30	87	60	40	30	23	0.0276	5.8	5.2
		FL3L2AA	Blister Pack	—	210	98	30	45	60	40	30	23	0.0276	3.3	2.7



# SuperBright™ Searchlamps

LED Search lamps for Home or Outdoor Use



## Multi-head LED Search lamps

- **Powerful** Lights distances up to 150 meters\*
- **Cloverleaf Reflector System** for maximum focus and intensity
- **Energy Saving LEDs** up to 5 times brighter, 8 times more efficient than regular krypton bulbs\*
- **Long Service Life** Up to 500 hours continuous lighting\*
- **Never Replace LEDs** 100,000h LED lifetime
- **Handy Grip** with hooks, anti-roll design

### Best for:

- Indoor and/or outdoor use
- Military, security, campus, factory, emergency kits
- Vehicle use, garages, auto service use
- Handy for camping, travel, fishing

\*Camelion 2009 Lab Tests. Performance subject to battery (alkaline), temperature and ambient lighting conditions.

### Specifications

Product Picture	Name	Model #	LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resistant
	Multi-Head LED Search lamps	HP5091	9	Superbright LED	1200mcd	4AA	Plastic	Yellow	✓
	Multi-Head LED Search lamps	FL-16LED	16	Superbright LED	1850mcd	4D/4R25	Plastic	Yellow	✓
	Multi-Head LED Search lamps	FL-9LED	9	Superbright LED	1850mcd	4AA	Plastic	Yellow	✓

## HP5091

9LED

Up to 70 Hrs Continuous use



HP5091CB  
HP5091-4R6PCB

## FL-16LED

16LED

Up to 500 Hrs Continuous use



FL-16LED-4R20PCB

FL-16LED-4R20B

## FL-9LED

9LED

Up to 150 Hrs Continuous use



FL-9LED-4R6P

### Packaging Details

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details			Net Weight (g)	Packs/ Carton	Outer Carton Details					
					Dimensions (mm)					Volume (M³)	Gross Weight (Kg)	Net Weight (kg)			
					L Length	W Width	D Depth						L Length	W Width	D Depth
	Multi-Head LED Search lamps	HP5091CB	Box	—	170	80	92	131	16	35.5	33.5	21.5	0.0256	3.3	2.1
		HP5091-4R6PCB	Box	4 x R6P	170	80	92	206	16	35.5	33.5	21.5	0.0256	4.5	3.3
	Multi-Head LED Search lamps	FL-16LED-4R20PCB	Box	4 x R20P/4R25	250	123	135	708	12	51	38	28.5	0.0552	9.1	8.5
		FL-16LED-4R20P	Box	4R20P/4R25	250	120	132	695	12	51	37	28	0.0528	8.9	8.3
	Multi-Head LED Search lamps	FL-9LED-4R6P	Shrink pack	4 x R6P	100	146	110	278	36	59	54	24	0.0765	12.0	10

# HomeBright™ Flashlights

Budget Flashlights for Everyday Use



## Classic Flashlights

- Economical
- General Purpose
- Impact Resistant Plastic
- Many Color Options
- Krypton, Vacuum bulb

### Best for:

- Indoor & outdoor usage
- Handy for camping, travel, fishing
- Household use, walking the dog

Specifications								
Product Picture	Name	Model #	Bulb Type	Voltage/Ampere	Battery Mode	Body Material	Available Colors	Water Resistant
	Classic Flashlights	FL2D	Vacuum	2.4V/500mA	2D	Plastic	<div style="display: flex; flex-direction: column; gap: 2px;"> <span><span style="color: red;">■</span> Red</span> <span><span style="color: yellow;">■</span> Yellow</span> <span><span style="color: blue;">■</span> Blue</span> <span><span style="color: black;">■</span> Black</span> </div>	✗
	Classic Flashlights	FL2C	Vacuum	2.4V/500mA	2C	Plastic	<div style="display: flex; flex-direction: column; gap: 2px;"> <span><span style="color: red;">■</span> Red</span> <span><span style="color: yellow;">■</span> Yellow</span> <span><span style="color: blue;">■</span> Blue</span> <span><span style="color: black;">■</span> Black</span> </div>	✗
	Classic Flashlights	FL2AA	Vacuum	2.4V/500mA	2AA	Plastic	<div style="display: flex; flex-direction: column; gap: 2px;"> <span><span style="color: red;">■</span> Red</span> <span><span style="color: yellow;">■</span> Yellow</span> <span><span style="color: blue;">■</span> Blue</span> <span><span style="color: black;">■</span> Black</span> </div>	✗

FL2D



FL2DB2R20P



F2DD12

FL2C



FL2CB2R14P

FL2AA



FL2AAB2R6P



F2AAD24

Packaging Details															
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Classic Flashlights	FL2DB2R20P	Blister Pack	2 x R20P	292	158	64	312	24	46	31.5	31	0.0449	9.0	7.5
		F2DD12	Display boxr	—	250	188	195	1332	4	51.5	40	21.5	0.0443	7.0	5.3
	Classic Flashlights	FL2CB2R14P	Blister Pack	2 x R14P	240	131	50	170	24	47	26	20	0.0244	4.1	5.0
	Classic Flashlights	FL2AAB2R6P	Blister Pack	2 x R6P	211	99	38	84	60	40	30	23	0.0276	6.0	5.3
		F2AAD24	Display boxr	—	230	154	150	1116	8	48	33	32.5	0.0515	10.5	8.9



# HomeBright™ Search Lamps

Budget Search lamps for Everyday Use



## Search Lamps

- Economical
- General purpose
- Impact Resistant Plastic
- Many Color Options
- Krypton or Vacuum bulb

### Best for:

- Indoor & outdoor usage
- Military, security, campus, factory, emergency kits
- Vehicle use, garages, auto service use
- Handy for camping, travel, fishing

### Specifications

Product Picture	Name	Model #	Bulb Type	Voltage/Ampere	Battery Mode	Body Material	Available Colors	Water Resistant
	HomeBright Search lamps	CM25B1	Krypton	4.8V/750mA	4R25	Plastic	Red	✗
	HomeBright Search lamps	CM4AA01	Krypton	4.8V/750mA	4AA	Plastic	Yellow	✓

### Packaging Details

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (cbm)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	HomeBright Search lamps	CM25B1	Shrink Pack	1 x 4R25	255	110	115	800	12	53	32.5	28.5	0.0491	12.5	9.6
	HomeBright Search lamps	CM4AA01-4R6P	Shrink Pack	4 x R6P	100	146	110	278	36	59	54	24	0.0765	12.0	10.0

# DoctorLite™ Flashlights

An Elegant Gift and a Handy Tool



- Powerful Spot Beam
- Durable Aircraft Aluminum
- Strong Pocket Clip
- Push Button Switch

### Best for:

- Useful tool for doctors
- Elegant, fashionable gift
- Great for hard to reach recesses and gaps



DL2AAAS

### Specifications

Product Picture	Name	Model #	Bulb Type	Voltage/Ampere	Battery Mode	Body Material	Available Colors	Water Resistant
	DoctorLite Flashlight	DL2AAAS	Vacuum	2.2V/250mA	2AAA	Aircraft aluminum	Silver	✗

### Packaging Details

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	DoctorLite Flashlight	DL2AAAS	Blister Pack	2 x R03P	200	155	115	56	100	48.5	39.0	25.0	0.0479	5.6	7.0

# HyberBrite™ Rechargeable Flashlights

Maximum Illumination and Durable Design



- **CREE® XR-E 3W LED** for great illumination (Up to 130 lumens)
- **Ultra-efficient** Up to 5 km visibility, 200 meters effective range.
- **Rechargeable** up to 1000 times
- **Long Lasting** Up to 45 hours on a charge
- **Outstanding Thermal Management** for safe recharging and lighting
- **Virtually Unbreakable, Corrosion and Shock Resistant** Aircraft aluminum alloy
- **Water resistant Rubber** O-ring protection and sealed switch design
- **Easy Grip Handle With Anti-Roll Head**
- **Concealed Recharging Socket**

- Best for:**
- Security, Police, Military, Emergency response
  - Ideal for professional work, campus, factory, outdoor and general purpose activities

**3 WATT LED**  
CREE® XR-E

**100000**  
Hrs  
LED life time

**Rechargeable**


**Aircraft aluminum**

**High Illumination**

**3 Mode Lighting**



**3 Mode Lighting**



**T7** **Up to 9 Hrs**

AL3W3NC-D2500BP07

**T8** **Up to 9 Hrs**

AL3W3NC-C2500BP08

**T9** **Up to 6.5 Hrs**

AL3W3NC-SC2000BP09

**T10** **Up to 45 Hrs**

AL3W3NC-D2500CB10

**RT3071** **Up to 8 Hrs**

RT3071-3SC2000CB

**RT3011** **Up to 12 Hrs** **NEW**

RT3011-18650CB

Product Picture	Name	Model #	Flashlight Specifications							Charger Specification		
			LED Type	LEDs	Battery Mode	Body Material	Available Colors	Water Resist	Operating Time	Input	Ouput	Charging Time
	Rechargeable Flashlight	T7	CREE® XR-E 3W LED	1	3NC-D2500	Aircraft aluminum	Black	✓	9 hrs	100-240~50/60Hz	4.2 ~ 500mA	6 hrs
	Rechargeable Flashlight	T8	CREE® XR-E 3W LED	1	3NC-C2500	Aircraft aluminum	Black	✓	9 hrs	100-240~50/60Hz	4.2 ~ 500mA	6 hrs
	Rechargeable Flashlight	T9	CREE® XR-E 3W LED	1	3NC-SC2000	Aircraft aluminum	Black	✓	6.5 hrs	100-240~50/60Hz	4.2 ~ 500mA	4.8 hrs
	Rechargeable Flashlight	T10	CREE® XR-E 3W LED	1	3NC-D2500	Aircraft aluminum	Black	✓	High: 4 hrs Medium: 12 hrs Low: 45 hrs	100-240~50/60Hz	4.2 ~ 500mA	6 hrs
	Rechargeable Flashlight	RT3071	CREE® XR-E 3W LED	1	3NC-SC2000	Aircraft aluminum	Black	✓	8 hrs	100-240~50/60Hz	4.2 ~ 500mA	4.8 hrs
	Rechargeable Flashlight	RT3011	CREE® XR-E 3W LED	1	Li-ion 18650	Aircraft aluminum	Black	✓	12 hrs	100-240~50/60Hz	4.2 ~ 500mA	6 hrs

**Packaging Details**

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M³)	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Rechargeable Flashlight	AL3W3NC-D2500BP07	Box	3NC-D2500	321	150	72	870	8	34	32	32	0.0349	7.0	6.2
	Rechargeable Flashlight	AL3W3NC-C2500BP08	Box	3NC-C2500	294	144	72	790	8	31.5	30.5	32.5	0.0313	7.5	6.3
	Rechargeable Flashlight	AL3W3NC-SC2000BP09	Box	3NC-SC2000	268	130	62	575	8	29	28	28.5	0.0232	5.2	4.6
	Rechargeable Flashlight	AL3W3NC-D2500CB10	Box	3NC-D2500	321	150	72	775	8	34	32	32	0.0349	8.5	7.4
	Rechargeable Flashlight	RT3071-3SC2000CB	Box	3NC-SC2000	268	130	62	588	8	29	28	28.5	0.0232	5.3	4.7
	Rechargeable Flashlight	RT3011-18650CB	Box	Li-ion 18650	184	105	55	350	24	38.8	33.5	24.5	0.0319	9.4	8.4



# COOLED™ Flashlights

Budget Rechargeable Flashlights for Everyday Use



## Rechargeable LED Flashlights

- **Built-In Rechargeable Battery** Use again and again without battery replacement
- **Retractable Plug For Easy Charging** Just plug-in the wall and charge
- **Dual Mode Lighting Option** (3/6 LED beam selector on model RHP6062)
- **Never Replace LEDs** 100,000 hours lifetime.
- **Efficient LEDs** up to 8 times more energy efficient than regular light bulbs\*
- **10 Times Longer Operating Time** than regular flashlight light bulbs\*

### Best for

- Indoor and/or Outdoor use
- Flexible and Perfect for camping, travel, fishing
- Household use, walking the dog

\*Camelion 2012 Lab Tests

### RHP6041



### RHP6062



Flashlight Specifications										
Product Picture	Name	Model #	LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resist	Operating Time
	Rechargeable Flashlight	RHP6041	4	Superbright LED	1850mcd	Lead Acid	Plastic	Yellow Black	✗	20 hrs
	Rechargeable Flashlight	RHP6062	6	Superbright LED	1850mcd	Lead Acid	Plastic	Red+Black Yellow+Black	✗	4LEDs: 32hrs 12LEDs: 18hrs

### Packaging Details

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Rechargeable Flashlight	RHP6041BP	Blister Pack	Lead Acid	103	240	57	170	48	54.5	50.5	26	0.0716	9.1	8.1
	Rechargeable Flashlight	RHP6062BP	Blister Pack	Lead Acid	107	315	85	225	24	54	42.5	34	0.0780	6.8	5.4




## Rechargeable LED Flashlight

- **Built-In Rechargeable Battery** Use again and again without battery replacement
- **Long life and Environmental Protection.** Never replace, efficient LEDs and powerful, non-toxic lithium batteries reduce waste and harm to the environment.
- **Retractable Plug For Easy Charging** Just plug-in the wall and charge
- **Dual Mode Lighting Option** (4/12 LED beam)

## Rechargeable LED Lantern

- **The 1W High Power LED** provides outstanding illumination, high energy efficiency and up to 50,000 hours lifetime
- **Effective 360° Lighting with Light Diffuser**
- **AC Input and Built-in Rechargeable Battery**
- **Easy Handy Grip**
- **Adjustable Handle** with hook
- **2 Modes Lighting** for different situations

### RHP6121



Flashlight Specifications										
Product Picture	Name	Model #	LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resist	Operating Time
	Rechargeable Flashlight	RHP6121	12	Superbright LED	1400mcd	Lithium ion	Plastic	Blue+Black	✗	4LEDs: 32hrs 12LEDs: 18hrs
	Rechargeable Flashlight	RSL6013	1	1W LED	70Lm	Lead Acid	Plastic	Yellow Green	✗	16 hrs

### Packaging Details

Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Rechargeable Flashlight	RHP6121BP	Blister Pack	Lithium ion	107	315	85	225	24	54	42.5	34	0.0780	6.8	5.4
	Rechargeable Flashlight	RSL6013CB	BOX	Lead Acid	103	240	57	170	48	54.5	50.5	26	0.0716	9.1	8.1

## Rechargeable LED Reading Lamp




- 18 LEDs Illumination
- Light, Powerful Li-Polymer Battery
- Energy Savings Up To 80% More\*
- Up to 8 Hours Continuous Lighting
- Mini-USB Connector

- Flicker Free, Eye-Friendly LED Technology
- 5500K White Light Output
- Scratch-resistant high quality varnished finish
- Flexible Tilt And Fold Design
- Stand-alone or Wall Mount
- High/Low Beam Selector
- Over-charge and Over-discharge Protection
- Long Life, Environment Friendly



**Flexible Tilt and Fold Design**



Flashlight Specifications										
Product Picture	Name	Model #	LEDs	LED Type	Milli Candela (MCD)	Battery Mode	Body Material	Available Colors	Water Resist	Operating Time
	Reading Lamp	RSL6180	18	Superbright LED		3.7V Li-Polymer	Polycarbonate	<input type="checkbox"/> Pink <input type="checkbox"/> Pearl White	✗	8 hrs

Packaging Details															
Pack. Picture	Name	Item#	Packaging Type	Included Batteries	Blister/Box Details				Outer Carton Details						
					Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
					L Length	W Width	D Depth			L Length	W Width	D Depth			
	Reading Lamp	RSL6180-PB	Box	3.7V Li-Polymer	135	240	40	358	24	42	26	30	0.0328	9.2	8.6

## Flashlights Replacement Bulbs

### LED



### Specifications

Model No.	Lamp Type	Voltage (V)	Current (mA)	Power (W)	Luminous Flux (lm)	Color Temperature (K)	Base Type	Average Life (hrs)	Battery Type
BL304 WN	LED Flashlight Bulb	3.0	130	0.4	30	6000--8000 (Cool White)	P 13.5S	10,000	2x(AA/AAA/D/C)
BL304 WR						3500--4000 (Warm White)			
BL406 WN	LED Flashlight Bulb	4.5	130	0.6	30	6000--8000 (Cool White)	P 13.5S	10,000	3x(AA/AAA/D/C) 3LR12,3R12
BL406 WR						3500--4000 (Warm White)			
BL608 WN	LED Flashlight Bulb	6.0	130	0.8	30	6000--8000 (Cool White)	P 13.5S	10,000	4x(AA/AAA/D/C), 4R25
BL608 WR						3500--4000 (Warm White)			

### Packaging Details

Pack. Picture	Name	Item #	Packaging Type	Blister/Box Details				Outer Carton Details						
				Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
				L Length	W Width	D Depth			L Length	W Width	D Depth			
	LED Replacement Bulbs	BL304WN-BP1	Blister Pack	92	55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4
BL304WR-BP1		92		55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4	
BL406WN-BP1		92		55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4	
BL406WR-BP1		92		55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4	
BL608WN-BP1		92		55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4	
BL608WR-BP1		92		55	14	6	480	30.5	30	24.8	0.0227	4.4	2.4	

### Vacuum and Krypton



### Specifications

Model Number	Technology	Amperage	Voltage	Bulb/Socket/ Brightness	Av. Life (Hrs)
BV2/50P-BP2	Vacuum	0.50A	2.4 V	Prefocused/ Flange (P13.5S)/ 0.910	15
BV3/50P-BP2	Vacuum	0.50A	3.6 V	Prefocused/ Flange (P13.5S)/ 1.700	15
BK2/70P-BP2	Krypton	0.70A	2.4 V	Prefocused/ Flange (P13.5S)/ 1.300	20
BK3/50P-BP2	Krypton	0.50A	3.6 V	Prefocused/ Flange (P13.5S)/ 1.200	50
BK3/75P-BP2	Krypton	0.75A	3.6 V	Prefocused/ Flange (P13.5S)/ 2.650	25
BK4/75P-BP2	Krypton	0.75A	4.8 V	Prefocused/ Flange (P13.5S)/ 4.500	25

### Packaging Details

Pack. Picture	Name	Item #	Packaging Type	Blister/Box Details				Outer Carton Details						
				Dimensions (mm)			Net Weight (g)	Packs/ Carton	Dimensions (cm)			Volume (M <sup>3</sup> )	Gross Weight (Kg)	Net Weight (kg)
				L Length	W Width	D Depth			L Length	W Width	D Depth			
	Flashlight Bulbs	BV2/50P-BP2	Blister Pack	114	84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0
BK2/70P-BP2		114		84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0	
BV3/50P-BP2		114		84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0	
BK3/50P-BP2		114		84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0	
BK3/75P-BP2		114		84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0	
BK4/75P-BP2		114		84	14	10	480	36.5	36.5	34	0.0453	7.0	5.0	