

Product Safety Data Sheet

Lithium /Sulphur (Sulfer) Dioxide Cells **SDX 01 Simplified Advice Code** (Batteries)

10/05/01

G

1. Identification of the Substance or Preparation and Company

Product Lithium/Sulphur (Sulfer) Dioxide Cells (Batteries) $(Li - SO_2)$ Saft Ltd Company **River Drive** South Shields Tyne & Wear **NE33 2TR**

> Tel. No. 0191 456 1451 Fax No. 0191 456 6383

2. Composition & Information on Ingredients

Each cell consists of a hermetically sealed metallic container containing a number of chemicals and materials of construction of which the following could potentially be hazardous upon release.

Ingredient	Content	CAS No.	CHIP Classification
Lithium (Li)	2.5 – 3.0%	7439-93-2	F; R14/15 C; R34 R14/15, R21,R22, R35, R41, R43 S2, S8, S45
Acetonitrile (CH ₃ CN)	8.3 – 8.8%	75-05-8	F; R11, R14/15, R21, R22, S2, S8, S24, S26, S36, S37, S45
Sulphur Dioxide (SO ₂)	25 – 30%	7446-09-5	R22, R36/37, R41, S2, S8, S22, S24, S26, S36, S37, S45
Lithium Bromide Carbon (C _n)	2.0 – 2.5% 6.5 – 7.0%		NONE KNOWN NONE KNOWN

3. Hazards Identification

Do not short circuit, recharge, puncture, incinerate, crush, immerse, force discharge or expose to temperatures above the temperature range of the battery. The cell has a vent, which upon severe mechanical, electrical or thermal abuse will open and allow some of the chemicals listed above to escape.

SAFT

4. First Aid Measures	
Inhalation	Remove from exposure, rest and keep warm. In severe
	cases obtain medical attention.
Skin Contact	Wash off skin thoroughly with water. Remove contaminated clothing and wash before reuse. In severe cases obtain medical attention.
Eye Contact	Irrigate thoroughly with water for at least 15 minutes. Obtain medical attention.
Ingestion	Wash out mouth thoroughly with water and give plenty of water to drink. Obtain medical attention.
Further Treatment	All cases of eye contamination, persistent skin irritation and casualties who have swallowed this substance or been affected by breathing its vapours should be seen by a Doctor.

5. Fire Fighting Measures

If cells are directly involved in a fire, DO NOT USE WATER, SAND, CO₂, DRY POWDER OR SODA ASH EXTINGUISHERS. A Lith-X (graphite base) fire extinguisher or material is the only recommended extinguishing media for fires involving lithium metal or some types ofcell. If a fire is in an adjacent area, and cells are packed in their original containers, the fire can be fought based on fueling material, e.g. paper and plastic products. Avoid fume inhalation.

Extinguishing Media Lith-X (graphite based) or other metal (Class D) powder fire extinguisher.

6. Accidental Release Measures

Do not breath vapours or touch liquid with bare hands. If the skin has come into contact with the electrolyte it should be washed thoroughly with water. Graphite powder should be used to absorb the exudation, seal leaking battery and graphite powder in plastic bag and dispose of as Special Waste.

7. Handling and Storage

Handling	Do not short circuit or expose to temperatures above the
	temperature rating of battery. Do not recharge, over-
	discharge, force discharge, immerse puncture or crush.
Storage	Store in a cool place but prevent condensation on cells and
	batteries. Elevated temperatures can result in shortened
	battery life and degrade performance. Do not store batteries
	in high humidity environments for long periods.



8. Exposure Controls & Personal Protection			
Occupational Exposure Standard		8hr TWA	10min TWA
\bigcirc	Respiratory Protection	In all fire situations, apparatus.	use self-contained breathing
	Hand Protection	In the event of leak	age wear gloves.
	Eye Protection	Safety glasses are	recommended during handling
	Other	In the event of leak	age, wear chemical apron.

9. Physical and Chemical Properties

Appearance	Cylindrical shape
Odour	If leaking, gives off a pungent corrosive odour.
рН	Not applicable
Flash Point	Not applicable unless individual components exposed
Flammability	Not applicable unless individual components exposed
Relative Density	Not applicable unless individual components exposed
Solubility (Water)	Not applicable unless individual components exposed
Solubility (Other)	Not applicable unless individual components exposed

10. Stability and Reactivity

Product is stable under conditions described in Section 7.

Hazardous reactions Flammable when in contact with moisture. **Hazardous decomposition reactions** Toxic fumes.

11. Toxicological Information

Signs &	None, unless battery ruptures. In the event of exposure to internal
Symptoms	contents, corrosive fumes will be very irritating to skin, eyes and
	mucous membranes. Overexposure can cause symptoms of non-
	fibrotic lung injury and membrane irritation.
Inhalation	Lung irritant.
Skin Contact	Skin irritant
Eye Contact	Eye irritant.
Ingestion	Tissue damage to throat and gastro/respiratory tact if swallowed.
Medical	In the event of exposure to internal contents, eczema, skin allergies,
Conditions	lung injuries, asthma and other respiratory disorders may occur.
Generally	
Aggravated	
by Exposure	



12. Ecological Information

Mammalian effects	None known if used/disposed of correctly.
Eco-toxicity	None known if used/disposed of correctly.
Bioaccumulation potential	None known if used/disposed of correctly.
Environmental fate	None known if used/disposed of correctly.

13. Disposal Considerations

DO NOT INCINERATE or subject cells to temperature's in excess of 100°C. Such abuse can result in loss of seal, leakage, and/or cell explosion. Dispose of in accordance with appropriate local regulations.

14. Transport Information

Cargo Aircraft Only, Class 9 Miscellaneous Dangerous			
Goods, UN Identification Number.			
UN3090			
Lithium Batteries			
Class 9 (Miscellaneous)			
II			
9033			
<u>4.1-06</u>			
No			
Class9,5			

15. Regulatory Information

Risk Phrases	Lithium	R14/15 R21 R22 R35 R41 R42/43	Reacts violently with water, liberating extremely flammable gases. Harmful in contact with skin. Harmful if swallowed. Causes burns. Risk of serious damage to eye. May cause sensitization by inhalation and skin contact.
	Acetonitrile (CH ₃ CN)	R11 R14/15	Highly flammable. Reacts violently with water, liberating extremely flammable gases.
	Sulphur Dioxide (SO ₂)	R21 R22 R22 R36/37 R41	Harmful in contact with skin. Harmful if swallowed. Harmful if swallowed. Irritating to respiratory system. Risk of serious damage to eye.



Safety	Phrases	Lithium
--------	---------	---------

es	Lithium	S2 S8 S45	Keep out of reach of children Keep away from moisture In case of incident, seek medical attention.
	Acetonitrile (CH ₃ CN)	S2 S8 S24 S26	Keep out of reach of children. Keep away from moisture. Avoid contact with skin. In case of contact with eyes, rinse immediately with plenty of water.
		S36 S37 S45	Wear suitable protective clothing. Wear suitable gloves. In case of incident, seek medical attention.
	Sulphur Dioxide (SO ₂)	S2 S8 S22 S24 S26 S36 S37 S45	Keep out of reach of children. Keep away from moisture. Do not breathe dust. Avoid contact with skin. In case of contact with eyes, rinse immediately with plenty of water. Wear suitable protective clothing. Wear suitable gloves. In case of incident, seek medical attention.

UK Regulatory Classified under CHIP References

16. Other Information

This information has been compiled from sources considered to be dependable and is, to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty (either expressed or implied) or guarantee is made to the accuracy, reliability or completeness of the information contained herein.

This information relates to the specific materials designated and may not be valid for such material used in combination with any other materials or in any process. It is the user's responsibility to satisfy himself as to the suitability and completeness of this information for his particular use.

Saft does not accept liability for any loss or damage that may occur, whether direct, indirect, incidental or consequential, from the use of this information. Saft does not offer warranty against patent infringement.