

GP Batteries

WORLDWIDE HEADQUARTERS
GPI International Limited

Gold Peak Building, 8/F, 30 Kwai Wing Road, Kwai Chung, N.T., Hong Kong
 Tel: (852) 2484 3333 Fax: (852) 2480 5912
 Email: gpii@goldpeak.com
 Website: www.gpbatteries.com

SALES AND DISTRIBUTION OFFICES

ASIA

Singapore

GP BATTERY MARKETING (SINGAPORE) PTE. LIMITED
 97 Pioneer Road, Singapore 639579
 Tel: (65) 6559 9760 Fax: (65) 6559 9761
 Email: gpbms@gpbatteries.com.sg
 Website: www.gpbatteries.com/sg

Malaysia

GP BATTERY MARKETING (MALAYSIA) SDN. BHD.
 Lot 8, Jalan Pemberita U1/49, Temasya Industrial Park,
 40150 Shah Alam, Selangor Darul Ehsan, Malaysia
 Tel: (60) 3 5569 3499 Fax: (60) 3 5569 3498
 Email: gpbmm@gpbatteries.com.sg
 Website: www.gpbatteries.com/my

Thailand

GP BATTERY MARKETING (THAILAND) CO., LTD.
 106 Soi Sukhumvit 26, Sukhumvit Road,
 Klongton, Klongtoey, Bangkok 10110, Thailand
 Tel: (66) 2 260 1318 Fax: (66) 2 260 1315
 Email: thaicontact@gpbatteries.com.sg

China

GPI INTERNATIONAL (SHENZHEN) LTD.
 Rm. B, 32/F, International Trade Commercial Building,
 No. 3005 Nanhu Road, Shenzhen, China 518000
 Tel: (86) 755 6186 2233 Fax: (86) 755 2519 0260
 Email: gpii_shenzhen@gpbatteries.com.cn

HUIZHOU CHAO BA BATTERY TECHNOLOGY CO., LTD.
 3F, South of the Huidian Business Building,
 No. 694 Quxi Road, Huangpu District, Shanghai, China 200023
 Tel: (86) 21 6336 0966 Fax: (86) 21 6336 0807
 Email: mgt_sh@gpbatteries.com.cn

Hong Kong

GP BATTERY MARKETING (H.K.) LIMITED
 8/F, Gold Peak Building, 30 Kwai Wing Road,
 Kwai Chung, N.T., Hong Kong.
 Tel: (852) 2420 0281 Fax: (852) 2494 9349
 Email: gpbmhk@goldpeak.com
 Website: www.gpbatteries.com/hk

VECTRIX INTERNATIONAL LIMITED

4/F, Gold Peak Building, 30 Kwai Wing Road,
 Kwai Chung, N.T., Hong Kong.
 Tel: (852) 2484 3447 Fax: (852) 2484 1362

Taiwan

GOLD PEAK INDUSTRIES (TAIWAN) LIMITED - TAIPEI OFFICE
 8/F, No. 148, Sec. 1, Xingsheng South Road,
 Zhongzheng Dist., Taipei 10061, Taiwan.
 Tel: (886) 2 2398 5598 Fax: (886) 2 2393 5551 / 2 2393 5552
 Email: ls_ho@goldpeak.com

GWA ENERGY, INC.,

4F, 27-1, Lane 169, Kangning St., Sijhih
 Taipei, Taiwan ZIP 22180
 Tel: (886) 2 8695 1756 Fax: (886) 2 8695 1259
 Email: billiou@gwaenergy.com
 Website: www.gwaenergy.com

South Korea

GP BATTERY MARKETING (KOREA) LIMITED
 5/F, WhaDeok Building, 319-11, Yangjae-Dong,
 Seocho-Gu, Seoul, South Korea
 Tel: (82) 2 549 7188 / 549 7189 Fax: (82) 2 514 0623
 Email: jh_baak@goldpeak.com
 Website: www.gpbattery.co.kr

UAE

GP BATTERY MARKETING MIDDLE EAST LIMITED FZC
 P.O. Box 7989, M4-02, Saif Zone,
 Sharjah, United Arab Emirates
 Tel: (971) 6 5578787 Fax: (971) 6 5578777
 Email: md_pme@emirates.net.ae
 Website: www.gpbatteries.com/uae

EUROPE

Russia

AZ LIMITED
 Building 4, vlad. "Tricolor", mic. dist. Vostryakovo,
 Domodedovo, Moscow Region, Russia 142072
 Prospekt Andropova 18, korp. 5, floor 18
 Moscow, Russia, 115432
 Tel/Fax: (7) 495 926 5050
 Website: www.gpbatteries.com/ru

Poland

GP BATTERY (POLAND) SP. Z.O.O.
 ul. Lopuszańska 36, 02-220 Warszawa
 Tel: (48) 22 500 9500 / 868 0490 Fax (48) 22 846 7535
 Email: gpbp@gpbattery.com.pl
 Website: www.gpbatteries.com.pl

The Netherlands

GP BATTERIES EUROPE B.V.
 Kaldenkerkerweg 20
 5913 AE Venlo
 The Netherlands
 Tel: (31) 077 3020044
 Email: info@gpbatteries-europe.com

The United Kingdom

GP BATTERIES (UK) LIMITED
 Monument View, Chelston Business Park,
 Wellington, Somerset, TA21 9ND, United Kingdom
 Tel: (44) 1823 660044 Fax: (44) 1823 665595
 Email: sales@gpbatteries.co.uk
 Website: www.gpbatteries.com/uk

France

GP BATTERY MARKETING FRANCE SA
 ZAE du Trou Grillon - BP 49
 91280 Saint Pierre du Perray, France
 Tel: (33) 1 6989 6200 Fax: (33) 1 6989 6210
 Email: info@gpbatteries.fr
 Website: www.gpbatteries.fr

Germany

GP BATTERY MARKETING (GERMANY) GMBH
 Prinzenallee 7, 40549 D-sseldorf, Germany
 Tel: (49) 211 5229540 Fax: (49) 211 52295454
 Email: info@gpbatteries.de
 Website: www.gpbatteries.de

Italy

GP BATTERY MARKETING ITALY S.R.L.
 Via. Alessandro Volta 3,
 20090 Assago (Mi), Italy
 Tel: (39) 02 488 2512 Fax: (39) 02 488 2865
 Email: gpbatteries@gpbatteries.it
 Website: www.gpbatteries.it

Sweden

GPBM NORDIC AB
 Argongatan 2 B, SE-431 53,
 Molndal, Sweden
 Tel: (46) 31 799 1600 Fax: (46) 31 799 1601
 Email: info@gpbmnordic.se

AMERICA

US & Latin America

GOLD PEAK INDUSTRIES (NORTH AMERICA) INC.
 11235 West Bernardo Court,
 San Diego, CA92127-1638, U.S.A.
 Tel: (1) 858 674 6099 Fax: (1) 858 674 6496 / 674 5883
 Email: sales@gpina.com
 Website: www.gpina.com

GP BATTERY MARKETING (LATIN AMERICA) INC.

8370 NW, 66th Street, Miami,
 Florida 33166, U.S.A.
 Tel: (1) 305 471 7717 Fax: (1) 305 471 7718
 Email: gpmiami@gpmiami.com

Canada

GP BATTERY MARKETING INC.
 Unit 7, 7780 Woodbine Avenue,
 Markham, Ontario, Canada L3R 2N7
 Tel: (1) 905 474 9507 Fax: (1) 905 474 9452
 Email: Oliver@gpbattery.com
 Website: www.gpbatteries.com/cd

GP BATTERY MARKETING INC. – B.C. Office

Unit 822, 5300 No. 3 Road,
 Lansdowne Centre
 Richmond, B.C. Canada V6X 2X9
 Tel: (1) 604-231 9905 Fax: (1) 604-231 9953
 Email: gpbmbc@shawbiz.ca



Primary Batteries

GP Batteries



Power Solutions

Powerful and reliable, GP Batteries has remained at the forefront of battery manufacturing for over 40 years through sophisticated research and development, precise anticipation of consumer needs and close cooperation with retail partners.

As an expert in rechargeable technology and the leading consumer battery manufacturer in Asia outside Japan, GP Batteries produces batteries, Portable PowerBank and flashlights, which are ideal portable energy sources for a wide range of battery-powered devices, including portable electronics, wireless mouse and keyboard, toys and games, smoke detectors, flashlights, remote control, clocks, radios and more.

GP Batteries also makes a full range of miniature batteries for devices essential for improving the quality of life, such as hearing aids, medical devices, watches as well as calculators, electronic books, garage doors, keyless entry facilities and other small electronics.



High capacity, long service life, high drain performance and superior endurance make GP Batteries the best back-up for all battery powered devices. Produced and packaged in user-friendly format with multi-use adaptations, GP products ensure consumer acceptability.

Alkaline



02

ULTRA PLUS ALKALINE



04

ULTRA ALKALINE



08

SUPER ALKALINE

Carbon Zinc



12

GREENCELL



14

SUPERCELL

Lithium



15

LITHIUM



Specialty



18

LITHIUM COIN



19

HIGH VOLTAGE ALKALINE



20

SILVER OXIDE



21

ALKALINE CELL



22

ZINC AIR



Ultra Plus Alkaline


The popularity of portable electronic devices brings along the increased demand for long-lasting battery power. Ultra Plus Alkaline battery, made with advanced materials, is designed to provide reliable and long operating power for high drain devices. Ultra Plus Alkaline battery offers users seamless enjoyment with portable gadgets.

Features

- ★ The No.1 GP Alkaline Battery
- ★ Longer lasting in power hungry devices
- ★ Up to 7 years shelf life
- ★ Complete line of AA, AAA, C, D and 9 Volt

Major Applications

Photo flash, MP3, wireless mouse & keyboard, portable electronics, electronic games, remote-controlled cars and battery-operated toys



Standard Packs



15AUP-U2 AA 1.5V
(AA 2's)



15AUP-U4 AA 1.5V
(AA 4's)



15AUP-U8 AA 1.5V
(AA 8's)



24AUP-U2 AAA 1.5V
(AAA 2's)



24AUP-U4 AAA 1.5V
(AAA 4's)



24AUP-U8 AAA 1.5V
(AAA 8's)



13AUP-U2 D 1.5V
(D 2's)



14AUP-U2 C 1.5V
(C 2's)



1604AUP-U1 9V
(9V 1's)



15AUP-U4 AA 1.5V
(AA 4's x 10 cards)



24AUP-U4 AAA 1.5V
(AAA 4's x 10 cards)



Ultra Alkaline

Specially designed for ever-growing number of battery powered devices, Ultra Alkaline delivers reliable portable power. There's a better chance to score top marks with Ultra Alkaline batteries with their longer operating time and unmatched performance on power hungry devices. Win increased customer satisfaction by providing the right support for leisure time devices.

Features

- ★ Longer operating time
- ★ Up to 7 years shelf life
- ★ Complete line of AA, AAA, C, D and 9 Volt
- ★ Blister packs, multi-packs and value packs are available

Major Applications

MP3, photo flash, wireless mouse & keyboard, portable electronics, electronic games and battery-operated toys



Standard Packs



15AU-U2 AA 1.5V
(AA 2's)



15AU-U4 AA 1.5V
(AA 4's)



15AU-U8 AA 1.5V
(AA 8's)



24AU-U2 AAA 1.5V
(AAA 2's)



24AU-U4 AAA 1.5V
(AAA 4's)



24AU-U8 AAA 1.5V
(AAA 8's)



13AU-U2 D 1.5V
(D 2's)



14AU-U2 C 1.5V
(C 2's)



1604AU-U1 9V
(9V 1's)



908AU-S1 6V
(908AU 1's)




15AU-U4 AA 1.5V
(AA 4's x 10 cards)




24AU-U4 AAA 1.5V
(AAA 4's x 10 cards)

GP Batteries

Value Packs



15AU-UD12 AA 1.5V
(AA 12's)



24AU-UD12 AAA 1.5V
(AAA 12's)



15AU-P10 AA 1.5V
(AA 10's)



24AU-P10 AAA 1.5V
(AAA 10's)



15AU-VS12 AA 1.5V
(AA 12's)



24AU-VS12 AAA 1.5V
(AAA 12's)



13AU-VS4 D 1.5V
(D 4's)



14AU-VS4 C 1.5V
(C 4's)



15AU-DP40 AA 1.5V
(AA 4's x 10 packs)



24AU-DP40 AAA 1.5V
(AAA 4's x 10 packs)



15AU-SB4 AA 1.5V
(AA 4's x 24 packs)



24AU-SB4 AAA 1.5V
(AAA 4's x 24 packs)



Super Alkaline

Super Alkaline is formulated to meet the increasing power demand of everyday devices for value conscious customers. Dependable performance builds customer loyalty through the dependable power of Super Alkaline batteries. With a long shelf life, this extensive product range offers a reliable product for a wide range of applications for consumers of all ages.

Features

- ★ Long lasting
- ★ Dependable performance
- ★ Up to 7 years shelf life
- ★ Extensive range including AA, AAA, C, D and 9 Volt, N, J ... and so on
- ★ Blister packs, multi packs and value packs are available

Major Applications

Walkie talkies, remote control, smoke alarms and flashlights



Standard Packs



15A-U2 AA 1.5V
(AA 2's)



15A-U4 AA 1.5V
(AAA 4's)



15A-U8 AA 1.5V
(AA 8's)



24A-U2 AAA 1.5V
(AAA 2's)



24A-U4 AAA 1.5V
(AAA 4's)



24A-U8 AAA 1.5V
(AAA 8's)



25A-U2 AAAA 1.5V
(AAAA 2's)



13A-U2 D 1.5V
(D 2's)




14A-U2 C 1.5V
(C 2's)



1604A-U1 9V
(9V 2's)



910A-U2 N 1.5V
(N 2's)



312A-U1 4.5V
(312A 1's)

GP Batteries

Standard Packs



1412AP-U1 J 6V
(J 1's)



908A-S1 6V
(908A 1's)



15A-U4 AA 1.5V
(AA 4's x 10 cards)



24A-U4 AAA 1.5V
(AAA 4's x 10 cards)

Value Packs



15A-VS12 AA 1.5V
(AA 12's)



24A-VS12 AAA 1.5V
(AAA 12's)



13A-VS4 D 1.5V
(D 4's)



14A-VS4 C 1.5V
(C 4's)



15A-UD12 AA 1.5V
(AA 12's)



24A-UD12 AAA 1.5V
(AAA 12's)



15A-P10 AA 1.5V
(AA 10's)



24A-P10 AAA 1.5V
(AAA 10's)



15A-DP40 AA 1.5V
(AA 4's x 10 packs)



24A-DP40 AAA 1.5V
(AAA 4's x 10 packs)



15A-SB4 AA 1.5V
(AA 4's x 24 packs)



24A-SB4 AAA 1.5V
(AAA 4's x 24 packs)

GP Batteries



Greencell

Stay in tune with the times for domestic and day-to-day items by using value to performance Greencell batteries. They're dependable, and offer an economical, reliable power source for medium to low-drain applications such as self-standing or wall hanging timepieces. An ideal choice for price-conscious customers.

Features

- ★ Dependable
- ★ Value to performance
- ★ Full range of AA, AAA, C, D, 9 Volt and so on
- ★ Blister packs, multi packs and value packs are available

Major Applications

Alarm clocks, radios, remote controls, flashlights and smoke detectors



Standard Packs



15G-U2 AA 1.5V
(AA 2's)



15G-U4 AA 1.5V
(AA 4's)



24G-U2 AAA 1.5V
(AAA 2's)



24G-U4 AAA 1.5V
(AAA 4's)



13G-U2 D 1.5V
(D 2's)



14G-U2 C 1.5V
(C 2's)



1604G-U1 9V
(9V 1's)



312G-U1 4.5V
(312G 1's)



908G-S1 6V
(908G 1's)



15G-U4 AA 1.5V
(AA 4's x 18 cards)



24G-U4 AAA 1.5V
(AAA 4's x 18 cards)

Value Packs



15G-VS12 AA 1.5V
(AA 12's)



15G-VS24 AA 1.5V
(AA 24's)



24G-VS12 AAA 1.5V
(AAA 12's)



24G-VS24 AAA 1.5V
(AAA 24's)



13G-VS8 D 1.5V
(D 8's)



14G-VS8 C 1.5V
(C 8's)



1604G-VS4 9V
(9V 4's)



15G-P10 AA 1.5V
(AA 10's)



24G-P10 AAA 1.5V
(AAA 10's)



15G-DP60 AA 1.5V
(AA 4's x 15 packs)



24G-DP60 AAA 1.5V
(AAA 4's x 15 packs)

GP Batteries



Supercell

Supercell is economical and suitable power sources for general battery operated devices and many small household appliances – including a variety of children’s toys. Ideally perfect to give good performance on moderate to low-drain devices. Dependable at very affordable prices and most welcomed by price-conscious consumers.

Features

- ★ Good performance
- ★ Full range of AA, AAA, C, D, 9 Volt and so on

Major Applications

Flashlights, toys, alarm clocks, radios and remote controls



Standard Packs



15S-S4 AA 1.5V
(AA 4's)



24S-S2 AAA 1.5V
(AAA 2's)



15S-S4 AA 1.5V
(AA 4's x 10 packs)



13S-S2 D 1.5V
(D 2's)



14S-S2 C 1.5V
(C 2's)



24S-S4 AAA 1.5V
(AAA 4's x 10 packs)



1604S-S1 9V
(9V 1's)



312S-S1 4.5V
(312S 1's)



1603S-S1 9V
(1603S 1's)



Lithium AA

Lithium AA is the longest lasting AA size battery, it shows the best performance for all power hungry devices by providing the high power and long lasting energy. It is 40% lighter than alkaline battery and it can function well under extreme weather condition.

Features

- ★ Best for power hungry / medical / professional devices
- ★ 40% lighter than Alkaline Battery
- ★ Performs well in extreme weather (-40°C to 60°C)
- ★ Built-in short-circuit safety protection
- ★ Long shelf life of 10 years

Major Applications

Photo flash, digital camera, medical devices, electronic games, battery-operated toys, shavers, GPS devices



Standard Packs




15LF-U2 1.5V




15LF-U4 1.5V


Application Tests(23±2°C)



Application Tests(23±2°C)



Application Tests(23±2°C)



GP Batteries



Lithium 9V

GP Lithium 9V is the best choice of battery for smoke detectors. It provides 10-year shelf life, highest energy density, stable discharge voltage and wide operating temperature which outperforms any comparable 9V battery. It also lasts up to 5 times longer than ordinary alkaline 9V batteries making it the best consumer-replacement battery for 9-volt devices in home security, wireless mics, meters, and recreation applications etc.

Features

- ★ Long shelf life of 10 years
- ★ Excellent high current discharge performance
- ★ 5 times longer lasting than alkaline batteries
- ★ Built-in safety mechanism
- ★ Environmentally friendlier
- ★ Wide operating temperature range of -40°C to +60°C and excellent discharge performance at extremely low temperature

Major Applications


Smoke detectors, medical equipment, carbon monoxide alarms, explosion gas alarms, meters, wireless transmitters, stun guns, military applications, electronic toll collection system



Standard Packs




CR-V9SD-U1 9V




10-year Service Life in Smoke Detectors

Voltage characteristics remain stable even for a long period of discharge, greatly improving the reliability of the ionisation-type smoke detector that uses GP Lithium 9V battery (GPCR-V9). Such smoke detector is also maintenance free (battery replacement is seldom required).



Lightweight, High Voltage and High Energy Density

GP Lithium 9V battery (GPCR-V9) lasts 5 times longer than Alkaline batteries.



Excellent Temperature Characteristics

GP Lithium 9V battery (GPCR-V9) outperforms competition by demonstrating much longer operating time and stable performance over a wide temperature range of -40°C to +60°C.



Lithium Cylindrical

It's often the preferred power source used in the most sophisticated photographic and medical equipment. The batteries have a long shelf life of 10 years, making them the most intelligent answer to keep devices in top operating condition – primed and ready to go!

Features

- ★ Excellent high current discharge performance
- ★ Built-in safety mechanism
- ★ Environmentally friendlier
- ★ Wide operating temperature range of -40°C to +60°C and excellent discharge performance at extremely low temperature
- ★ All sizes of CR123A, CR2, CR-P2 and 2CR5 are available

Major Applications

Cameras, LED flashlights, memory back-up, medical equipment, meters, photo flash



Standard Packs



CR2-U1 3V




CR123A-U1 3V



CR-P2-U1 6V




2CR5-U1 6V



Excellent Pulse Discharge Performance at Room Temperature

GPCR123A shows superior high pulse discharge performance and longer duration than competitors.



Outstanding Pulse Discharge Capability at -20°C

The outstanding high pulse discharge capability of GPCR123A remains strong at extremely low temperature.



Lithium Coin For Electronic Device

Use the correct batteries for the right appliances. With a broad range of applications and a wide range of operating temperatures, Lithium Coin batteries are ideal for different kinds of cameras, watches, remote controls and other electronic devices. They are the perfect partner for computers and other sensitive devices with long shelf life of 10 years.

Features


- ★ High energy density
- ★ Wide range of operating temperatures, from -10°C to +60°C
- ★ Flat discharge curve
- ★ Long shelf life of 10 years
- ★ Environmentally friendlier
- ★ Broad range of sizes and models

Major Applications

Computer memory back-up, camera, remote controls, calculators and thermometers.



Standard Packs



CR2016-C1 3V



CR2016-C2 3V



CR2032-C1 3V



CR2032-C2 3V



CR2016-C5 3V



CR2032-C5 3V

Available models

Model No.	Packing Type	
CR1/3N	C1	1pc/card
	C5	5pcs/card
CR1216	C1	1pc/card
	C5	5pcs/card
CR1220	C1	1pc/card
	C5	5pcs/card
CR1616	C1	1pc/card
	C5	5pcs/card
CR1620	C1	1pc/card
	C5	5pcs/card
CR2016	C1	1pc/card
	C2	2pcs/card
	C5	5pcs/card
CR2025	C1	1pc/card
	C2	2pcs/card
	C5	5pcs/card
CR2032	C1	1pc/card
	C2	2pcs/card
	C5	5pcs/card
CR2430	C1	1pc/card
	C5	5pcs/card
CR2450	C1	1pc/card
	C5	5pcs/card



High Voltage Alkaline For Car Alarm


In tune with the most advanced remote control apparatus, High Voltage Alkaline batteries are especially built to conform to the highest standards of performance excellence in remote controls for cars, photo equipment and other electronic devices. To give maximum endorsement, they hold a stable operating voltage throughout use.

Features

- ★ Long lasting power
- ★ Stable operating voltage
- ★ Wide range of models

Major Applications

Car alarm, keyless entry remotes, toys, electronic organizers



Standard Packs

Mercury Free Series



23AF-C1 12V



23AF-C5 12V



27AF-C1 12V

Mercury Free Series available models

Model No.	Packing Type
10A	C1 1pc/card
	C5 5pcs/card
11A	C1 1pc/card
	C5 5pcs/card
23A	C1 1pc/card
	C5 5pcs/card
26A	C1 1pc/card
	C5 5pcs/card
27A	C1 1pc/card
	C5 5pcs/card
29A	C1 1pc/card
	C5 5pcs/card
476A	C1 1pc/card

Low Mercury Series



23AE-C1 12V



27A-C5 12V



27A-C1 12V

Low Mercury Series available models

Model No.	Packing Type
10A	C1 1pc/card
	C5 5pcs/card
11A	C1 1pc/card
	C5 5pcs/card
23AE	C1 1pc/card
	C5 5pcs/card
26A	C1 1pc/card
	C5 5pcs/card
27A	C1 1pc/card
	C5 5pcs/card
29A	C1 1pc/card
	C5 5pcs/card
476A	C1 1pc/card



Silver Oxide For Watch

Keep yourself in step with the times, choose the best battery for fashion watches and quality timepieces. Silver oxide button cells offer high voltage stability, maintaining almost the same voltage from the beginning to the end of its service life. They are suitable to power precision devices and assure the time reliability of watches.

Features

- ★ Very long runtime
- ★ 0% Mercury added
- ★ Stable operating voltage
- ★ Wide range of models

Major Applications

Watches, calculators, and exposure meter



Standard Packs

Ultra Plus Series



357F-A1 1.55V

Ultra Plus Series
available models

Model No.	Packing Type
357	
362	
364	
377	A1
379	1pc/capsule
386	C5
389	5pcs/card
392	
394	
395	

Ultra Series



364E-A1 1.55V

Ultra Series
available models

Model No.	Packing Type
357	
364	A1
377	1pc/capsule
386	C5
389	5pcs/card
392	



357F-C5 1.55V



377F-C5 1.55V



364E-C5 1.55V



377E-C5 1.55V



Alkaline Cell For Electronic Device


With its comprehensive product range, alkaline button cells are used to power various kinds of small portable electronic devices, including electronic toys, calculators and remote controls.

Features

- ★ Deliver power required for small electronic devices
- ★ Comprehensive product range
- ★ Multi applications

Major Applications

Electronic toys, calculators, remote controls



Standard Packs

Mercury Free Series



A76-C1 1.5V



A76-C2 1.5V



A76-C5 1.5V

Mercury Free Series available models

Model No.	Packing Type
186	C1 1pc/card
	C5 5pcs/card
189	C1 1pc/card
	C5 5pcs/card
192	C1 1pc/card
	C5 5pcs/card
PX625A	C1 1pc/card
	C5 5pcs/card
A76	C1 1pc/card
	C2 2pcs/card
	C5 5pcs/card

Low Mercury Series



A76-C1 1.5V



A76-C2 1.5V



A76-C5 1.5V



A76-C10 1.5V

Low Mercury Series available models

Model No.	Packing Type
164	C5 5pcs/card
	C10 10pcs/card
177	C5 5pcs/card
	C10 10pcs/card
186	C1 1pc/card
	C5 5pcs/card
189	C10 10pcs/card
	C5 5pcs/card
191	C10 10pcs/card
	C5 5pcs/card
192	C5 5pcs/card
	C10 10pcs/card
PX625A	C1 1pc/card
	C5 5pcs/card
A76	C1 1pc/card
	C2 2pcs/card
	C5 5pcs/card
	C10 10pcs/card



Zinc Air For Hearing Aid

Sensible device is always using the correct battery to protect delicate devices. GP zinc air batteries are specifically designed to deliver reliable quality for sensitive hearing aid devices. It offers a long-lasting experience for different styles and models of hearing aids. It holds a stable operating voltage throughout use and performs well over a wide range of temperatures.

Features


- ★ Long-lasting power
- ★ Reliable precise quality
- ★ Wide range operating temperatures

Major Applications

Hearing aids and accessories



Standard Packs



ZA10-D6 1.4V



ZA13-D6 1.4V



ZA312-D6 1.4V



ZA675-D6 1.4V

Ultra Plus Alkaline



Model No.	Dimension (mm)		Voltage (V)	Cross Reference			
	Diameter	Height		IEC	JIS	Energizer	Other
13AUP	34.2	61.5	1.5	LR20	LR20	E95	D
14AUP	26.2	50.0	1.5	LR14	LR14	E93	C
15AUP	14.5	50.5	1.5	LR6	LR6	E91	AA
24AUP	10.5	44.5	1.5	LR03	LR03	E92	AAA
1604AUP	26.5(L) x 17.5(W) x 48.5(H)		9.0	6LF22	6LF22	522	-

Ultra Alkaline



Model No.	Dimension (mm)		Voltage (V)	Cross Reference			
	Diameter	Height		IEC	JIS	Energizer	Other
13AU	34.2	61.5	1.5	LR20	LR20	E95	D
14AU	26.2	50.0	1.5	LR14	LR14	E93	C
15AU	14.5	50.5	1.5	LR6	LR6	E91	AA
24AU	10.5	44.5	1.5	LR03	LR03	E92	AAA
908AU	66.0(L) x 66.0(W) x 111.0(H)		6.0	4LR25	4LR25X	-	-
1604AU	26.5(L) x 17.5(W) x 48.5(H)		9.0	6LF22	6LF22	522	-

Super Alkaline



Model No.	Dimension (mm)		Voltage (V)	Cross Reference			
	Diameter	Height		IEC	JIS	Energizer	Other
13A	34.2	61.5	1.5	LR20	LR20	E95	D
14A	26.2	50.0	1.5	LR14	LR14	E93	C
15A	14.5	50.5	1.5	LR6	LR6	E91	AA
24A	10.5	44.5	1.5	LR03	LR03	E92	AAA
25A	8.3	42.5	1.5	LR8D425	-	E96	AAAA
312A	62.0(L) x 22.0(W) x 67.0(H)		4.5	3LR12	-	-	-
908A	66.0(L) x 66.0(W) x 111.0(H)		6.0	4LR25	4LR25X	528	-
910A	12.0	30.2	1.5	LR1	LR1	-	N
1604A	26.5(L) x 17.5(W) x 48.5(H)		9.0	6LF22	6LF22	522	-
1412AP	35.5(L) x 9.2(W) x 48.4(H)		6.0	4LR61	4LR61	539	J

Greencell Extra Heavy Duty



Model No.	Dimension (mm)		Voltage (V)	Cross Reference			
	Diameter	Height		IEC	JIS	Eveready	Other
13G	34.2	61.5	1.5	R20P	R20P	1250	D
14G	26.2	50.0	1.5	R14P	R14P	1235	C
15G	14.5	50.5	1.5	R6P	R6P	1215	AA
24G	10.5	44.5	1.5	R03	R03	1212	AAA
312G	62.0(L) x 22.0(W) x 67.0(H)		4.5	3R12	3R12	-	-
908G	66.0(L) x 66.0(W) x 111.0(H)		6.0	4R25	4F	509	-
1604G	26.5(L) x 17.5(W) x 48.5(H)		9.0	6F22	6F22	1222	-

Supercell Super Heavy Duty



Model No.	Dimension (mm)		Voltage (V)	Cross Reference			
	Diameter	Height		IEC	JIS	Eveready	Other
13S	34.2	61.5	1.5	R20S	R20S	1050	D
14S	26.2	50.0	1.5	R14S	R14S	1035	C
15S	14.5	50.5	1.5	R6S	R6S	1015	AA
24S	10.5	44.5	1.5	R03	R03	912	AAA
312S	62.0(L) x 22.0(W) x 67.0(H)		4.5	3R12	3R12	-	-
1603S	66.0(L) x 52.0(W) x 81.0(H)		9.0	6F100	6F100	276	-
1604S	26.5(L) x 17.5(W) x 48.5(H)		9.0	6F22	6F22	216	-

GP Batteries

Lithium AA



Model No.	Dimension (mm)		Voltage (V)	Cross Reference			
	Diameter	Height		IEC	JIS	Energizer	Duracell
15LF	14.5	50.5	1.5	FR6	FR6	L91	LF1500

Lithium 9V



Model No.	Dimension (mm)		Voltage (V)	Cross Reference			
	Diameter	Height		IEC	JIS	ANSI	Ultralife
CR-V9	26.5(L) x 17.5(W) x 48.5(H)		9.0	-	-	1604LC	U9VL

Lithium Cylindrical



Model No.	Dimension (mm)		Voltage (V)	Cross Reference			
	Diameter	Height		IEC	JIS	Eveready	Duracell
CR2	15.6	27.0	3.0	-	-	-	DLCR2
CR123A	16.8	34.5	3.0	CR17345	-	EL123AP	DL123A
CR-P2	34.8(L) x 19.5(W) x 35.8(H)		6.0	CR-P2	CR-P2	EL223AP	DL223A
2CR5	34.0(L) x 17.0(W) x 45.0(H)		6.0	2CR5	2CR5	EL2CR5BP	DL245

Lithium Coin



Model No.	Dimension (mm)		Voltage (V)	Nominal Capacity (mAh)	Cross Reference			
	Diameter	Height			IEC / JIS	Eveready	Varta	Duracell
CR1/3N	11.6	10.8	3.0	160	CR1/3N	2L76	CR1/3N	-
CR1216	12.5	1.6	3.0	25	CR1216	CR1216	CR1216	-
CR1220	12.5	2.0	3.0	36	CR1220	CR1220	CR1220	1220
CR1616	16.0	1.6	3.0	55	CR1616	CR1616	CR1616	1616
CR1620	16.0	2.0	3.0	78	CR1620	CR1620	CR1620	1620
CR2016	20.0	1.6	3.0	90	CR2016	CR2016	CR2016	2016
CR2025	20.0	2.5	3.0	160	CR2025	CR2025	CR2025	2025
CR2032	20.0	3.2	3.0	220	CR2032	CR2032	CR2032	2032
CR2430	24.5	3.0	3.0	300	CR2430	CR2430	CR2430	2430
CR2450	24.5	5.0	3.0	610	CR2450	CR2450	CR2450	2450

Silver Oxide (Ultra Plus Series)



Model No.	Dimension (mm)		Voltage (V)	Nominal Capacity (mAh)	Cross Reference				
	Diameter	Height			IEC/JIS	Eveready	Varta	Duracell	Sony
357	11.6	5.4	1.55	155	SR44	357/303Z	V357	303/357	SR44SW
362	7.9	2.1	1.55	24	SR58	362/361Z	V362	361/362	SR721SW
364	6.8	2.15	1.55	17	SR60	364/363Z	V364	364	SR621SW
377	6.8	2.6	1.55	23	SR66	377/376Z	V377	377	SR626SW
379	5.8	2.15	1.55	14	SR63	379Z	V379	379	SR521SW
386	11.6	4.2	1.55	115	SR43	386Z	V386	301/386	SR43SW
389	11.6	3.05	1.55	67	SR54	389Z	V389	389	SR1130SW
392	7.9	3.6	1.55	40	SR41	392/384Z	V392	384/392	SR41SW
394	9.5	3.6	1.55	60	-	394/380Z	V394	-	SR936SW
395	9.5	2.7	1.55	55	SR57	395/399Z	V395	395/399	SR927SW

Silver Oxide (Ultra Series)



Model No.	Dimension (mm)		Voltage (V)	Nominal Capacity (mAh)	Cross Reference				
	Diameter	Height			IEC/JIS	Eveready	Varta	Duracell	Sony
357	11.6	5.4	1.55	140	SR44	357/303Z	V357	303/357	SR44SW
364	6.8	2.15	1.55	14	SR60	364/363Z	V364	364	SR621SW
377	6.8	2.6	1.55	20	SR66	377/376Z	V377	377	SR626SW
386	11.6	4.2	1.55	95	SR43	386Z	V386	301/386	SR43SW
389	11.6	3.05	1.55	58	SR54	389Z	V389	389	SR1130SW
392	7.9	3.6	1.55	33	SR41	392/384Z	V392	384/392	SR41SW

Alkaline Cells (Mercury Free Series)



Model No.	Dimension (mm)		Voltage (V)	Nominal Capacity (mAh)	Cross Reference				
	Diameter	Height			IEC	JIS	Eveready	Varta	Duracell
A76	11.6	5.4	1.5	110	LR44	LR44	A76Z	V13GA	LR44
186	11.6	4.2	1.5	70	LR43	LR43	186	V12GA	LR43
189	11.6	3.05	1.5	44	LR54	LR1130	189	V10GA	LR54
192	7.9	3.6	1.5	24	LR41	LR41	192Z	V3GA	-
PX625A	15.6	5.95	1.5	190	LR9	LR9	E625G	V625U	625A

Alkaline Cells (Low Mercury Series)



Model No.	Dimension (mm)		Voltage (V)	Nominal Capacity (mAh)	Cross Reference				
	Diameter	Height			IEC	JIS	Eveready	Varta	Duracell
A76	11.6	5.4	1.5	110	LR44	LR44	A76Z	V13GA	LR44
164	6.8	2.15	1.5	8	LR60	-	-	-	LR620
177	6.8	2.6	1.5	12	LR626	LR626	-	-	-
186	11.6	4.2	1.5	70	LR43	LR43	186	V12GA	LR43
189	11.6	3.05	1.5	44	LR54	LR54	189	V10GA	LR54
191	11.6	2.05	1.5	24	LR55	LR55	191	V8GA	-
192	7.9	3.6	1.5	24	LR41	LR41	192Z	V3GA	-
PX625A	15.6	5.95	1.5	190	LR9	LR9	E625G	V625U	625A

High Voltage Alkaline (Mercury Free Series)



Model No.	Dimension (mm)		Voltage (V)	Nominal Capacity (mAh)	Cross Reference				
	Diameter	Height			IEC	JIS	Eveready	Varta	Duracell
10A	10.22	22.1	9.0	38	-	-	-	-	-
11A	10.22	16.5	6.0	38	-	-	E11A	-	-
23A	10.22	28.5	12.0	38	-	-	A23	V23GA	MN21
26A	8.0	15.7	6.0	18	-	-	-	-	-
27A	8.0	28.2	12.0	18	-	-	A27	-	MN27
29A	8.0	21.9	9.0	18	-	-	-	-	-
476A	13	25.2	6	105	4LR44	4LR44	A544	V4034PX	28A

High Voltage Alkaline (Low Mercury Series)



Model No.	Dimension (mm)		Voltage (V)	Nominal Capacity (mAh)	Cross Reference				
	Diameter	Height			IEC	JIS	Eveready	Varta	Duracell
10A	10.22	22.1	9.0	38	-	-	-	-	-
11A	10.22	16.5	6.0	38	-	-	E11A	-	-
23AE	10.22	28.5	12.0	55	-	-	A23	V23GA	MN21
26A	8.0	15.7	6.0	20	-	-	-	-	-
27A	8.0	28.2	12.0	20	-	-	A27	-	MN27
29A	8.0	21.9	9.0	20	-	-	-	-	-
476A	13	25.2	6.0	105	4LR44	4LR44	A544	V4034PX	28A

Zinc Air Hearing Aid



Model No.	Dimension (mm)		Voltage (V)	Nominal Capacity (mAh)	Cross Reference			
	Diameter	Height			IEC / JIS	Eveready	Varta	Duracell
ZA10	5.8	3.6	1.4	90	PR536	AC10	10	10
ZA13	7.9	5.4	1.4	290	PR48	AC13	13	13
ZA312	7.9	3.6	1.4	160	PR41	AC312	312	312
ZA675	11.6	5.4	1.4	630	PR44	AC675	675	675