




LITHIUM-ION RECHARGEABLE BATTERY

PRODUCT DATA SHEET MODEL **INR-18650-P28B**

■ CELL CHARACTERISTICS

Capacity	Typical	2800 mAh
		10.1 Wh
	Minimum	2650 mAh
		9.5 Wh
Cell Voltage	Nominal	3.6 V
	Charge	4.2 V
	Discharge	2.5 V
Charge Current	Standard	2.8 A
	Maximum	8.4 A (70°C cut-off)
Charge Time	Standard	1.5 hr
Discharge Current	Continuous	40 A (80°C cut-off)
Temperature	Charge	0°C to 60°C
	Discharge	-40°C to 60°C
Energy Density	Volumetric	589 Wh/l
	Gravimetric	222 Wh/kg
Typical Impedance	AC (30%SOC)	9 mΩ
	DC (50%SOC)	21 mΩ

■ PHYSICAL CHARACTERISTICS




Shape	Cylindrical
Can	Steel
Diameter	18.6 mm (Max)
Height	65.2 mm (Max)
Weight	48 g (Max)


The information contained herein is for reference only and does not imply a performance guarantee or a product warranty. Specifications and characteristics are subject to change without prior notice.

For application specific information, please contact E-One Moli Energy Sales and Applications or the nearest MOLICEL® recognized agent.


■ Charge Characteristics



■ Discharge Rate Characteristics



■ Discharge Temperature Characteristics



■ Cycle Characteristics

